

Package ‘Devore7’

July 2, 2014

Version 0.7.6

Title Data sets from Devore's ``Prob and Stat for Eng (7th ed)''

Maintainer John Verzani <jverzani@gmail.com>

Author Original by Jay L. Devore, modifications by Douglas Bates
<bates@stat.wisc.edu>, modifications for 7th edition by John Verzani.

Description Data sets and sample analyses from Jay L. Devore (2008), ``Probability and Statistics for Engineering and the Sciences (7th ed)'' , Thomson.

Depends R(>= 2.4.0), MASS, lattice

LazyData TRUE

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2014-03-25 05:37:06

R topics documented:

ex01.11	10
ex01.12	10
ex01.13	11
ex01.14	12
ex01.15	12
ex01.17	13
ex01.18	14
ex01.19	14
ex01.20	15
ex01.21	16
ex01.23	17
ex01.24	17

ex01.25	18
ex01.27	19
ex01.28	19
ex01.29	20
ex01.32	21
ex01.33	21
ex01.34	22
ex01.35	23
ex01.36	23
ex01.37	24
ex01.38	25
ex01.39	25
ex01.43	26
ex01.44	27
ex01.45	27
ex01.46	28
ex01.49	29
ex01.50	29
ex01.51	30
ex01.54	31
ex01.56	31
ex01.59	32
ex01.60	33
ex01.63	33
ex01.64	34
ex01.65	35
ex01.67	36
ex01.70	36
ex01.72	37
ex01.73	38
ex01.75	38
ex01.77	39
ex01.80	40
ex01.83	41
ex04.82	41
ex04.83	42
ex04.84	43
ex04.86	43
ex04.88	44
ex04.89	45
ex04.90	45
ex04.91	46
ex04.92	47
ex04.94	47
ex04.97	48
ex06.01	49
ex06.02	49
ex06.03	50

ex06.04	51
ex06.05	51
ex06.06	52
ex06.09	53
ex06.15	54
ex06.25	54
ex07.10	55
ex07.26	56
ex07.33	56
ex07.37	57
ex07.45	58
ex07.46	58
ex07.47	59
ex07.49	60
ex07.56	60
ex07.58	61
ex08.32	62
ex08.54	62
ex08.55	63
ex08.56	64
ex08.57	64
ex08.66	65
ex08.68	66
ex08.70	66
ex08.80	67
ex08.83	68
ex09.07	68
ex09.12	69
ex09.16	70
ex09.23	71
ex09.25	71
ex09.27	72
ex09.28	73
ex09.29	74
ex09.30	74
ex09.31	75
ex09.32	76
ex09.33	77
ex09.36	77
ex09.37	78
ex09.38	79
ex09.39	80
ex09.40	80
ex09.41	81
ex09.43	82
ex09.44	83
ex09.63	83
ex09.65	84

ex09.66	85
ex09.68	86
ex09.70	86
ex09.72	87
ex09.76	88
ex09.77	89
ex09.78	89
ex09.79	90
ex09.82	91
ex09.86	92
ex09.88	92
ex09.90	93
ex09.92	94
ex10.06	95
ex10.08	96
ex10.09	96
ex10.18	97
ex10.22	98
ex10.26	99
ex10.27	100
ex10.32	100
ex10.36	101
ex10.37	102
ex10.41	103
ex10.42	103
ex10.44	104
ex11.02	105
ex11.03	106
ex11.04	106
ex11.05	107
ex11.08	108
ex11.09	109
ex11.10	109
ex11.15	110
ex11.16	111
ex11.17	112
ex11.18	112
ex11.20	113
ex11.29	114
ex11.31	115
ex11.34	115
ex11.35	116
ex11.39	117
ex11.40	118
ex11.42	119
ex11.43	120
ex11.48	121
ex11.50	122

ex11.52	122
ex11.53	123
ex11.54	124
ex11.55	125
ex11.56	125
ex11.57	126
ex11.59	127
ex11.61	128
ex12.01	129
ex12.02	129
ex12.03	130
ex12.04	131
ex12.05	132
ex12.13	132
ex12.15	133
ex12.16	134
ex12.19	135
ex12.20	135
ex12.21	136
ex12.24	137
ex12.29	138
ex12.35	138
ex12.36	139
ex12.37	140
ex12.46	141
ex12.50	141
ex12.52	142
ex12.54	143
ex12.55	144
ex12.58	144
ex12.59	145
ex12.61	146
ex12.62	147
ex12.63	147
ex12.65	148
ex12.68	149
ex12.69	150
ex12.71	150
ex12.72	151
ex12.73	152
ex12.75	153
ex12.82	153
ex12.83	154
ex12.84	155
ex13.02	156
ex13.04	156
ex13.05	157
ex13.06	158

ex13.07	159
ex13.08	159
ex13.09	160
ex13.09a	161
ex13.09b	162
ex13.09c	162
ex13.09d	163
ex13.14	164
ex13.15	165
ex13.16	165
ex13.17	166
ex13.18	167
ex13.19	168
ex13.21	168
ex13.24	169
ex13.25	170
ex13.27	171
ex13.29	171
ex13.30	172
ex13.31	173
ex13.32	174
ex13.33	174
ex13.34	175
ex13.35	176
ex13.47	177
ex13.48	178
ex13.49	178
ex13.50	179
ex13.51	180
ex13.52	181
ex13.53	181
ex13.54	182
ex13.55	183
ex13.64	184
ex13.65	184
ex13.66	185
ex13.67	186
ex13.68	187
ex13.69	187
ex13.70	188
ex13.71	189
ex13.72	190
ex13.73	190
ex13.74	191
ex13.75	192
ex13.76	193
ex14.09	193
ex14.11	194

ex14.12	195
ex14.13	195
ex14.14	196
ex14.15	197
ex14.16	198
ex14.17	198
ex14.18	199
ex14.20	200
ex14.21	201
ex14.22	201
ex14.23	202
ex14.26	203
ex14.27	203
ex14.28	204
ex14.29	205
ex14.30	206
ex14.31	207
ex14.32	207
ex14.38	208
ex14.40	209
ex14.41	210
ex14.42	210
ex14.44	211
ex15.01	212
ex15.03	213
ex15.04	213
ex15.05	214
ex15.08	215
ex15.10	215
ex15.11	216
ex15.12	217
ex15.13	217
ex15.14	218
ex15.15	219
ex15.23	220
ex15.24	220
ex15.25	221
ex15.26	222
ex15.27	223
ex15.28	223
ex15.29	224
ex15.30	225
ex15.32	226
ex15.33	226
ex15.35	227
ex16.06	228
ex16.09	229
ex16.14	229

ex16.25	230
ex16.41	231
ex16.43	232
xmp01.01	232
xmp01.02	233
xmp01.05	234
xmp01.06	235
xmp01.08	235
xmp01.09	236
xmp01.10	237
xmp01.11	237
xmp01.12	238
xmp01.13	239
xmp01.14	239
xmp01.15	240
xmp01.16	241
xmp01.17	241
xmp01.18	242
xmp04.28	243
xmp04.29	243
xmp04.30	244
xmp04.31	245
xmp06.02	246
xmp06.03	246
xmp06.13	247
xmp06.14	248
xmp07.06	248
xmp07.11	249
xmp07.15	250
xmp08.08	250
xmp08.09	251
xmp09.04	252
xmp09.06	252
xmp09.07	253
xmp09.08	254
xmp09.09	255
xmp09.10	255
xmp10.01	256
xmp10.03	257
xmp10.05	258
xmp10.08	258
xmp10.10	259
xmp11.01	260
xmp11.05	261
xmp11.06	261
xmp11.07	262
xmp11.10	263
xmp11.11	264

xmp11.12	265
xmp12.01	265
xmp12.02	266
xmp12.04	267
xmp12.06	268
xmp12.08	268
xmp12.10	269
xmp12.11	270
xmp12.12	271
xmp12.13	271
xmp12.14	272
xmp12.15	273
xmp12.16	274
xmp13.01	274
xmp13.03	275
xmp13.04	276
xmp13.06	277
xmp13.09	277
xmp13.10	278
xmp13.11	279
xmp13.12	280
xmp13.13	281
xmp13.15	282
xmp13.16	282
xmp13.18	283
xmp13.19	284
xmp13.22	285
xmp14.03	285
xmp14.10	286
xmp14.13	287
xmp14.14	288
xmp15.01	288
xmp15.02	289
xmp15.03	290
xmp15.04	291
xmp15.06	291
xmp15.08	292
xmp15.09	293
xmp15.10	294
xmp16.01	294
xmp16.04	295
xmp16.06	296
xmp16.07	297
xmp16.08	298
xmp16.09	299

ex01.11

R Data set: ex01.11

Description

The ex01.11 data frame has 40 rows and 1 column.

Usage

```
data(ex01.11)
```

Format

A data frame with 40 observations on the following variable.

Scores a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.11)
str(ex01.11)
```

ex01.12

R Data set: ex01.12

Description

The ex01.12 data frame has 36 rows and 1 column.

Usage

```
data(ex01.12)
```

Format

A data frame with 36 observations on the following variable.

SpecGrav a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.12)
str(ex01.12)
```

ex01.13

R Data set: ex01.13

Description

The ex01.13 data frame has 153 rows and 1 column.

Usage

```
data(ex01.13)
```

Format

A data frame with 153 observations on the following variable.

strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.13)
str(ex01.13)
```

ex01.14

R Data set: ex01.14

Description

The ex01.14 data frame has 129 rows and 1 column.

Usage

```
data(ex01.14)
```

Format

A data frame with 129 observations on the following variable.

Rate a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.14)
str(ex01.14)
```

ex01.15

R Data set: ex01.15

Description

The ex01.15 data frame has 37 rows and 2 columns.

Usage

```
data(ex01.15)
```

Format

A data frame with 37 observations on the following 2 variables.

Score a numeric vector

Type a factor with levels Creamy Crunchy

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.15)
str(ex01.15)
```

ex01.17

R Data set: ex01.17

Description

The ex01.17 data frame has 60 rows and 1 column.

Usage

```
data(ex01.17)
```

Format

A data frame with 60 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.17)
str(ex01.17)
```

`ex01.18`*R Data set: ex01.18*

Description

The `ex01.18` data frame has 18 rows and 2 columns.

Usage

```
data(ex01.18)
```

Format

A data frame with 18 observations on the following 2 variables.

Number.of.papers a numeric vector

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.18)
str(ex01.18)
```

`ex01.19`*R Data set: ex01.19*

Description

The `ex01.19` data frame has 15 rows and 2 columns.

Usage

```
data(ex01.19)
```

Format

A data frame with 15 observations on the following 2 variables.

Number.of.particles a numeric vector

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.19)
str(ex01.19)
```

ex01.20

R Data set: ex01.20

Description

The ex01.20 data frame has 47 rows and 1 column.

Usage

```
data(ex01.20)
```

Format

A data frame with 47 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.20)
str(ex01.20)
```

ex01.21

R Data set: ex01.21

Description

The ex01.21 data frame has 47 rows and 2 columns.

Usage

```
data(ex01.21)
```

Format

A data frame with 47 observations on the following 2 variables.

y a numeric vector

z a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.21)
str(ex01.21)
```

`ex01.23`*R Data set: ex01.23*

Description

The `ex01.23` data frame has 100 rows and 1 column.

Usage

```
data(ex01.23)
```

Format

A data frame with 100 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.23)
str(ex01.23)
```

`ex01.24`*R Data set: ex01.24*

Description

The `ex01.24` data frame has 100 rows and 1 column.

Usage

```
data(ex01.24)
```

Format

A data frame with 100 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.24)
str(ex01.24)
```

ex01.25

R Data set: ex01.25

Description

The ex01.25 data frame has 40 rows and 2 columns.

Usage

```
data(ex01.25)
```

Format

A data frame with 40 observations on the following 2 variables.

IDT a numeric vector

log10.IDT a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.25)
str(ex01.25)
```

`ex01.27`*R Data set: ex01.27*

Description

The `ex01.27` data frame has 50 rows and 1 column.

Usage

```
data(ex01.27)
```

Format

A data frame with 50 observations on the following variable.

`lifetime` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.27)
str(ex01.27)
```

`ex01.28`*R Data set: ex01.28*

Description

The `ex01.28` data frame has 60 rows and 1 column.

Usage

```
data(ex01.28)
```

Format

A data frame with 60 observations on the following variable.

`radiation` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.28)
str(ex01.28)
```

ex01.29

R Data set: ex01.29

Description

The ex01.29 data frame has 61 rows and 1 column.

Usage

```
data(ex01.29)
```

Format

A data frame with 61 observations on the following variable.

C1 a factor with levels B C C5 F J M N O

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.29)
str(ex01.29)
```

`ex01.32`*R Data set: ex01.32*

Description

The `ex01.32` data frame has 14 rows and 2 columns.

Usage

```
data(ex01.32)
```

Format

A data frame with 14 observations on the following 2 variables.

Value a numeric vector

Cumulative a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.32)
str(ex01.32)
```

`ex01.33`*R Data set: ex01.33*

Description

The `ex01.33` data frame has 14 rows and 1 column.

Usage

```
data(ex01.33)
```

Format

A data frame with 14 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.33)
str(ex01.33)
```

ex01.34

R Data set: ex01.34

Description

The ex01.34 data frame has 11 rows and 1 column.

Usage

```
data(ex01.34)
```

Format

A data frame with 11 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.34)
str(ex01.34)
```

`ex01.35`*R Data set: ex01.35*

Description

The `ex01.35` data frame has 8 rows and 1 column.

Usage

```
data(ex01.35)
```

Format

A data frame with 8 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.35)
str(ex01.35)
```

`ex01.36`*R Data set: ex01.36*

Description

The `ex01.36` data frame has 26 rows and 1 column.

Usage

```
data(ex01.36)
```

Format

A data frame with 26 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.36)
str(ex01.36)
```

ex01.37

R Data set: ex01.37

Description

The ex01.37 data frame has 10 rows and 1 column.

Usage

```
data(ex01.37)
```

Format

A data frame with 10 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.37)
str(ex01.37)
```

`ex01.38`*R Data set: ex01.38*

Description

The `ex01.38` data frame has 9 rows and 1 column.

Usage

```
data(ex01.38)
```

Format

A data frame with 9 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.38)
str(ex01.38)
```

`ex01.39`*R Data set: ex01.39*

Description

The `ex01.39` data frame has 16 rows and 1 column.

Usage

```
data(ex01.39)
```

Format

A data frame with 16 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.39)
str(ex01.39)
```

ex01.43

R Data set: ex01.43

Description

The ex01.43 data frame has 10 rows and 1 column.

Usage

```
data(ex01.43)
```

Format

A data frame with 10 observations on the following variable.

Lifetime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.43)
str(ex01.43)
```

`ex01.44`*R Data set: ex01.44*

Description

The `ex01.44` data frame has 10 rows and 1 column.

Usage

```
data(ex01.44)
```

Format

A data frame with 10 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.44)
str(ex01.44)
```

`ex01.45`*R Data set: ex01.45*

Description

The `ex01.45` data frame has 5 rows and 1 column.

Usage

```
data(ex01.45)
```

Format

A data frame with 5 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.45)
str(ex01.45)
```

ex01.46

R Data set: ex01.46

Description

The ex01.46 data frame has 5 rows and 1 column.

Usage

```
data(ex01.46)
```

Format

A data frame with 5 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.46)
str(ex01.46)
```

`ex01.49`*R Data set: ex01.49*

Description

The `ex01.49` data frame has 17 rows and 1 column.

Usage

```
data(ex01.49)
```

Format

A data frame with 17 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.49)
str(ex01.49)
```

`ex01.50`*R Data set: ex01.50*

Description

The `ex01.50` data frame has 27 rows and 1 column.

Usage

```
data(ex01.50)
```

Format

A data frame with 27 observations on the following variable.

awards a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.50)
str(ex01.50)
```

ex01.51

R Data set: ex01.51

Description

The ex01.51 data frame has 19 rows and 1 column.

Usage

```
data(ex01.51)
```

Format

A data frame with 19 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.51)
str(ex01.51)
```

`ex01.54`*R Data set: ex01.54*

Description

The `ex01.54` data frame has 11 rows and 1 column.

Usage

```
data(ex01.54)
```

Format

A data frame with 11 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.54)
str(ex01.54)
```

`ex01.56`*R Data set: ex01.56*

Description

The `ex01.56` data frame has 26 rows and 1 column.

Usage

```
data(ex01.56)
```

Format

A data frame with 26 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.56)
str(ex01.56)
```

ex01.59

R Data set: ex01.59

Description

The ex01.59 data frame has 50 rows and 2 columns.

Usage

```
data(ex01.59)
```

Format

A data frame with 50 observations on the following 2 variables.

ED a numeric vector

Non a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.59)
str(ex01.59)
```

`ex01.60`*R Data set: ex01.60*

Description

The `ex01.60` data frame has 12 rows and 2 columns.

Usage

```
data(ex01.60)
```

Format

A data frame with 12 observations on the following 2 variables.

Test a numeric vector

Cannister a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.60)
str(ex01.60)
```

`ex01.63`*R Data set: ex01.63*

Description

The `ex01.63` data frame has 26 rows and 1 column.

Usage

```
data(ex01.63)
```

Format

A data frame with 26 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.63)
str(ex01.63)
```

ex01.64

R Data set: ex01.64

Description

The ex01.64 data frame has 4 rows and 2 columns.

Usage

```
data(ex01.64)
```

Format

A data frame with 4 observations on the following 2 variables.

HC.gm.mi a numeric vector

CO.gm.mi a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.64)
str(ex01.64)
```

ex01.65

R Data set: ex01.65

Description

The ex01.65 data frame has 4 rows and 2 columns.

Usage

```
data(ex01.65)
```

Format

A data frame with 4 observations on the following 2 variables.

HC a numeric vector

CO a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.65)
str(ex01.65)
```

`ex01.67`*R Data set: ex01.67*

Description

The `ex01.67` data frame has 15 rows and 1 column.

Usage

```
data(ex01.67)
```

Format

A data frame with 15 observations on the following variable.

`CO.conc` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.67)
str(ex01.67)
```

`ex01.70`*R Data set: ex01.70*

Description

The `ex01.70` data frame has 15 rows and 2 columns.

Usage

```
data(ex01.70)
```

Format

A data frame with 15 observations on the following 2 variables.

`Weight` a numeric vector

`Treadmill` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.70)
str(ex01.70)
```

ex01.72

R Data set: ex01.72

Description

The ex01.72 data frame has 13 rows and 2 columns.

Usage

```
data(ex01.72)
```

Format

A data frame with 13 observations on the following 2 variables.

PTSD a numeric vector

Healthy a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.72)
str(ex01.72)
```

`ex01.73`*R Data set: ex01.73*

Description

The `ex01.73` data frame has 20 rows and 1 column.

Usage

```
data(ex01.73)
```

Format

A data frame with 20 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.73)  
str(ex01.73)
```

`ex01.75`*R Data set: ex01.75*

Description

The `ex01.75` data frame has 15 rows and 3 columns.

Usage

```
data(ex01.75)
```

Format

A data frame with 15 observations on the following 3 variables.

Type.1 a numeric vector

Type.2 a numeric vector

Type.3 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.75)
str(ex01.75)
```

ex01.77

R Data set: ex01.77

Description

The ex01.77 data frame has 46 rows and 1 column.

Usage

```
data(ex01.77)
```

Format

A data frame with 46 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.77)
str(ex01.77)
```

ex01.80

R Data set: ex01.80

Description

The ex01.80 data frame has 15 rows and 2 columns.

Usage

```
data(ex01.80)
```

Format

A data frame with 15 observations on the following 2 variables.

Length a factor with levels 10-<12 12-<14 14-<16 16-<18 18-<20 20-<22 22-<24 24-<26 26-<28
28-<30 30-<35 35-<40 40-<45 6-<8 8-<10

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.80)
str(ex01.80)
```

`ex01.83`*R Data set: ex01.83*

Description

The `ex01.83` data frame has 26 rows and 1 column.

Usage

```
data(ex01.83)
```

Format

A data frame with 26 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex01.83)
str(ex01.83)
```

`ex04.82`*R Data set: ex04.82*

Description

The `ex04.82` data frame has 10 rows and 1 column.

Usage

```
data(ex04.82)
```

Format

A data frame with 10 observations on the following variable.

lifetime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.82)
str(ex04.82)
```

ex04.83

R Data set: ex04.83

Description

The ex04.83 data frame has 16 rows and 1 column.

Usage

```
data(ex04.83)
```

Format

A data frame with 16 observations on the following variable.

thickness a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.83)
str(ex04.83)
```

`ex04.84`*R Data set: ex04.84*

Description

The `ex04.84` data frame has 18 rows and 2 columns.

Usage

```
data(ex04.84)
```

Format

A data frame with 18 observations on the following 2 variables.

`obsv` a numeric vector

`p` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.84)
str(ex04.84)
```

`ex04.86`*R Data set: ex04.86*

Description

The `ex04.86` data frame has 20 rows and 1 column.

Usage

```
data(ex04.86)
```

Format

A data frame with 20 observations on the following variable.

loadlife a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.86)
str(ex04.86)
```

ex04.88

R Data set: ex04.88

Description

The ex04.88 data frame has 10 rows and 1 column.

Usage

```
data(ex04.88)
```

Format

A data frame with 10 observations on the following variable.

lifetime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.88)
str(ex04.88)
```

ex04.89

R Data set: ex04.89

Description

The ex04.89 data frame has 16 rows and 1 column.

Usage

```
data(ex04.89)
```

Format

A data frame with 16 observations on the following variable.

thickness a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.89)
str(ex04.89)
```

ex04.90

R Data set: ex04.90

Description

The ex04.90 data frame has 18 rows and 2 columns.

Usage

```
data(ex04.90)
```

Format

A data frame with 18 observations on the following 2 variables.

obsv a numeric vector

p a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.90)
str(ex04.90)
```

ex04.91

R Data set: ex04.91

Description

The ex04.91 data frame has 16 rows and 1 column.

Usage

```
data(ex04.91)
```

Format

A data frame with 16 observations on the following variable.

failtime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.91)
str(ex04.91)
```

ex04.92

R Data set: ex04.92

Description

The ex04.92 data frame has 20 rows and 1 column.

Usage

```
data(ex04.92)
```

Format

A data frame with 20 observations on the following variable.

loadlife a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.92)
str(ex04.92)
```

ex04.94

R Data set: ex04.94

Description

The ex04.94 data frame has 30 rows and 1 column.

Usage

```
data(ex04.94)
```

Format

A data frame with 30 observations on the following variable.

precip a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.94)
str(ex04.94)
```

ex04.97

R Data set: ex04.97

Description

The ex04.97 data frame has 16 rows and 1 column.

Usage

```
data(ex04.97)
```

Format

A data frame with 16 observations on the following variable.

failtime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex04.97)
str(ex04.97)
```

`ex06.01`*R Data set: ex06.01*

Description

The `ex06.01` data frame has 27 rows and 1 column.

Usage

```
data(ex06.01)
```

Format

A data frame with 27 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.01)
str(ex06.01)
```

`ex06.02`*R Data set: ex06.02*

Description

The `ex06.02` data frame has 21 rows and 1 column.

Usage

```
data(ex06.02)
```

Format

A data frame with 21 observations on the following variable.

C1 a factor with levels C C1 H S T

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.02)
str(ex06.02)
```

ex06.03

R Data set: ex06.03

Description

The ex06.03 data frame has 16 rows and 1 column.

Usage

```
data(ex06.03)
```

Format

A data frame with 16 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.03)
str(ex06.03)
```

`ex06.04`*R Data set: ex06.04*

Description

The `ex06.04` data frame has 20 rows and 1 column.

Usage

```
data(ex06.04)
```

Format

A data frame with 20 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.04)
str(ex06.04)
```

`ex06.05`*R Data set: ex06.05*

Description

The `ex06.05` data frame has 5 rows and 3 columns.

Usage

```
data(ex06.05)
```

Format

A data frame with 5 observations on the following 3 variables.

Book.value a numeric vector

Audited.value a numeric vector

Error a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.05)
str(ex06.05)
```

ex06.06

R Data set: ex06.06

Description

The ex06.06 data frame has 31 rows and 1 column.

Usage

```
data(ex06.06)
```

Format

A data frame with 31 observations on the following variable.

Strmflow a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.06)
str(ex06.06)
```

ex06.09

R Data set: ex06.09

Description

The `ex06.09` data frame has 8 rows and 2 columns.

Usage

```
data(ex06.09)
```

Format

A data frame with 8 observations on the following 2 variables.

`Number.of.searches.per.item` a numeric vector

`Observed.frequency` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.09)
str(ex06.09)
```

ex06.15

R Data set: ex06.15

Description

The ex06.15 data frame has 10 rows and 1 column.

Usage

```
data(ex06.15)
```

Format

A data frame with 10 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.15)  
str(ex06.15)
```

ex06.25

R Data set: ex06.25

Description

The ex06.25 data frame has 10 rows and 1 column.

Usage

```
data(ex06.25)
```

Format

A data frame with 10 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex06.25)
str(ex06.25)
```

ex07.10

R Data set: ex07.10

Description

The ex07.10 data frame has 15 rows and 1 column.

Usage

```
data(ex07.10)
```

Format

A data frame with 15 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.10)
str(ex07.10)
```

`ex07.26`*R Data set: ex07.26*

Description

The `ex07.26` data frame has 11 rows and 2 columns.

Usage

```
data(ex07.26)
```

Format

A data frame with 11 observations on the following 2 variables.

Number.of.absences a numeric vector

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.26)
str(ex07.26)
```

`ex07.33`*R Data set: ex07.33*

Description

The `ex07.33` data frame has 17 rows and 1 column.

Usage

```
data(ex07.33)
```


Format

A data frame with 17 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.33)
str(ex07.33)
```

ex07.37

R Data set: ex07.37

Description

The ex07.37 data frame has 20 rows and 1 column.

Usage

```
data(ex07.37)
```

Format

A data frame with 20 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.37)
str(ex07.37)
```

ex07.45

R Data set: ex07.45

Description

The ex07.45 data frame has 22 rows and 1 column.

Usage

```
data(ex07.45)
```

Format

A data frame with 22 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.45)  
str(ex07.45)
```

ex07.46

R Data set: ex07.46

Description

The ex07.46 data frame has 15 rows and 1 column.

Usage

```
data(ex07.46)
```

Format

A data frame with 15 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.46)
str(ex07.46)
```

ex07.47

R Data set: ex07.47

Description

The ex07.47 data frame has 48 rows and 1 column.

Usage

```
data(ex07.47)
```

Format

A data frame with 48 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.47)
str(ex07.47)
```

ex07.49

R Data set: ex07.49

Description

The ex07.49 data frame has 18 rows and 1 column.

Usage

```
data(ex07.49)
```

Format

A data frame with 18 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.49)
str(ex07.49)
```

ex07.56

R Data set: ex07.56

Description

The ex07.56 data frame has 16 rows and 1 column.

Usage

```
data(ex07.56)
```

Format

A data frame with 16 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.56)
str(ex07.56)
```

ex07.58

R Data set: ex07.58

Description

The ex07.58 data frame has 6 rows and 1 column.

Usage

```
data(ex07.58)
```

Format

A data frame with 6 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex07.58)
str(ex07.58)
```

ex08.32

R Data set: ex08.32

Description

The ex08.32 data frame has 12 rows and 1 column.

Usage

```
data(ex08.32)
```

Format

A data frame with 12 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.32)
str(ex08.32)
```

ex08.54

R Data set: ex08.54

Description

The ex08.54 data frame has 30 rows and 1 column.

Usage

```
data(ex08.54)
```

Format

A data frame with 30 observations on the following variable.

percorg a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.54)
str(ex08.54)
```

ex08.55

R Data set: ex08.55

Description

The ex08.55 data frame has 13 rows and 1 column.

Usage

```
data(ex08.55)
```

Format

A data frame with 13 observations on the following variable.

times a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.55)
str(ex08.55)
```

`ex08.56`*R Data set: ex08.56*

Description

The `ex08.56` data frame has 30 rows and 1 column.

Usage

```
data(ex08.56)
```

Format

A data frame with 30 observations on the following variable.

`percorg` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.56)
str(ex08.56)
```

`ex08.57`*R Data set: ex08.57*

Description

The `ex08.57` data frame has 13 rows and 1 column.

Usage

```
data(ex08.57)
```

Format

A data frame with 13 observations on the following variable.

`C1` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.57)
str(ex08.57)
```

ex08.66

R Data set: ex08.66

Description

The ex08.66 data frame has 8 rows and 1 column.

Usage

```
data(ex08.66)
```

Format

A data frame with 8 observations on the following variable.

SoilHeat a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.66)
str(ex08.66)
```

`ex08.68`*R Data set: ex08.68*

Description

The `ex08.68` data frame has 8 rows and 1 column.

Usage

```
data(ex08.68)
```

Format

A data frame with 8 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.68)
str(ex08.68)
```

`ex08.70`*R Data set: ex08.70*

Description

The `ex08.70` data frame has 20 rows and 1 column.

Usage

```
data(ex08.70)
```

Format

A data frame with 20 observations on the following variable.

time a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.70)
str(ex08.70)
```

ex08.80

R Data set: ex08.80

Description

The ex08.80 data frame has 10 rows and 1 column.

Usage

```
data(ex08.80)
```

Format

A data frame with 10 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.80)
str(ex08.80)
```

ex08.83

R Data set: ex08.83

Description

The ex08.83 data frame has 10 rows and 1 column.

Usage

```
data(ex08.83)
```

Format

A data frame with 10 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex08.83)
str(ex08.83)
```

ex09.07

R Data set: ex09.07

Description

The ex09.07 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.07)
```

Format

A data frame with 2 observations on the following 4 variables.

Gender a factor with levels Females Males

Sample.Size a numeric vector

Sample.Mean a numeric vector

Sample.Standard.Deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.07)
str(ex09.07)
```

ex09.12

R Data set: ex09.12

Description

The ex09.12 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.12)
```

Format

A data frame with 2 observations on the following 4 variables.

Age.days a numeric vector

Sample.Size a numeric vector

Sample.Mean a numeric vector

Sample.Standard.Deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.12)
str(ex09.12)
```

ex09.16

R Data set: ex09.16

Description

The ex09.16 data frame has 2 rows and 3 columns.

Usage

```
data(ex09.16)
```

Format

A data frame with 2 observations on the following 3 variables.

Type a numeric vector

Sample.Average a numeric vector

Sample.Standard.Deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.16)
str(ex09.16)
```

`ex09.23`*R Data set: ex09.23*

Description

The `ex09.23` data frame has 24 rows and 2 columns.

Usage

```
data(ex09.23)
```

Format

A data frame with 24 observations on the following 2 variables.

H a numeric vector

P a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.23)
str(ex09.23)
```

`ex09.25`*R Data set: ex09.25*

Description

The `ex09.25` data frame has 2 rows and 4 columns.

Usage

```
data(ex09.25)
```

Format

A data frame with 2 observations on the following 4 variables.

Condition a factor with levels LBP No LBP

Sample.size a numeric vector

Sample.mean a numeric vector

Sample.SD a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.25)
str(ex09.25)
```

ex09.27

R Data set: ex09.27

Description

The ex09.27 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.27)
```

Format

A data frame with 2 observations on the following 4 variables.

Type.of.Player a factor with levels Advanced Intermediate

Sample.size a numeric vector

Sample.mean a numeric vector

Sample.standard.deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.27)
str(ex09.27)
```

ex09.28

R Data set: ex09.28

Description

The ex09.28 data frame has 10 rows and 2 columns.

Usage

```
data(ex09.28)
```

Format

A data frame with 10 observations on the following 2 variables.

YF a numeric vector

OF a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.28)
str(ex09.28)
```

ex09.29

R Data set: ex09.29

Description

The ex09.29 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.29)
```

Format

A data frame with 2 observations on the following 4 variables.

Beverage a factor with levels Cola Strawberry drink

Sample.size a numeric vector

Sample.mean a numeric vector

Sample.standard.deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.29)
str(ex09.29)
```

ex09.30

R Data set: ex09.30

Description

The ex09.30 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.30)
```

Format

A data frame with 2 observations on the following 4 variables.

Type a factor with levels Commercial carbon grid Fiberglass grid

Sample.size a numeric vector

Sample.mean a numeric vector

Sample.standard.deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.30)
str(ex09.30)
```

ex09.31

R Data set: ex09.31

Description

The ex09.31 data frame has 11 rows and 1 column.

Usage

```
data(ex09.31)
```

Format

A data frame with 11 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.31)
str(ex09.31)
```

ex09.32

R Data set: ex09.32

Description

The ex09.32 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.32)
```

Format

A data frame with 2 observations on the following 4 variables.

Type.of.wood a factor with levels Douglas fir Red oak

Sample.size a numeric vector

Sample.mean a numeric vector

Sample.standard.deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.32)
str(ex09.32)
```

ex09.33

R Data set: ex09.33

Description

The ex09.33 data frame has 2 rows and 4 columns.

Usage

```
data(ex09.33)
```

Format

A data frame with 2 observations on the following 4 variables.

Treatment a factor with levels Control Steroid

Sample.size a numeric vector

Sample.mean a numeric vector

Sample.standard.deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.33)
str(ex09.33)
```

ex09.36

R Data set: ex09.36

Description

The ex09.36 data frame has 8 rows and 3 columns.

Usage

```
data(ex09.36)
```

Format

A data frame with 8 observations on the following 3 variables.

Fabric a numeric vector

U a numeric vector

A a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.36)
str(ex09.36)
```

ex09.37

R Data set: ex09.37

Description

The ex09.37 data frame has 33 rows and 3 columns.

Usage

```
data(ex09.37)
```

Format

A data frame with 33 observations on the following 3 variables.

House a numeric vector

Indoor a numeric vector

Outdoor a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.37)
str(ex09.37)
```

ex09.38

R Data set: ex09.38

Description

The ex09.38 data frame has 15 rows and 3 columns.

Usage

```
data(ex09.38)
```

Format

A data frame with 15 observations on the following 3 variables.

Test.condition a numeric vector

Normal a numeric vector

High a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.38)
str(ex09.38)
```

ex09.39

R Data set: ex09.39

Description

The ex09.39 data frame has 14 rows and 4 columns.

Usage

```
data(ex09.39)
```

Format

A data frame with 14 observations on the following 4 variables.

Infant a numeric vector

Isotopic.method a numeric vector

Test a numeric vector

Difference a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.39)
str(ex09.39)
```

ex09.40

R Data set: ex09.40

Description

The ex09.40 data frame has 16 rows and 3 columns.

Usage

```
data(ex09.40)
```


Format

A data frame with 16 observations on the following 3 variables.

Period a numeric vector

Pipe a numeric vector

Brush a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.40)
str(ex09.40)
```

ex09.41

R Data set: ex09.41

Description

The ex09.41 data frame has 9 rows and 3 columns.

Usage

```
data(ex09.41)
```

Format

A data frame with 9 observations on the following 3 variables.

Subject a numeric vector

Black a numeric vector

White a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.41)
str(ex09.41)
```

ex09.43

R Data set: ex09.43

Description

The ex09.43 data frame has 15 rows and 1 column.

Usage

```
data(ex09.43)
```

Format

A data frame with 15 observations on the following variable.

c1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.43)
str(ex09.43)
```

`ex09.44`*R Data set: ex09.44*

Description

The `ex09.44` data frame has 16 rows and 2 columns.

Usage

```
data(ex09.44)
```

Format

A data frame with 16 observations on the following 2 variables.

`X1min` a numeric vector

`X4weeks` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.44)
str(ex09.44)
```

`ex09.63`*R Data set: ex09.63*

Description

The `ex09.63` data frame has 4 rows and 2 columns.

Usage

```
data(ex09.63)
```

Format

A data frame with 4 observations on the following 2 variables.

Epoxy a numeric vector

MMA.prepolymer a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.63)
str(ex09.63)
```

ex09.65

R Data set: ex09.65

Description

The ex09.65 data frame has 3 rows and 4 columns.

Usage

```
data(ex09.65)
```

Format

A data frame with 3 observations on the following 4 variables.

C1 a factor with levels Fixed Floating Method

C2 a factor with levels 10 size

C3 a factor with levels 757 807 mean

C4 a factor with levels 27 41 SD

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.65)
str(ex09.65)
```

ex09.66

R Data set: ex09.66

Description

The ex09.66 data frame has 8 rows and 2 columns.

Usage

```
data(ex09.66)
```

Format

A data frame with 8 observations on the following 2 variables.

Fertilizer.plots a numeric vector

Control.plots a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.66)
str(ex09.66)
```

ex09.68

R Data set: ex09.68

Description

The ex09.68 data frame has 24 rows and 2 columns.

Usage

```
data(ex09.68)
```

Format

A data frame with 24 observations on the following 2 variables.

Pitcher.sampling a numeric vector

Block.sampling a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.68)
str(ex09.68)
```

ex09.70

R Data set: ex09.70

Description

The ex09.70 data frame has 5 rows and 4 columns.

Usage

```
data(ex09.70)
```

Format

A data frame with 5 observations on the following 4 variables.

C1 a factor with levels C1 Type Without side coating With side coating

C2 a factor with levels 10 C2 Sample size

C3 a factor with levels 63.23 80.95 C3 mean Sample

C4 a factor with levels 5.96 9.59 C4 Sample SD

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.70)
str(ex09.70)
```

ex09.72

R Data set: ex09.72

Description

The ex09.72 data frame has 17 rows and 3 columns.

Usage

```
data(ex09.72)
```

Format

A data frame with 17 observations on the following 3 variables.

Motor a numeric vector

Commutator a numeric vector

Pinion a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.72)
str(ex09.72)
```

ex09.76

R Data set: ex09.76

Description

The ex09.76 data frame has 6 rows and 4 columns.

Usage

```
data(ex09.76)
```

Format

A data frame with 6 observations on the following 4 variables.

C1 a factor with levels C1 Clean Site Steam plant

C2 a factor with levels 8 9 C2 Sample size

C3 a factor with levels 11 18 C3 concentration Mean log

C4 a factor with levels 4.6 4.9 C4 concentration of log SD

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.76)
str(ex09.76)
```

`ex09.77`*R Data set: ex09.77*

Description

The `ex09.77` data frame has 5 rows and 3 columns.

Usage

```
data(ex09.77)
```

Format

A data frame with 5 observations on the following 3 variables.

`Twist.multiple` a numeric vector

`Control.strength` a numeric vector

`Heated.strength` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.77)
str(ex09.77)
```

`ex09.78`*R Data set: ex09.78*

Description

The `ex09.78` data frame has 5 rows and 4 columns.

Usage

```
data(ex09.78)
```

Format

A data frame with 5 observations on the following 4 variables.

C1 a factor with levels C1 Elderly men Group Young

C2 a factor with levels 12 13 C2 Sample size

C3 a factor with levels 6.71 7.47 C3 mean Sample

C4 a factor with levels 0.22 0.28 C4 error Standard

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.78)
str(ex09.78)
```

ex09.79

R Data set: ex09.79

Description

The ex09.79 data frame has 8 rows and 2 columns.

Usage

```
data(ex09.79)
```

Format

A data frame with 8 observations on the following 2 variables.

Good.visibility a numeric vector

Poor.visibility a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.79)
str(ex09.79)
```

ex09.82

R Data set: ex09.82

Description

The ex09.82 data frame has 7 rows and 2 columns.

Usage

```
data(ex09.82)
```

Format

A data frame with 7 observations on the following 2 variables.

expend a numeric vector

intake a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.82)
str(ex09.82)
```

ex09.86

R Data set: ex09.86

Description

The ex09.86 data frame has 4 rows and 3 columns.

Usage

```
data(ex09.86)
```

Format

A data frame with 4 observations on the following 3 variables.

Treatment a numeric vector

n a numeric vector

SD a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.86)
str(ex09.86)
```

ex09.88

R Data set: ex09.88

Description

The ex09.88 data frame has 2 rows and 9 columns.

Usage

```
data(ex09.88)
```

Format

A data frame with 2 observations on the following 9 variables.

C1 a factor with levels Carpeted: Uncarpeted:

C2 a numeric vector

C3 a numeric vector

C4 a numeric vector

C5 a numeric vector

C6 a numeric vector

C7 a numeric vector

C8 a numeric vector

C9 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.88)
str(ex09.88)
```

ex09.90

R Data set: ex09.90

Description

The ex09.90 data frame has 3 rows and 9 columns.

Usage

```
data(ex09.90)
```

Format

A data frame with 3 observations on the following 9 variables.

C1 a factor with levels Frequency Region 1 Region 2

C2 a numeric vector

C3 a numeric vector

C4 a numeric vector

C5 a numeric vector

C6 a numeric vector

C7 a numeric vector

C8 a numeric vector

C9 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.90)
str(ex09.90)
```

ex09.92

R Data set: ex09.92

Description

The ex09.92 data frame has 8 rows and 3 columns.

Usage

```
data(ex09.92)
```

Format

A data frame with 8 observations on the following 3 variables.

Number a numeric vector

Region1 a numeric vector

Region2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex09.92)
str(ex09.92)
```

ex10.06

R Data set: ex10.06

Description

The ex10.06 data frame has 40 rows and 2 columns.

Usage

```
data(ex10.06)
```

Format

A data frame with 40 observations on the following 2 variables.

Fe a numeric vector

formation.group a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.06)
str(ex10.06)
```

`ex10.08`*R Data set: ex10.08*

Description

The `ex10.08` data frame has 35 rows and 2 columns.

Usage

```
data(ex10.08)
```

Format

A data frame with 35 observations on the following 2 variables.

`stiffness` a numeric vector

`plate.lengths` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.08)
str(ex10.08)
```

`ex10.09`*R Data set: ex10.09*

Description

The `ex10.09` data frame has 24 rows and 2 columns.

Usage

```
data(ex10.09)
```


Format

A data frame with 24 observations on the following 2 variables.

thiamin a numeric vector

type a factor with levels Barley Maize Oats Wheat

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.09)
str(ex10.09)
```

ex10.18

R Data set: ex10.18

Description

The ex10.18 data frame has 4 rows and 5 columns.

Usage

```
data(ex10.18)
```

Format

A data frame with 4 observations on the following 5 variables.

Hormone.1 a numeric vector

Hormone.2 a numeric vector

Hormone.3 a numeric vector

Hormone.4 a numeric vector

Hormone.5 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.18)
str(ex10.18)
```

ex10.22

R Data set: ex10.22

Description

The ex10.22 data frame has 5 rows and 4 columns.

Usage

```
data(ex10.22)
```

Format

A data frame with 5 observations on the following 4 variables.

level.1.6 a numeric vector

level.3.8 a numeric vector

level.6.0 a numeric vector

level.10.2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.22)
str(ex10.22)
```

`ex10.26`*R Data set: ex10.26*

Description

The `ex10.26` data frame has 5 rows and 6 columns.

Usage

```
data(ex10.26)
```

Format

A data frame with 5 observations on the following 6 variables.

`Imperial` a numeric vector

`Parkay` a numeric vector

`Blue.Bonnet` a numeric vector

`Chiffon` a numeric vector

`Mazola` a numeric vector

`Fleischmann` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.26)
str(ex10.26)
```

ex10.27

R Data set: ex10.27

Description

The ex10.27 data frame has 6 rows and 4 columns.

Usage

```
data(ex10.27)
```

Format

A data frame with 6 observations on the following 4 variables.

Brand.1 a numeric vector

Brand.2 a numeric vector

Brand.3 a numeric vector

Brand.4 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.27)
str(ex10.27)
```

ex10.32

R Data set: ex10.32

Description

The ex10.32 data frame has 5 rows and 4 columns.

Usage

```
data(ex10.32)
```

Format

A data frame with 5 observations on the following 4 variables.

A a numeric vector

B a numeric vector

C a numeric vector

D a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.32)
str(ex10.32)
```

ex10.36

R Data set: ex10.36

Description

The ex10.36 data frame has 4 rows and 5 columns.

Usage

```
data(ex10.36)
```

Format

A data frame with 4 observations on the following 5 variables.

L.D a numeric vector

R a numeric vector

R.L a numeric vector

C a numeric vector

C.L a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.36)
str(ex10.36)
```

ex10.37

R Data set: ex10.37

Description

The ex10.37 data frame has 6 rows and 5 columns.

Usage

```
data(ex10.37)
```

Format

A data frame with 6 observations on the following 5 variables.

Brand.1 a numeric vector

Brand.2 a numeric vector

Brand.3 a numeric vector

Brand.4 a numeric vector

Brand.5 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.37)
str(ex10.37)
```

ex10.41

R Data set: ex10.41

Description

The ex10.41 data frame has 3 rows and 4 columns.

Usage

```
data(ex10.41)
```

Format

A data frame with 3 observations on the following 4 variables.

Lab.1 a numeric vector

Lab.2 a numeric vector

Lab.3 a numeric vector

Lab.4 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.41)
str(ex10.41)
```

ex10.42

R Data set: ex10.42

Description

The ex10.42 data frame has 19 rows and 2 columns.

Usage

```
data(ex10.42)
```

Format

A data frame with 19 observations on the following 2 variables.

`cff` a numeric vector

`color` a factor with levels Blue Brown Green

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.42)
str(ex10.42)
```

ex10.44

R Data set: ex10.44

Description

The `ex10.44` data frame has 3 rows and 4 columns.

Usage

```
data(ex10.44)
```

Format

A data frame with 3 observations on the following 4 variables.

`OCM` a numeric vector

`PIM` a numeric vector

`RM` a numeric vector

`PCM` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex10.44)
str(ex10.44)
```

ex11.02

R Data set: ex11.02

Description

The ex11.02 data frame has 12 rows and 3 columns.

Usage

```
data(ex11.02)
```

Format

A data frame with 12 observations on the following 3 variables.

Response a numeric vector

Coating.A a numeric vector

Soil.Type.B a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.02)
str(ex11.02)
```

`ex11.03`*R Data set: ex11.03*

Description

The `ex11.03` data frame has 17 rows and 3 columns.

Usage

```
data(ex11.03)
```

Format

A data frame with 17 observations on the following 3 variables.

C1 a factor with levels 200 226 240 261 278 312 330 369 381 416 462 500 517 575 645 733 C1

C2 a factor with levels 1(200) 2(400) 3(700) 4(1100) C2

C3 a factor with levels 1(190) 2(250) 3(300) 4(400) C3

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.03)  
str(ex11.03)
```

`ex11.04`*R Data set: ex11.04*

Description

The `ex11.04` data frame has 12 rows and 3 columns.

Usage

```
data(ex11.04)
```

Format

A data frame with 12 observations on the following 3 variables.

Response a numeric vector

Paint.Brand a numeric vector

Roller.Brand a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.04)
str(ex11.04)
```

ex11.05

R Data set: ex11.05

Description

The ex11.05 data frame has 20 rows and 3 columns.

Usage

```
data(ex11.05)
```

Format

A data frame with 20 observations on the following 3 variables.

force a numeric vector

connector a numeric vector

angle a factor with levels 0 deg 2 deg 4 deg 6 deg

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.05)
str(ex11.05)
```

ex11.08

R Data set: ex11.08

Description

The ex11.08 data frame has 30 rows and 3 columns.

Usage

```
data(ex11.08)
```

Format

A data frame with 30 observations on the following 3 variables.

epiniphr a numeric vector

Anesthet a factor with levels 1 2 3

Subject a factor with levels 1 2 3 4 5 6 7 8 9 10

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.08)
str(ex11.08)
```

`ex11.09`*R Data set: ex11.09*

Description

The `ex11.09` data frame has 36 rows and 3 columns.

Usage

```
data(ex11.09)
```

Format

A data frame with 36 observations on the following 3 variables.

`response` a numeric vector

`type` a numeric vector

`subject` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.09)  
str(ex11.09)
```

`ex11.10`*R Data set: ex11.10*

Description

The `ex11.10` data frame has 10 rows and 4 columns.

Usage

```
data(ex11.10)
```

Format

A data frame with 10 observations on the following 4 variables.

Batch a numeric vector

Method.A a numeric vector

Method.B a numeric vector

Method.C a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.10)
str(ex11.10)
```

ex11.15

R Data set: ex11.15

Description

The ex11.15 data frame has 18 rows and 4 columns.

Usage

```
data(ex11.15)
```

Format

A data frame with 18 observations on the following 4 variables.

Sand a factor with levels 0 15 30

Carbon a factor with levels 0 0.25 0.5

Hardness a numeric vector

Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.15)
str(ex11.15)
```

ex11.16

R Data set: ex11.16

Description

The ex11.16 data frame has 18 rows and 3 columns.

Usage

```
data(ex11.16)
```

Format

A data frame with 18 observations on the following 3 variables.

Response a numeric vector

Formulat a factor with levels 1 2

Speed a factor with levels 60 70 80

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.16)
str(ex11.16)
```

ex11.17

R Data set: ex11.17

Description

The ex11.17 data frame has 18 rows and 4 columns.

Usage

```
data(ex11.17)
```

Format

A data frame with 18 observations on the following 4 variables.

Sand.Addition.perc a numeric vector

Carbon.Fiber.Addition.perc a numeric vector

Casting.hardness a numeric vector

Wet.Mold.Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.17)
str(ex11.17)
```

ex11.18

R Data set: ex11.18

Description

The ex11.18 data frame has 18 rows and 3 columns.

Usage

```
data(ex11.18)
```


Format

A data frame with 18 observations on the following 3 variables.

Yield a numeric vector

Speed a numeric vector

Formulation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.18)
str(ex11.18)
```

ex11.20

R Data set: ex11.20

Description

The ex11.20 data frame has 18 rows and 3 columns.

Usage

```
data(ex11.20)
```

Format

A data frame with 18 observations on the following 3 variables.

current a numeric vector

glass a factor with levels 1 2

phosphor a factor with levels 1 2 3

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.20)
str(ex11.20)
```

ex11.29

R Data set: ex11.29

Description

The ex11.29 data frame has 96 rows and 4 columns.

Usage

```
data(ex11.29)
```

Format

A data frame with 96 observations on the following 4 variables.

length a numeric vector

time a factor with levels 1 2 3

heat a factor with levels 1 2

machine a factor with levels 1 2 3 4

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.29)
str(ex11.29)
```

ex11.31

R Data set: ex11.31

Description

The ex11.31 data frame has 27 rows and 4 columns.

Usage

```
data(ex11.31)
```

Format

A data frame with 27 observations on the following 4 variables.

Yield a numeric vector

time a factor with levels 1 2 3

tempture a factor with levels 1 2 3

pressure a factor with levels 1 2 3

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.31)
str(ex11.31)
```

ex11.34

R Data set: ex11.34

Description

The ex11.34 data frame has 36 rows and 4 columns.

Usage

```
data(ex11.34)
```

Format

A data frame with 36 observations on the following 4 variables.

Sales a numeric vector

store a factor with levels 1 2 3 4 5 6

week a factor with levels 1 2 3 4 5 6

shelf a factor with levels 1 2 3 4 5 6

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.34)
str(ex11.34)
```

ex11.35

R Data set: ex11.35

Description

The ex11.35 data frame has 25 rows and 4 columns.

Usage

```
data(ex11.35)
```

Format

A data frame with 25 observations on the following 4 variables.

Moisture a numeric vector

plant a factor with levels 1 2 3 4 5

leafsize a factor with levels 1 2 3 4 5

time a factor with levels 1 2 3 4 5

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.35)
str(ex11.35)
```

ex11.39

R Data set: ex11.39

Description

The ex11.39 data frame has 24 rows and 4 columns.

Usage

```
data(ex11.39)
```

Format

A data frame with 24 observations on the following 4 variables.

cleaning a numeric vector

detergnt a factor with levels 1 2

carbonat a factor with levels 1 2

cellulos a factor with levels 1 2

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.39)
str(ex11.39)
```

`ex11.40`*R Data set: ex11.40*

Description

The `ex11.40` data frame has 32 rows and 5 columns.

Usage

```
data(ex11.40)
```

Format

A data frame with 32 observations on the following 5 variables.

`sizing` a numeric vector

`conc` a factor with levels 50 75

`pH` a factor with levels 6 7

`tempture` a factor with levels 60 70

`time` a factor with levels 6 8

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.40)
str(ex11.40)
```

`ex11.42`*R Data set: ex11.42*

Description

The `ex11.42` data frame has 48 rows and 5 columns.

Usage

```
data(ex11.42)
```

Format

A data frame with 48 observations on the following 5 variables.

`consump` a numeric vector

`roof` a factor with levels -1 1

`power` a factor with levels -1 1

`scrap` a factor with levels -1 1

`charge` a factor with levels -1 1

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.42)
str(ex11.42)
```

`ex11.43`*R Data set: ex11.43*

Description

The `ex11.43` data frame has 16 rows and 5 columns.

Usage

```
data(ex11.43)
```

Format

A data frame with 16 observations on the following 5 variables.

`duration` a numeric vector

`vibratn` a factor with levels -1 1

`tempture` a factor with levels -1 1

`altitude` a factor with levels -1 1

`firing` a factor with levels -1 1

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.43)
str(ex11.43)
```

`ex11.48`*R Data set: ex11.48*

Description

The `ex11.48` data frame has 8 rows and 5 columns.

Usage

```
data(ex11.48)
```

Format

A data frame with 8 observations on the following 5 variables.

`thrust` a numeric vector

`vibratn` a factor with levels -1 1

`tempture` a factor with levels -1 1

`altitude` a factor with levels -1 1

`firing` a factor with levels -1 1

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.48)  
str(ex11.48)
```

ex11.50

R Data set: ex11.50

Description

The ex11.50 data frame has 45 rows and 3 columns.

Usage

```
data(ex11.50)
```

Format

A data frame with 45 observations on the following 3 variables.

Fabric a factor with levels Broadcloth Corduroy Crepe Denim Double knit Sheeting Terry
Twill Twill mix

Response a numeric vector

Drying a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.50)  
str(ex11.50)
```

ex11.52

R Data set: ex11.52

Description

The ex11.52 data frame has 16 rows and 3 columns.

Usage

```
data(ex11.52)
```

Format

A data frame with 16 observations on the following 3 variables.

Response a numeric vector

Sowing.Rate.kg.ha a numeric vector

Plot a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.52)
str(ex11.52)
```

ex11.53

R Data set: ex11.53

Description

The ex11.53 data frame has 8 rows and 6 columns.

Usage

```
data(ex11.53)
```

Format

A data frame with 8 observations on the following 6 variables.

Run a numeric vector

Spray.Volume a factor with levels - +

Belt.Speed a factor with levels - +

Brand a factor with levels - +

Replication.1 a numeric vector

Replication.2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.53)
str(ex11.53)
```

ex11.54

R Data set: ex11.54

Description

The ex11.54 data frame has 8 rows and 5 columns.

Usage

```
data(ex11.54)
```

Format

A data frame with 8 observations on the following 5 variables.

Sample.number a numeric vector

Factor.A a numeric vector

Factor.B a numeric vector

Factor.C a numeric vector

Resonse.EC50 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.54)
str(ex11.54)
```

`ex11.55`*R Data set: ex11.55*

Description

The `ex11.55` data frame has 16 rows and 2 columns.

Usage

```
data(ex11.55)
```

Format

A data frame with 16 observations on the following 2 variables.

`Test.Run` a numeric vector

`Iron.Extraction` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.55)
str(ex11.55)
```

`ex11.56`*R Data set: ex11.56*

Description

The `ex11.56` data frame has 30 rows and 3 columns.

Usage

```
data(ex11.56)
```

Format

A data frame with 30 observations on the following 3 variables.

C1 a numeric vector

C2 a factor with levels pH 3 pH 5.5 pH 7

C3 a factor with levels Diseased Healthy

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.56)
str(ex11.56)
```

ex11.57

R Data set: ex11.57

Description

The ex11.57 data frame has 54 rows and 4 columns.

Usage

```
data(ex11.57)
```

Format

A data frame with 54 observations on the following 4 variables.

Response a numeric vector

Pressure a factor with levels Pressure 103.4 Pressure17.2 Pressure34.4

Temp a factor with levels 50 degrees 75 degrees 8 degrees

Fabric a factor with levels 420-D 630-D 840-D

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.57)
str(ex11.57)
```

ex11.59

R Data set: ex11.59

Description

The ex11.59 data frame has 36 rows and 4 columns.

Usage

```
data(ex11.59)
```

Format

A data frame with 36 observations on the following 4 variables.

Cure.Time.1 a numeric vector

Adhesive.type a factor with levels Copper Nickel

Adhesive.factor a numeric vector

Cure.Time a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.59)
str(ex11.59)
```

`ex11.61`*R Data set: ex11.61*

Description

The `ex11.61` data frame has 25 rows and 5 columns.

Usage

```
data(ex11.61)
```

Format

A data frame with 25 observations on the following 5 variables.

`weight` a numeric vector

`volume` a factor with levels 1 2 3 4 5

`color` a factor with levels 1 2 3 4 5

`size` a factor with levels 1 2 3 4 5

`time` a factor with levels 1 2 3 4 5

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex11.61)
str(ex11.61)
```

ex12.01

R Data set: ex12.01

Description

The ex12.01 data frame has 24 rows and 2 columns.

Usage

```
data(ex12.01)
```

Format

A data frame with 24 observations on the following 2 variables.

Temp a numeric vector

Ratio a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.01)  
str(ex12.01)
```

ex12.02

R Data set: ex12.02

Description

The ex12.02 data frame has 10 rows and 4 columns.

Usage

```
data(ex12.02)
```

Format

A data frame with 10 observations on the following 4 variables.

Engine a numeric vector

Age a numeric vector

Baseline a numeric vector

Reformulated a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.02)
str(ex12.02)
```

ex12.03

R Data set: ex12.03

Description

The ex12.03 data frame has 20 rows and 2 columns.

Usage

```
data(ex12.03)
```

Format

A data frame with 20 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.03)
str(ex12.03)
```

ex12.04

R Data set: ex12.04

Description

The ex12.04 data frame has 14 rows and 2 columns.

Usage

```
data(ex12.04)
```

Format

A data frame with 14 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.04)
str(ex12.04)
```

ex12.05

R Data set: ex12.05

Description

The ex12.05 data frame has 7 rows and 2 columns.

Usage

```
data(ex12.05)
```

Format

A data frame with 7 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.05)  
str(ex12.05)
```

ex12.13

R Data set: ex12.13

Description

The ex12.13 data frame has 4 rows and 2 columns.

Usage

```
data(ex12.13)
```

Format

A data frame with 4 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.13)
str(ex12.13)
```

ex12.15

R Data set: ex12.15

Description

The ex12.15 data frame has 27 rows and 2 columns.

Usage

```
data(ex12.15)
```

Format

A data frame with 27 observations on the following 2 variables.

MoE a numeric vector

Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.15)
str(ex12.15)
```

ex12.16

R Data set: ex12.16

Description

The ex12.16 data frame has 15 rows and 2 columns.

Usage

```
data(ex12.16)
```

Format

A data frame with 15 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.16)
str(ex12.16)
```

ex12.19

R Data set: ex12.19

Description

The ex12.19 data frame has 14 rows and 2 columns.

Usage

```
data(ex12.19)
```

Format

A data frame with 14 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.19)
str(ex12.19)
```

ex12.20

R Data set: ex12.20

Description

The ex12.20 data frame has 13 rows and 2 columns.

Usage

```
data(ex12.20)
```

Format

A data frame with 13 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.20)
str(ex12.20)
```

ex12.21

R Data set: ex12.21

Description

The ex12.21 data frame has 10 rows and 2 columns.

Usage

```
data(ex12.21)
```

Format

A data frame with 10 observations on the following 2 variables.

space a numeric vector

distance a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.21)
str(ex12.21)
```

ex12.24

R Data set: ex12.24

Description

The ex12.24 data frame has 6 rows and 2 columns.

Usage

```
data(ex12.24)
```

Format

A data frame with 6 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.24)
str(ex12.24)
```

ex12.29

R Data set: ex12.29

Description

The ex12.29 data frame has 18 rows and 3 columns.

Usage

```
data(ex12.29)
```

Format

A data frame with 18 observations on the following 3 variables.

x a numeric vector

y a numeric vector

Data.Set a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.29)
str(ex12.29)
```

ex12.35

R Data set: ex12.35

Description

The ex12.35 data frame has 10 rows and 2 columns.

Usage

```
data(ex12.35)
```

Format

A data frame with 10 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.35)
str(ex12.35)
```

ex12.36

R Data set: ex12.36

Description

The ex12.36 data frame has 7 rows and 2 columns.

Usage

```
data(ex12.36)
```

Format

A data frame with 7 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.36)
str(ex12.36)
```

ex12.37

R Data set: ex12.37

Description

The ex12.37 data frame has 10 rows and 2 columns.

Usage

```
data(ex12.37)
```

Format

A data frame with 10 observations on the following 2 variables.

pressure a numeric vector

time a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.37)
str(ex12.37)
```

ex12.46

R Data set: ex12.46

Description

The ex12.46 data frame has 13 rows and 2 columns.

Usage

```
data(ex12.46)
```

Format

A data frame with 13 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.46)  
str(ex12.46)
```

ex12.50

R Data set: ex12.50

Description

The ex12.50 data frame has 11 rows and 2 columns.

Usage

```
data(ex12.50)
```

Format

A data frame with 11 observations on the following 2 variables.

field a numeric vector

time a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.50)
str(ex12.50)
```

ex12.52

R Data set: ex12.52

Description

The ex12.52 data frame has 9 rows and 2 columns.

Usage

```
data(ex12.52)
```

Format

A data frame with 9 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.52)
str(ex12.52)
```

ex12.54

R Data set: ex12.54

Description

The ex12.54 data frame has 14 rows and 2 columns.

Usage

```
data(ex12.54)
```

Format

A data frame with 14 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.54)
str(ex12.54)
```

ex12.55

R Data set: ex12.55

Description

The ex12.55 data frame has 12 rows and 2 columns.

Usage

```
data(ex12.55)
```

Format

A data frame with 12 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.55)  
str(ex12.55)
```

ex12.58

R Data set: ex12.58

Description

The ex12.58 data frame has 12 rows and 2 columns.

Usage

```
data(ex12.58)
```


Format

A data frame with 12 observations on the following 2 variables.

TOST a numeric vector

RBOT a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.58)
str(ex12.58)
```

ex12.59

R Data set: ex12.59

Description

The ex12.59 data frame has 18 rows and 2 columns.

Usage

```
data(ex12.59)
```

Format

A data frame with 18 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.59)
str(ex12.59)
```

ex12.61

R Data set: ex12.61

Description

The ex12.61 data frame has 14 rows and 2 columns.

Usage

```
data(ex12.61)
```

Format

A data frame with 14 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.61)
str(ex12.61)
```

ex12.62

R Data set: ex12.62

Description

The ex12.62 data frame has 14 rows and 2 columns.

Usage

```
data(ex12.62)
```

Format

A data frame with 14 observations on the following 2 variables.

Col1 a numeric vector

Col2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.62)  
str(ex12.62)
```

ex12.63

R Data set: ex12.63

Description

The ex12.63 data frame has 6 rows and 2 columns.

Usage

```
data(ex12.63)
```

Format

A data frame with 6 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.63)
str(ex12.63)
```

ex12.65

R Data set: ex12.65

Description

The ex12.65 data frame has 10 rows and 2 columns.

Usage

```
data(ex12.65)
```

Format

A data frame with 10 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.65)
str(ex12.65)
```

ex12.68

R Data set: ex12.68

Description

The ex12.68 data frame has 8 rows and 2 columns.

Usage

```
data(ex12.68)
```

Format

A data frame with 8 observations on the following 2 variables.

RDF a numeric vector

eff a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.68)
str(ex12.68)
```

ex12.69

R Data set: ex12.69

Description

The ex12.69 data frame has 13 rows and 2 columns.

Usage

```
data(ex12.69)
```

Format

A data frame with 13 observations on the following 2 variables.

drain.wt a numeric vector

Cl.trace a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.69)  
str(ex12.69)
```

ex12.71

R Data set: ex12.71

Description

The ex12.71 data frame has 17 rows and 2 columns.

Usage

```
data(ex12.71)
```

Format

A data frame with 17 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.71)
str(ex12.71)
```

ex12.72

R Data set: ex12.72

Description

The ex12.72 data frame has 9 rows and 2 columns.

Usage

```
data(ex12.72)
```

Format

A data frame with 9 observations on the following 2 variables.

CO a numeric vector

NO3 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.72)
str(ex12.72)
```

ex12.73

R Data set: ex12.73

Description

The ex12.73 data frame has 9 rows and 2 columns.

Usage

```
data(ex12.73)
```

Format

A data frame with 9 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.73)
str(ex12.73)
```

ex12.75

R Data set: ex12.75

Description

The ex12.75 data frame has 9 rows and 2 columns.

Usage

```
data(ex12.75)
```

Format

A data frame with 9 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.75)  
str(ex12.75)
```

ex12.82

R Data set: ex12.82

Description

The ex12.82 data frame has 33 rows and 2 columns.

Usage

```
data(ex12.82)
```

Format

A data frame with 33 observations on the following 2 variables.

temp a numeric vector

removal a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.82)
str(ex12.82)
```

ex12.83

R Data set: ex12.83

Description

The ex12.83 data frame has 24 rows and 2 columns.

Usage

```
data(ex12.83)
```

Format

A data frame with 24 observations on the following 2 variables.

time a numeric vector

bloodgluc a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.83)
str(ex12.83)
```

ex12.84

R Data set: ex12.84

Description

The ex12.84 data frame has 20 rows and 2 columns.

Usage

```
data(ex12.84)
```

Format

A data frame with 20 observations on the following 2 variables.

HW a numeric vector

BOD a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex12.84)
str(ex12.84)
```

ex13.02

R Data set: ex13.02

Description

The ex13.02 data frame has 9 rows and 2 columns.

Usage

```
data(ex13.02)
```

Format

A data frame with 9 observations on the following 2 variables.

x a numeric vector

e a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.02)  
str(ex13.02)
```

ex13.04

R Data set: ex13.04

Description

The ex13.04 data frame has 10 rows and 2 columns.

Usage

```
data(ex13.04)
```

Format

A data frame with 10 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.04)
str(ex13.04)
```

ex13.05

R Data set: ex13.05

Description

The ex13.05 data frame has 33 rows and 2 columns.

Usage

```
data(ex13.05)
```

Format

A data frame with 33 observations on the following 2 variables.

time a numeric vector

icethick a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.05)
str(ex13.05)
```

ex13.06

R Data set: ex13.06

Description

The ex13.06 data frame has 6 rows and 2 columns.

Usage

```
data(ex13.06)
```

Format

A data frame with 6 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.06)
str(ex13.06)
```

`ex13.07`*R Data set: ex13.07*

Description

The `ex13.07` data frame has 5 rows and 2 columns.

Usage

```
data(ex13.07)
```

Format

A data frame with 5 observations on the following 2 variables.

`x` a numeric vector

`y` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.07)
str(ex13.07)
```

`ex13.08`*R Data set: ex13.08*

Description

The `ex13.08` data frame has 15 rows and 2 columns.

Usage

```
data(ex13.08)
```

Format

A data frame with 15 observations on the following 2 variables.

HR a numeric vector

VO2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.08)
str(ex13.08)
```

ex13.09

R Data set: ex13.09

Description

The ex13.09 data frame has 44 rows and 3 columns.

Usage

```
data(ex13.09)
```

Format

A data frame with 44 observations on the following 3 variables.

x a numeric vector

y a numeric vector

set a factor with levels a b c d

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.09)
str(ex13.09)
```

ex13.09a

R Data set: ex13.09a

Description

The ex13.09a data frame has 11 rows and 2 columns.

Usage

```
data(ex13.09a)
```

Format

A data frame with 11 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.09a)
str(ex13.09a)
```

`ex13.09b`*R Data set: ex13.09b*

Description

The `ex13.09b` data frame has 11 rows and 2 columns.

Usage

```
data(ex13.09b)
```

Format

A data frame with 11 observations on the following 2 variables.

`x` a numeric vector

`y` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.09b)
str(ex13.09b)
```

`ex13.09c`*R Data set: ex13.09c*

Description

The `ex13.09c` data frame has 11 rows and 2 columns.

Usage

```
data(ex13.09c)
```

Format

A data frame with 11 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.09c)
str(ex13.09c)
```

ex13.09d

R Data set: ex13.09d

Description

The ex13.09d data frame has 11 rows and 2 columns.

Usage

```
data(ex13.09d)
```

Format

A data frame with 11 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.09d)
str(ex13.09d)
```

ex13.14

R Data set: ex13.14

Description

The ex13.14 data frame has 14 rows and 2 columns.

Usage

```
data(ex13.14)
```

Format

A data frame with 14 observations on the following 2 variables.

Col1 a numeric vector

Col2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.14)
str(ex13.14)
```

ex13.15

R Data set: ex13.15

Description

The ex13.15 data frame has 8 rows and 2 columns.

Usage

```
data(ex13.15)
```

Format

A data frame with 8 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.15)  
str(ex13.15)
```

ex13.16

R Data set: ex13.16

Description

The ex13.16 data frame has 12 rows and 2 columns.

Usage

```
data(ex13.16)
```

Format

A data frame with 12 observations on the following 2 variables.

Spectral.Index a numeric vector

ln.L178 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.16)
str(ex13.16)
```

ex13.17

R Data set: ex13.17

Description

The ex13.17 data frame has 13 rows and 2 columns.

Usage

```
data(ex13.17)
```

Format

A data frame with 13 observations on the following 2 variables.

MassRate a numeric vector

FlameLen a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.17)
str(ex13.17)
```

ex13.18

R Data set: ex13.18

Description

The ex13.18 data frame has 19 rows and 2 columns.

Usage

```
data(ex13.18)
```

Format

A data frame with 19 observations on the following 2 variables.

Cycfail a numeric vector

Strampl a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.18)
str(ex13.18)
```

ex13.19

R Data set: ex13.19

Description

The ex13.19 data frame has 18 rows and 2 columns.

Usage

```
data(ex13.19)
```

Format

A data frame with 18 observations on the following 2 variables.

Temp a numeric vector

Lifetime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.19)
str(ex13.19)
```

ex13.21

R Data set: ex13.21

Description

The ex13.21 data frame has 8 rows and 2 columns.

Usage

```
data(ex13.21)
```


Format

A data frame with 8 observations on the following 2 variables.

thicknss a numeric vector

conduct a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.21)
str(ex13.21)
```

ex13.24

R Data set: ex13.24

Description

The ex13.24 data frame has 22 rows and 2 columns.

Usage

```
data(ex13.24)
```

Format

A data frame with 22 observations on the following 2 variables.

Kyphosis a numeric vector

No.kyphosis a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.24)
str(ex13.24)
```

ex13.25

R Data set: ex13.25

Description

The ex13.25 data frame has 14 rows and 2 columns.

Usage

```
data(ex13.25)
```

Format

A data frame with 14 observations on the following 2 variables.

Success a numeric vector

Failure a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.25)
str(ex13.25)
```

ex13.27

R Data set: ex13.27

Description

The ex13.27 data frame has 8 rows and 2 columns.

Usage

```
data(ex13.27)
```

Format

A data frame with 8 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.27)
str(ex13.27)
```

ex13.29

R Data set: ex13.29

Description

The ex13.29 data frame has 5 rows and 2 columns.

Usage

```
data(ex13.29)
```

Format

A data frame with 5 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.29)
str(ex13.29)
```

ex13.30

R Data set: ex13.30

Description

The ex13.30 data frame has 14 rows and 2 columns.

Usage

```
data(ex13.30)
```

Format

A data frame with 14 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.30)
str(ex13.30)
```

ex13.31

R Data set: ex13.31

Description

The ex13.31 data frame has 7 rows and 2 columns.

Usage

```
data(ex13.31)
```

Format

A data frame with 7 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.31)
str(ex13.31)
```

ex13.32

R Data set: ex13.32

Description

The ex13.32 data frame has 16 rows and 2 columns.

Usage

```
data(ex13.32)
```

Format

A data frame with 16 observations on the following 2 variables.

X a numeric vector

Y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.32)
str(ex13.32)
```

ex13.33

R Data set: ex13.33

Description

The ex13.33 data frame has 7 rows and 2 columns.

Usage

```
data(ex13.33)
```

Format

A data frame with 7 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.33)
str(ex13.33)
```

ex13.34

R Data set: ex13.34

Description

The ex13.34 data frame has 13 rows and 2 columns.

Usage

```
data(ex13.34)
```

Format

A data frame with 13 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.34)
str(ex13.34)
```

ex13.35

R Data set: ex13.35

Description

The ex13.35 data frame has 5 rows and 2 columns.

Usage

```
data(ex13.35)
```

Format

A data frame with 5 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.35)
str(ex13.35)
```

`ex13.47`*R Data set: ex13.47*

Description

The `ex13.47` data frame has 30 rows and 6 columns.

Usage

```
data(ex13.47)
```

Format

A data frame with 30 observations on the following 6 variables.

Row a numeric vector

Plastics a numeric vector

Paper a numeric vector

Garbage a numeric vector

Water a numeric vector

Energy.content a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.47)  
str(ex13.47)
```

ex13.48

R Data set: ex13.48

Description

The ex13.48 data frame has 15 rows and 4 columns.

Usage

```
data(ex13.48)
```

Format

A data frame with 15 observations on the following 4 variables.

x1 a numeric vector

x2 a numeric vector

x3 a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.48)
str(ex13.48)
```

ex13.49

R Data set: ex13.49

Description

The ex13.49 data frame has 12 rows and 3 columns.

Usage

```
data(ex13.49)
```

Format

A data frame with 12 observations on the following 3 variables.

x1 a numeric vector

x2 a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.49)
str(ex13.49)
```

ex13.50

R Data set: ex13.50

Description

The ex13.50 data frame has 14 rows and 3 columns.

Usage

```
data(ex13.50)
```

Format

A data frame with 14 observations on the following 3 variables.

y a numeric vector

x1 a numeric vector

x2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.50)
str(ex13.50)
```

ex13.51

R Data set: ex13.51

Description

The ex13.51 data frame has 14 rows and 3 columns.

Usage

```
data(ex13.51)
```

Format

A data frame with 14 observations on the following 3 variables.

shear a numeric vector

depth a numeric vector

water a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.51)
str(ex13.51)
```

ex13.52

R Data set: ex13.52

Description

The ex13.52 data frame has 20 rows and 4 columns.

Usage

```
data(ex13.52)
```

Format

A data frame with 20 observations on the following 4 variables.

Linoleic a numeric vector

Kerosene a numeric vector

Antiox a numeric vector

Betacaro a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.52)
str(ex13.52)
```

ex13.53

R Data set: ex13.53

Description

The ex13.53 data frame has 17 rows and 3 columns.

Usage

```
data(ex13.53)
```

Format

A data frame with 17 observations on the following 3 variables.

x1 a numeric vector

x2 a numeric vector

filth a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.53)
str(ex13.53)
```

ex13.54

R Data set: ex13.54

Description

The ex13.54 data frame has 31 rows and 5 columns.

Usage

```
data(ex13.54)
```

Format

A data frame with 31 observations on the following 5 variables.

Bright a numeric vector

H2O2 a numeric vector

NaOH a numeric vector

Silicate a numeric vector

Tempature a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.54)
str(ex13.54)
```

ex13.55

R Data set: ex13.55

Description

The ex13.55 data frame has 10 rows and 3 columns.

Usage

```
data(ex13.55)
```

Format

A data frame with 10 observations on the following 3 variables.

q a numeric vector
a a numeric vector
b a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.55)
str(ex13.55)
```

ex13.64

R Data set: ex13.64

Description

The ex13.64 data frame has 16 rows and 2 columns.

Usage

```
data(ex13.64)
```

Format

A data frame with 16 observations on the following 2 variables.

Log.edges a numeric vector

Log.time a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.64)
str(ex13.64)
```

ex13.65

R Data set: ex13.65

Description

The ex13.65 data frame has 18 rows and 2 columns.

Usage

```
data(ex13.65)
```


Format

A data frame with 18 observations on the following 2 variables.

Pressure a numeric vector

Temperature a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.65)
str(ex13.65)
```

ex13.66

R Data set: ex13.66

Description

The ex13.66 data frame has 9 rows and 3 columns.

Usage

```
data(ex13.66)
```

Format

A data frame with 9 observations on the following 3 variables.

x1.in a numeric vector

x2.in a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.66)
str(ex13.66)
```

ex13.67

R Data set: ex13.67

Description

The ex13.67 data frame has 32 rows and 7 columns.

Usage

```
data(ex13.67)
```

Format

A data frame with 32 observations on the following 7 variables.

Obs a numeric vector

pdconc a numeric vector

niconc a numeric vector

pH a numeric vector

temp a numeric vector

currdens a numeric vector

pallcont a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.67)
str(ex13.67)
```

ex13.68

R Data set: ex13.68

Description

The ex13.68 data frame has 16 rows and 2 columns.

Usage

```
data(ex13.68)
```

Format

A data frame with 16 observations on the following 2 variables.

Log.edges a numeric vector

Log.time a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.68)
str(ex13.68)
```

ex13.69

R Data set: ex13.69

Description

The ex13.69 data frame has 8 rows and 2 columns.

Usage

```
data(ex13.69)
```

Format

A data frame with 8 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.69)
```

```
str(ex13.69)
```

ex13.70

R Data set: ex13.70

Description

The ex13.70 data frame has 9 rows and 3 columns.

Usage

```
data(ex13.70)
```

Format

A data frame with 9 observations on the following 3 variables.

x1 a numeric vector

x2 a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.70)
str(ex13.70)
```

ex13.71

R Data set: ex13.71

Description

The ex13.71 data frame has 10 rows and 2 columns.

Usage

```
data(ex13.71)
```

Format

A data frame with 10 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.71)
str(ex13.71)
```

ex13.72

R Data set: ex13.72

Description

The ex13.72 data frame has 9 rows and 3 columns.

Usage

```
data(ex13.72)
```

Format

A data frame with 9 observations on the following 3 variables.

x1 a numeric vector

x2 a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.72)
str(ex13.72)
```

ex13.73

R Data set: ex13.73

Description

The ex13.73 data frame has 8 rows and 2 columns.

Usage

```
data(ex13.73)
```

Format

A data frame with 8 observations on the following 2 variables.

power a numeric vector

freq a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.73)
str(ex13.73)
```

ex13.74

R Data set: ex13.74

Description

The ex13.74 data frame has 12 rows and 2 columns.

Usage

```
data(ex13.74)
```

Format

A data frame with 12 observations on the following 2 variables.

log.con a numeric vector

Li20 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.74)
str(ex13.74)
```

ex13.75

R Data set: ex13.75

Description

The ex13.75 data frame has 10 rows and 2 columns.

Usage

```
data(ex13.75)
```

Format

A data frame with 10 observations on the following 2 variables.

height a numeric vector

log.Mn a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.75)
str(ex13.75)
```

ex13.76

R Data set: ex13.76

Description

The ex13.76 data frame has 9 rows and 3 columns.

Usage

```
data(ex13.76)
```

Format

A data frame with 9 observations on the following 3 variables.

x1 a numeric vector

x2 a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex13.76)  
str(ex13.76)
```

ex14.09

R Data set: ex14.09

Description

The ex14.09 data frame has 40 rows and 1 column.

Usage

```
data(ex14.09)
```

Format

A data frame with 40 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.09)
str(ex14.09)
```

ex14.11

R Data set: ex14.11

Description

The ex14.11 data frame has 45 rows and 1 column.

Usage

```
data(ex14.11)
```

Format

A data frame with 45 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.11)
str(ex14.11)
```

ex14.12

R Data set: ex14.12

Description

The ex14.12 data frame has 4 rows and 2 columns.

Usage

```
data(ex14.12)
```

Format

A data frame with 4 observations on the following 2 variables.

male.children a numeric vector

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.12)
str(ex14.12)
```

ex14.13

R Data set: ex14.13

Description

The ex14.13 data frame has 3 rows and 2 columns.

Usage

```
data(ex14.13)
```

Format

A data frame with 3 observations on the following 2 variables.

ovaries.developed a numeric vector

Observed.count a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.13)
str(ex14.13)
```

ex14.14

R Data set: ex14.14

Description

The ex14.14 data frame has 12 rows and 2 columns.

Usage

```
data(ex14.14)
```

Format

A data frame with 12 observations on the following 2 variables.

x a numeric vector

observed a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.14)
str(ex14.14)
```

ex14.15

R Data set: ex14.15

Description

The ex14.15 data frame has 5 rows and 2 columns.

Usage

```
data(ex14.15)
```

Format

A data frame with 5 observations on the following 2 variables.

Number.defective a numeric vector

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.15)
str(ex14.15)
```

ex14.16

R Data set: ex14.16

Description

The ex14.16 data frame has 10 rows and 2 columns.

Usage

```
data(ex14.16)
```

Format

A data frame with 10 observations on the following 2 variables.

Number.exchanges a numeric vector

Observed.counts a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.16)
str(ex14.16)
```

ex14.17

R Data set: ex14.17

Description

The ex14.17 data frame has 13 rows and 2 columns.

Usage

```
data(ex14.17)
```

Format

A data frame with 13 observations on the following 2 variables.

Number a numeric vector

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.17)
str(ex14.17)
```

ex14.18

R Data set: ex14.18

Description

The ex14.18 data frame has 5 rows and 2 columns.

Usage

```
data(ex14.18)
```

Format

A data frame with 5 observations on the following 2 variables.

Rate.per.day a factor with levels <100 .100-below .150 .150-below .200 .200-below .250 .250 or more

Frequency a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.18)
str(ex14.18)
```

ex14.20

R Data set: ex14.20

Description

The ex14.20 data frame has 23 rows and 1 column.

Usage

```
data(ex14.20)
```

Format

A data frame with 23 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.20)
str(ex14.20)
```

ex14.21

R Data set: ex14.21

Description

The ex14.21 data frame has 24 rows and 1 column.

Usage

```
data(ex14.21)
```

Format

A data frame with 24 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.21)
str(ex14.21)
```

ex14.22

R Data set: ex14.22

Description

The ex14.22 data frame has 25 rows and 1 column.

Usage

```
data(ex14.22)
```

Format

A data frame with 25 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.22)
str(ex14.22)
```

ex14.23

R Data set: ex14.23

Description

The ex14.23 data frame has 30 rows and 1 column.

Usage

```
data(ex14.23)
```

Format

A data frame with 30 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.23)
str(ex14.23)
```

ex14.26

R Data set: ex14.26

Description

The ex14.26 data frame has 7 rows and 3 columns.

Usage

```
data(ex14.26)
```

Format

A data frame with 7 observations on the following 3 variables.

C1 a factor with levels C1 Control Eight leaves removed Four leaves removed Six leaves removed
Treatment Two leaves removed

C2 a factor with levels 141 20 24 25 28 C2 Matured

C3 a factor with levels 206 69 73 78 82 Aborted C3

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.26)  
str(ex14.26)
```

ex14.27

R Data set: ex14.27

Description

The ex14.27 data frame has 2 rows and 5 columns.

Usage

```
data(ex14.27)
```

Format

A data frame with 2 observations on the following 5 variables.

C1 a factor with levels Men Women

L.R a numeric vector

L.R.1 a numeric vector

L.R.2 a numeric vector

Sample.size a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.27)
str(ex14.27)
```

ex14.28

R Data set: ex14.28

Description

The ex14.28 data frame has 4 rows and 5 columns.

Usage

```
data(ex14.28)
```

Format

A data frame with 4 observations on the following 5 variables.

Trtreatment a factor with levels Sham Solvent Thierylalanine Unhandled

No.response a numeric vector

Wild.running a numeric vector

Clonic.seizure a numeric vector

Tonic.seizure a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.28)
str(ex14.28)
```

ex14.29

R Data set: ex14.29

Description

The ex14.29 data frame has 6 rows and 4 columns.

Usage

```
data(ex14.29)
```

Format

A data frame with 6 observations on the following 4 variables.

Male.genotype a numeric vector

M.M a numeric vector

M.F a numeric vector

F.F a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.29)
str(ex14.29)
```

`ex14.30`*R Data set: ex14.30*

Description

The `ex14.30` data frame has 4 rows and 5 columns.

Usage

```
data(ex14.30)
```

Format

A data frame with 4 observations on the following 5 variables.

C1 a factor with levels 1 2 3 Configuration

C2 a numeric vector

C3 a numeric vector

C4 a numeric vector

C5 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.30)
str(ex14.30)
```

ex14.31

R Data set: ex14.31

Description

The ex14.31 data frame has 12 rows and 3 columns.

Usage

```
data(ex14.31)
```

Format

A data frame with 12 observations on the following 3 variables.

count a numeric vector

Size a factor with levels Compact Fullsize Midsize Subcompact

dist a factor with levels 0-<10 10-<20 >=20

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.31)
str(ex14.31)
```

ex14.32

R Data set: ex14.32

Description

The ex14.32 data frame has 3 rows and 3 columns.

Usage

```
data(ex14.32)
```

Format

A data frame with 3 observations on the following 3 variables.

Liberal a numeric vector

Consrvtv a numeric vector

Other a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.32)
str(ex14.32)
```

ex14.38

R Data set: ex14.38

Description

The ex14.38 data frame has 3 rows and 3 columns.

Usage

```
data(ex14.38)
```

Format

A data frame with 3 observations on the following 3 variables.

Treatment a factor with levels Control New oil Old oil

Parasitized a numeric vector

Nonparasitized a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.38)
str(ex14.38)
```

ex14.40

R Data set: ex14.40

Description

The ex14.40 data frame has 6 rows and 3 columns.

Usage

```
data(ex14.40)
```

Format

A data frame with 6 observations on the following 3 variables.

C1 a factor with levels Baseball Basketball C1 Football Hockey Sport

C2 a factor with levels 150 65 72 86 C2 Leader Wins

C3 a factor with levels 15 21 39 6 C3 Leader Loses

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.40)
str(ex14.40)
```

ex14.41

R Data set: ex14.41

Description

The ex14.41 data frame has 3 rows and 3 columns.

Usage

```
data(ex14.41)
```

Format

A data frame with 3 observations on the following 3 variables.

Never a numeric vector

Occasion a numeric vector

Regular a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.41)  
str(ex14.41)
```

ex14.42

R Data set: ex14.42

Description

The ex14.42 data frame has 4 rows and 4 columns.

Usage

```
data(ex14.42)
```

Format

A data frame with 4 observations on the following 4 variables.

Age a factor with levels 15-54 55-64 65-74 Over 74

Home a numeric vector

Acute a numeric vector

Chronic a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.42)
str(ex14.42)
```

 ex14.44

R Data set: ex14.44

Description

The ex14.44 data frame has 4 rows and 6 columns.

Usage

```
data(ex14.44)
```

Format

A data frame with 4 observations on the following 6 variables.

C1 a factor with levels Age C1 Number in Sample Number who want item pricing

C2 a factor with levels 127 150 <30 C2

C3 a factor with levels 118 141 30-39 C3

C4 a factor with levels 40-49 77 82 C4

C5 a factor with levels 50-59 61 63 C5

C6 a factor with levels 41 49 >60 C6

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex14.44)
str(ex14.44)
```

ex15.01

R Data set: ex15.01

Description

The ex15.01 data frame has 12 rows and 1 column.

Usage

```
data(ex15.01)
```

Format

A data frame with 12 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.01)
str(ex15.01)
```

ex15.03

R Data set: ex15.03

Description

The ex15.03 data frame has 14 rows and 1 column.

Usage

```
data(ex15.03)
```

Format

A data frame with 14 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.03)  
str(ex15.03)
```

ex15.04

R Data set: ex15.04

Description

The ex15.04 data frame has 15 rows and 1 column.

Usage

```
data(ex15.04)
```

Format

A data frame with 15 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.04)
str(ex15.04)
```

ex15.05

R Data set: ex15.05

Description

The ex15.05 data frame has 12 rows and 3 columns.

Usage

```
data(ex15.05)
```

Format

A data frame with 12 observations on the following 3 variables.

Sample a numeric vector

Gravimetric a numeric vector

Spectrophotometric a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.05)
str(ex15.05)
```

ex15.08

R Data set: ex15.08

Description

The ex15.08 data frame has 25 rows and 1 column.

Usage

```
data(ex15.08)
```

Format

A data frame with 25 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.08)  
str(ex15.08)
```

ex15.10

R Data set: ex15.10

Description

The ex15.10 data frame has 5 rows and 2 columns.

Usage

```
data(ex15.10)
```

Format

A data frame with 5 observations on the following 2 variables.

adhesv.1 a numeric vector

adhesv.2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.10)
str(ex15.10)
```

ex15.11

R Data set: ex15.11

Description

The ex15.11 data frame has 8 rows and 2 columns.

Usage

```
data(ex15.11)
```

Format

A data frame with 8 observations on the following 2 variables.

Oak a numeric vector

Pine a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.11)
str(ex15.11)
```

ex15.12

R Data set: ex15.12

Description

The ex15.12 data frame has 8 rows and 2 columns.

Usage

```
data(ex15.12)
```

Format

A data frame with 8 observations on the following 2 variables.

Original.process a numeric vector

Modified.process a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.12)
str(ex15.12)
```

ex15.13

R Data set: ex15.13

Description

The ex15.13 data frame has 10 rows and 2 columns.

Usage

```
data(ex15.13)
```

Format

A data frame with 10 observations on the following 2 variables.

Orange.juice a numeric vector

Ascorbic.acid a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.13)
str(ex15.13)
```

ex15.14

R Data set: ex15.14

Description

The ex15.14 data frame has 10 rows and 2 columns.

Usage

```
data(ex15.14)
```

Format

A data frame with 10 observations on the following 2 variables.

Orange.juice a numeric vector

Ascorbic.acid a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.14)
str(ex15.14)
```

ex15.15

R Data set: ex15.15

Description

The ex15.15 data frame has 8 rows and 2 columns.

Usage

```
data(ex15.15)
```

Format

A data frame with 8 observations on the following 2 variables.

Unexposed a numeric vector

Exposed a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.15)
str(ex15.15)
```

ex15.23

R Data set: ex15.23

Description

The ex15.23 data frame has 5 rows and 4 columns.

Usage

```
data(ex15.23)
```

Format

A data frame with 5 observations on the following 4 variables.

Region.1 a numeric vector

Region.2 a numeric vector

Region.3 a numeric vector

Region.4 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.23)  
str(ex15.23)
```

ex15.24

R Data set: ex15.24

Description

The ex15.24 data frame has 9 rows and 4 columns.

Usage

```
data(ex15.24)
```

Format

A data frame with 9 observations on the following 4 variables.

fasting a numeric vector

X23.protein a numeric vector

X32.protein a numeric vector

X67.protein a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.24)
str(ex15.24)
```

ex15.25

R Data set: ex15.25

Description

The ex15.25 data frame has 10 rows and 3 columns.

Usage

```
data(ex15.25)
```

Format

A data frame with 10 observations on the following 3 variables.

Group.1 a numeric vector

Group.2 a numeric vector

Group.3 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.25)
str(ex15.25)
```

ex15.26

R Data set: ex15.26

Description

The ex15.26 data frame has 10 rows and 5 columns.

Usage

```
data(ex15.26)
```

Format

A data frame with 10 observations on the following 5 variables.

Blocks a numeric vector

A a numeric vector

B a numeric vector

C a numeric vector

D a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.26)
str(ex15.26)
```

ex15.27

R Data set: ex15.27

Description

The ex15.27 data frame has 10 rows and 4 columns.

Usage

```
data(ex15.27)
```

Format

A data frame with 10 observations on the following 4 variables.

Dog a numeric vector

Isoflurane a numeric vector

Halothane a numeric vector

Cyclopropane a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.27)  
str(ex15.27)
```

ex15.28

R Data set: ex15.28

Description

The ex15.28 data frame has 8 rows and 3 columns.

Usage

```
data(ex15.28)
```

Format

A data frame with 8 observations on the following 3 variables.

Subject a numeric vector

Potato a numeric vector

Rice a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.28)
str(ex15.28)
```

ex15.29

R Data set: ex15.29

Description

The ex15.29 data frame has 10 rows and 4 columns.

Usage

```
data(ex15.29)
```

Format

A data frame with 10 observations on the following 4 variables.

C1 a numeric vector

C2 a numeric vector

C3 a numeric vector

C4 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.29)
str(ex15.29)
```

ex15.30

R Data set: ex15.30

Description

The ex15.30 data frame has 5 rows and 4 columns.

Usage

```
data(ex15.30)
```

Format

A data frame with 5 observations on the following 4 variables.

Treatment.I a numeric vector

Treatment.II a numeric vector

Treatment.III a numeric vector

Treatment.IV a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.30)
str(ex15.30)
```

ex15.32

R Data set: ex15.32

Description

The ex15.32 data frame has 7 rows and 2 columns.

Usage

```
data(ex15.32)
```

Format

A data frame with 7 observations on the following 2 variables.

Lateral a numeric vector

Diagonal a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.32)
str(ex15.32)
```

ex15.33

R Data set: ex15.33

Description

The ex15.33 data frame has 20 rows and 1 column.

Usage

```
data(ex15.33)
```

Format

A data frame with 20 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.33)
str(ex15.33)
```

ex15.35

R Data set: ex15.35

Description

The ex15.35 data frame has 5 rows and 2 columns.

Usage

```
data(ex15.35)
```

Format

A data frame with 5 observations on the following 2 variables.

SIDS a numeric vector

Control a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex15.35)
str(ex15.35)
```

ex16.06

R Data set: ex16.06

Description

The ex16.06 data frame has 22 rows and 5 columns.

Usage

```
data(ex16.06)
```

Format

A data frame with 22 observations on the following 5 variables.

Obs.1 a numeric vector

Obs.2 a numeric vector

Obs.3 a numeric vector

Obs.4 a numeric vector

Obs.5 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex16.06)
str(ex16.06)
```

`ex16.09`*R Data set: ex16.09*

Description

The `ex16.09` data frame has 24 rows and 2 columns.

Usage

```
data(ex16.09)
```

Format

A data frame with 24 observations on the following 2 variables.

`xbar` a numeric vector

`stderr` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex16.09)
str(ex16.09)
```

`ex16.14`*R Data set: ex16.14*

Description

The `ex16.14` data frame has 24 rows and 1 column.

Usage

```
data(ex16.14)
```

Format

A data frame with 24 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex16.14)
str(ex16.14)
```

ex16.25

R Data set: ex16.25

Description

The ex16.25 data frame has 22 rows and 3 columns.

Usage

```
data(ex16.25)
```

Format

A data frame with 22 observations on the following 3 variables.

C1 a factor with levels 1 10 11 12 13 14 15 16 17 18 19 2 20 3 4 5 6 7 8 9 C1 Panel

C2 a factor with levels 0.6 0.8 1 Area Examined C2

C3 a factor with levels 1 10 12 2 3 4 5 6 # Blemishes C3

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex16.25)
str(ex16.25)
```

ex16.41

R Data set: ex16.41

Description

The ex16.41 data frame has 22 rows and 3 columns.

Usage

```
data(ex16.41)
```

Format

A data frame with 22 observations on the following 3 variables.

C1 a numeric vector

C2 a numeric vector

C3 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex16.41)
str(ex16.41)
```

ex16.43

R Data set: ex16.43

Description

The ex16.43 data frame has 20 rows and 3 columns.

Usage

```
data(ex16.43)
```

Format

A data frame with 20 observations on the following 3 variables.

Col1 a numeric vector

Col2 a numeric vector

Col3 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(ex16.43)  
str(ex16.43)
```

xmp01.01

R Data set: xmp01.01

Description

The xmp01.01 data frame has 36 rows and 1 column.

Usage

```
data(xmp01.01)
```


Format

A data frame with 36 observations on the following variable.

temp a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.01)
str(xmp01.01)
```

xmp01.02

R Data set: xmp01.02

Description

The xmp01.02 data frame has 27 rows and 1 column.

Usage

```
data(xmp01.02)
```

Format

A data frame with 27 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.02)
str(xmp01.02)
```

xmp01.05

R Data set: xmp01.05

Description

The xmp01.05 data frame has 140 rows and 1 column.

Usage

```
data(xmp01.05)
```

Format

A data frame with 140 observations on the following variable.

bingePct a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.05)
str(xmp01.05)
```

`xmp01.06`*R Data set: xmp01.06*

Description

The `xmp01.06` data frame has 40 rows and 1 column.

Usage

```
data(xmp01.06)
```

Format

A data frame with 40 observations on the following variable.

`yardage` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.06)
str(xmp01.06)
```

`xmp01.08`*R Data set: xmp01.08*

Description

a data set

Usage

```
data(xmp01.08)
```

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.08)
str(xmp01.08)
```

xmp01.09

R Data set: xmp01.09

Description

The xmp01.09 data frame has 90 rows and 1 column.

Usage

```
data(xmp01.09)
```

Format

A data frame with 90 observations on the following variable.

consump a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.09)
str(xmp01.09)
```

`xmp01.10`*R Data set: xmp01.10*

Description

The `xmp01.10` data frame has 48 rows and 1 column.

Usage

```
data(xmp01.10)
```

Format

A data frame with 48 observations on the following variable.

`strength` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.10)
str(xmp01.10)
```

`xmp01.11`*R Data set: xmp01.11*

Description

The `xmp01.11` data frame has 48 rows and 1 column.

Usage

```
data(xmp01.11)
```

Format

A data frame with 48 observations on the following variable.

`strength` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.11)
str(xmp01.11)
```

xmp01.12

R Data set: xmp01.12

Description

The xmp01.12 data frame has 21 rows and 1 column.

Usage

```
data(xmp01.12)
```

Format

A data frame with 21 observations on the following variable.

crackLength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.12)
str(xmp01.12)
```

`xmp01.13`*R Data set: xmp01.13*

Description

The `xmp01.13` data frame has 12 rows and 1 column.

Usage

```
data(xmp01.13)
```

Format

A data frame with 12 observations on the following variable.

`concentration` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.13)
str(xmp01.13)
```

`xmp01.14`*R Data set: xmp01.14*

Description

The `xmp01.14` data frame has 24 rows and 1 column.

Usage

```
data(xmp01.14)
```

Format

A data frame with 24 observations on the following variable.

`copper` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.14)
str(xmp01.14)
```

xmp01.15

R Data set: xmp01.15

Description

The xmp01.15 data frame has 11 rows and 1 column.

Usage

```
data(xmp01.15)
```

Format

A data frame with 11 observations on the following variable.

Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.15)
str(xmp01.15)
```

`xmp01.16`*R Data set: xmp01.16*

Description

A data set

Usage

```
data(xmp01.16)
```

Details

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.16)  
str(xmp01.16)
```

`xmp01.17`*R Data set: xmp01.17*

Description

The `xmp01.17` data frame has 19 rows and 1 column.

Usage

```
data(xmp01.17)
```

Format

A data frame with 19 observations on the following variable.

`depth` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.17)
str(xmp01.17)
```

xmp01.18

R Data set: xmp01.18

Description

The xmp01.18 data frame has 25 rows and 1 column.

Usage

```
data(xmp01.18)
```

Format

A data frame with 25 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp01.18)
str(xmp01.18)
```

`xmp04.28`*R Data set: xmp04.28*

Description

The `xmp04.28` data frame has 10 rows and 2 columns.

Usage

```
data(xmp04.28)
```

Format

A data frame with 10 observations on the following 2 variables.

`observation` a numeric vector

`z.percentile` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp04.28)
str(xmp04.28)
```

`xmp04.29`*R Data set: xmp04.29*

Description

The `xmp04.29` data frame has 10 rows and 1 column.

Usage

```
data(xmp04.29)
```

Format

A data frame with 10 observations on the following variable.

meas.err a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp04.29)
str(xmp04.29)
```

xmp04.30

R Data set: xmp04.30

Description

The xmp04.30 data frame has 20 rows and 2 columns.

Usage

```
data(xmp04.30)
```

Format

A data frame with 20 observations on the following 2 variables.

Voltage a numeric vector

z.percentile a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp04.30)
str(xmp04.30)
```

xmp04.31

R Data set: xmp04.31

Description

The xmp04.31 data frame has 10 rows and 1 column.

Usage

```
data(xmp04.31)
```

Format

A data frame with 10 observations on the following variable.

lifetime a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp04.31)
str(xmp04.31)
```

xmp06.02

R Data set: xmp06.02

Description

The xmp06.02 data frame has 20 rows and 1 column.

Usage

```
data(xmp06.02)
```

Format

A data frame with 20 observations on the following variable.

Voltage a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp06.02)
str(xmp06.02)
```

xmp06.03

R Data set: xmp06.03

Description

The xmp06.03 data frame has 8 rows and 1 column.

Usage

```
data(xmp06.03)
```

Format

A data frame with 8 observations on the following variable.

Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp06.03)
str(xmp06.03)
```

xmp06.13

R Data set: xmp06.13

Description

The xmp06.13 data frame has 20 rows and 1 column.

Usage

```
data(xmp06.13)
```

Format

A data frame with 20 observations on the following variable.

Survival a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp06.13)
str(xmp06.13)
```

`xmp06.14`*R Data set: xmp06.14*

Description

The `xmp06.14` data frame has 420 rows and 1 column.

Usage

```
data(xmp06.14)
```

Format

A data frame with 420 observations on the following variable.

`goals` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp06.14)
str(xmp06.14)
```

`xmp07.06`*R Data set: xmp07.06*

Description

The `xmp07.06` data frame has 48 rows and 1 column.

Usage

```
data(xmp07.06)
```

Format

A data frame with 48 observations on the following variable.

`Voltage` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp07.06)
str(xmp07.06)
```

xmp07.11

R Data set: xmp07.11

Description

The xmp07.11 data frame has 16 rows and 1 column.

Usage

```
data(xmp07.11)
```

Format

A data frame with 16 observations on the following variable.

Elasticity a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp07.11)
str(xmp07.11)
```

xmp07.15

R Data set: xmp07.15

Description

The xmp07.15 data frame has 17 rows and 1 column.

Usage

```
data(xmp07.15)
```

Format

A data frame with 17 observations on the following variable.

voltage a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp07.15)
str(xmp07.15)
```

xmp08.08

R Data set: xmp08.08

Description

The xmp08.08 data frame has 52 rows and 1 column.

Usage

```
data(xmp08.08)
```

Format

A data frame with 52 observations on the following variable.

DCP a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp08.08)
str(xmp08.08)
```

xmp08.09

R Data set: xmp08.09

Description

The xmp08.09 data frame has 5 rows and 1 column.

Usage

```
data(xmp08.09)
```

Format

A data frame with 5 observations on the following variable.

MAWL a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp08.09)
str(xmp08.09)
```

xmp09.04

R Data set: xmp09.04

Description

The xmp09.04 data frame has 2 rows and 4 columns.

Usage

```
data(xmp09.04)
```

Format

A data frame with 2 observations on the following 4 variables.

Type a factor with levels Graded No-fines

Sample.Size a numeric vector

Sample.Average.Conductivity a numeric vector

Sample.Standard.Deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp09.04)
str(xmp09.04)
```

xmp09.06

R Data set: xmp09.06

Description

The xmp09.06 data frame has 2 rows and 4 columns.

Usage

```
data(xmp09.06)
```

Format

A data frame with 2 observations on the following 4 variables.

Fabric.Type a factor with levels Cotton Triacetate

Sample.Size a numeric vector

Sample.Mean a numeric vector

Sample.Standard.Deviation a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp09.06)
str(xmp09.06)
```

xmp09.07

R Data set: xmp09.07

Description

The xmp09.07 data frame has 18 rows and 2 columns.

Usage

```
data(xmp09.07)
```

Format

A data frame with 18 observations on the following 2 variables.

strength a numeric vector

type a factor with levels fused nofusion

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp09.07)
str(xmp09.07)
```

xmp09.08

R Data set: xmp09.08

Description

The xmp09.08 data frame has 6 rows and 2 columns.

Usage

```
data(xmp09.08)
```

Format

A data frame with 6 observations on the following 2 variables.

bottom a numeric vector

surface a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp09.08)
str(xmp09.08)
```

`xmp09.09`*R Data set: xmp09.09*

Description

The `xmp09.09` data frame has 16 rows and 4 columns.

Usage

```
data(xmp09.09)
```

Format

A data frame with 16 observations on the following 4 variables.

Subject a numeric vector

Before a numeric vector

After a numeric vector

Difference a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp09.09)
str(xmp09.09)
```

`xmp09.10`*R Data set: xmp09.10*

Description

The `xmp09.10` data frame has 13 rows and 2 columns.

Usage

```
data(xmp09.10)
```

Format

A data frame with 13 observations on the following 2 variables.

slide a numeric vector

digital a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp09.10)
str(xmp09.10)
```

xmp10.01

R Data set: xmp10.01

Description

The xmp10.01 data frame has 24 rows and 2 columns.

Usage

```
data(xmp10.01)
```

Format

A data frame with 24 observations on the following 2 variables.

C1 a numeric vector

C2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp10.01)
str(xmp10.01)
```

xmp10.03

R Data set: xmp10.03

Description

The xmp10.03 data frame has 15 rows and 2 columns.

Usage

```
data(xmp10.03)
```

Format

A data frame with 15 observations on the following 2 variables.

Soiling a numeric vector

Mixture a factor with levels 1 2 3

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp10.03)
str(xmp10.03)
```

xmp10.05

R Data set: xmp10.05

Description

The xmp10.05 data frame has 20 rows and 2 columns.

Usage

```
data(xmp10.05)
```

Format

A data frame with 20 observations on the following 2 variables.

REMtime a numeric vector

ethanol a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp10.05)  
str(xmp10.05)
```

xmp10.08

R Data set: xmp10.08

Description

The xmp10.08 data frame has 22 rows and 2 columns.

Usage

```
data(xmp10.08)
```

Format

A data frame with 22 observations on the following 2 variables.

elastic a numeric vector

type a factor with levels Die Permanent Plaster

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp10.08)
str(xmp10.08)
```

xmp10.10

R Data set: xmp10.10

Description

The xmp10.10 data frame has 18 rows and 2 columns.

Usage

```
data(xmp10.10)
```

Format

A data frame with 18 observations on the following 2 variables.

travel a numeric vector

Rail a factor with levels 1 2 3 4 5 6

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp10.10)
str(xmp10.10)
```

xmp11.01

R Data set: xmp11.01

Description

The xmp11.01 data frame has 12 rows and 3 columns.

Usage

```
data(xmp11.01)
```

Format

A data frame with 12 observations on the following 3 variables.

strength a numeric vector

brand a factor with levels 1 2 3

treatment a factor with levels 1 2 3 4

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.01)
str(xmp11.01)
```

`xmp11.05`*R Data set: xmp11.05*

Description

The `xmp11.05` data frame has 20 rows and 3 columns.

Usage

```
data(xmp11.05)
```

Format

A data frame with 20 observations on the following 3 variables.

`power` a numeric vector

`humid` an ordered factor with levels 1 < 2 < 3 < 4

`brand` a factor with levels 1 2 3 4 5

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.05)
str(xmp11.05)
```

`xmp11.06`*R Data set: xmp11.06*

Description

The `xmp11.06` data frame has 24 rows and 3 columns.

Usage

```
data(xmp11.06)
```

Format

A data frame with 24 observations on the following 3 variables.

Resp a numeric vector

Stimulus a factor with levels L1 L2 T L1+L2 L1+T L2+T

Subject a factor with levels 1 2 3 4

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.06)
str(xmp11.06)
```

xmp11.07

R Data set: xmp11.07

Description

The xmp11.07 data frame has 36 rows and 3 columns.

Usage

```
data(xmp11.07)
```

Format

A data frame with 36 observations on the following 3 variables.

Yield a numeric vector

Variety a factor with levels 1 2 3

Density a factor with levels 1 2 3 4

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.07)
str(xmp11.07)
```

xmp11.10

R Data set: xmp11.10

Description

The xmp11.10 data frame has 96 rows and 4 columns.

Usage

```
data(xmp11.10)
```

Format

A data frame with 96 observations on the following 4 variables.

Tempr a numeric vector

Period a numeric vector

Strain a numeric vector

Coat a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.10)
str(xmp11.10)
```

`xmp11.11`*R Data set: xmp11.11*

Description

The `xmp11.11` data frame has 36 rows and 4 columns.

Usage

```
data(xmp11.11)
```

Format

A data frame with 36 observations on the following 4 variables.

`abrasion` a numeric vector

`row` an ordered factor with levels 1 < 2 < 3 < 4 < 5 < 6

`column` an ordered factor with levels 1 < 2 < 3 < 4 < 5 < 6

`humidity` a factor with levels 25 percent 37 percent 50 percent 62 percent 75 percent 87 percent

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.11)
str(xmp11.11)
```

`xmp11.12`*R Data set: xmp11.12*

Description

The `xmp11.12` data frame has 8 rows and 4 columns.

Usage

```
data(xmp11.12)
```

Format

A data frame with 8 observations on the following 4 variables.

Age a numeric vector

Temperature a numeric vector

Soil.1 a numeric vector

Soil.2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp11.12)
str(xmp11.12)
```

`xmp12.01`*R Data set: xmp12.01*

Description

The `xmp12.01` data frame has 30 rows and 3 columns.

Usage

```
data(xmp12.01)
```

Format

A data frame with 30 observations on the following 3 variables.

Obs a numeric vector

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.01)
str(xmp12.01)
```

xmp12.02

R Data set: xmp12.02

Description

The xmp12.02 data frame has 19 rows and 2 columns.

Usage

```
data(xmp12.02)
```

Format

A data frame with 19 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.02)
str(xmp12.02)
```

xmp12.04

R Data set: xmp12.04

Description

The xmp12.04 data frame has 15 rows and 2 columns.

Usage

```
data(xmp12.04)
```

Format

A data frame with 15 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.04)
str(xmp12.04)
```

xmp12.06

R Data set: xmp12.06

Description

The xmp12.06 data frame has 20 rows and 2 columns.

Usage

```
data(xmp12.06)
```

Format

A data frame with 20 observations on the following 2 variables.

moistcon a numeric vector

filtrate a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.06)
str(xmp12.06)
```

xmp12.08

R Data set: xmp12.08

Description

The xmp12.08 data frame has 14 rows and 2 columns.

Usage

```
data(xmp12.08)
```

Format

A data frame with 14 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.08)
str(xmp12.08)
```

xmp12.10

R Data set: xmp12.10

Description

The xmp12.10 data frame has 15 rows and 2 columns.

Usage

```
data(xmp12.10)
```

Format

A data frame with 15 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.10)
str(xmp12.10)
```

xmp12.11

R Data set: xmp12.11

Description

The xmp12.11 data frame has 15 rows and 2 columns.

Usage

```
data(xmp12.11)
```

Format

A data frame with 15 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.11)
str(xmp12.11)
```

`xmp12.12`*R Data set: xmp12.12*

Description

The xmp12.12 data frame has 20 rows and 2 columns.

Usage

```
data(xmp12.12)
```

Format

A data frame with 20 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.12)  
str(xmp12.12)
```

`xmp12.13`*R Data set: xmp12.13*

Description

The xmp12.13 data frame has 18 rows and 2 columns.

Usage

```
data(xmp12.13)
```

Format

A data frame with 18 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.13)
str(xmp12.13)
```

xmp12.14

R Data set: xmp12.14

Description

The xmp12.14 data frame has 8 rows and 2 columns.

Usage

```
data(xmp12.14)
```

Format

A data frame with 8 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.14)
str(xmp12.14)
```

xmp12.15

R Data set: xmp12.15

Description

The xmp12.15 data frame has 8 rows and 2 columns.

Usage

```
data(xmp12.15)
```

Format

A data frame with 8 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.15)
str(xmp12.15)
```

xmp12.16

R Data set: xmp12.16

Description

The xmp12.16 data frame has 16 rows and 2 columns.

Usage

```
data(xmp12.16)
```

Format

A data frame with 16 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp12.16)  
str(xmp12.16)
```

xmp13.01

R Data set: xmp13.01

Description

The xmp13.01 data frame has 14 rows and 2 columns.

Usage

```
data(xmp13.01)
```

Format

A data frame with 14 observations on the following 2 variables.

x_i a numeric vector

y_i a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.01)
str(xmp13.01)
```

xmp13.03

R Data set: xmp13.03

Description

The xmp13.03 data frame has 12 rows and 2 columns.

Usage

```
data(xmp13.03)
```

Format

A data frame with 12 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.03)
str(xmp13.03)
```

xmp13.04

R Data set: xmp13.04

Description

The xmp13.04 data frame has 11 rows and 2 columns.

Usage

```
data(xmp13.04)
```

Format

A data frame with 11 observations on the following 2 variables.

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.04)
str(xmp13.04)
```

`xmp13.06`*R Data set: xmp13.06*

Description

The `xmp13.06` data frame has 24 rows and 2 columns.

Usage

```
data(xmp13.06)
```

Format

A data frame with 24 observations on the following 2 variables.

Temperature a numeric vector

Failure a factor with levels N Y

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.06)
str(xmp13.06)
```

`xmp13.09`*R Data set: xmp13.09*

Description

The `xmp13.09` data frame has 8 rows and 2 columns.

Usage

```
data(xmp13.09)
```

Format

A data frame with 8 observations on the following 2 variables.

tempture a numeric vector

strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.09)
str(xmp13.09)
```

xmp13.10

R Data set: xmp13.10

Description

The xmp13.10 data frame has 8 rows and 3 columns.

Usage

```
data(xmp13.10)
```

Format

A data frame with 8 observations on the following 3 variables.

x a numeric vector

x a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.10)
str(xmp13.10)
```

xmp13.11

R Data set: xmp13.11

Description

The xmp13.11 data frame has 30 rows and 6 columns.

Usage

```
data(xmp13.11)
```

Format

A data frame with 30 observations on the following 6 variables.

Observation a numeric vector

Force a numeric vector

Power a numeric vector

Temperature a numeric vector

Time a numeric vector

Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.11)
str(xmp13.11)
```

`xmp13.12`*R Data set: xmp13.12*

Description

The `xmp13.12` data frame has 30 rows and 6 columns.

Usage

```
data(xmp13.12)
```

Format

A data frame with 30 observations on the following 6 variables.

Observation a numeric vector

Force a numeric vector

Power a numeric vector

Temperature a numeric vector

Time a numeric vector

Strength a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.12)
str(xmp13.12)
```

`xmp13.13`*R Data set: xmp13.13*

Description

The `xmp13.13` data frame has 9 rows and 5 columns.

Usage

```
data(xmp13.13)
```

Format

A data frame with 9 observations on the following 5 variables.

`x1` a numeric vector

`x2` a numeric vector

`x1x2` a numeric vector

`X28` a numeric vector

`Absorbability` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.13)
str(xmp13.13)
```

xmp13.15

R Data set: xmp13.15

Description

The xmp13.15 data frame has 13 rows and 3 columns.

Usage

```
data(xmp13.15)
```

Format

A data frame with 13 observations on the following 3 variables.

Iron.x1 a numeric vector

Aluminum.x2 a numeric vector

Adsorption.y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.15)  
str(xmp13.15)
```

xmp13.16

R Data set: xmp13.16

Description

The xmp13.16 data frame has 30 rows and 5 columns.

Usage

```
data(xmp13.16)
```

Format

A data frame with 30 observations on the following 5 variables.

x1 a numeric vector

x2 a numeric vector

x3 a numeric vector

x4 a numeric vector

y a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.16)
str(xmp13.16)
```

xmp13.18

R Data set: xmp13.18

Description

The xmp13.18 data frame has 27 rows and 3 columns.

Usage

```
data(xmp13.18)
```

Format

A data frame with 27 observations on the following 3 variables.

s a numeric vector

l.1000.s a numeric vector

w a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.18)
str(xmp13.18)
```

xmp13.19

R Data set: xmp13.19

Description

The xmp13.19 data frame has 31 rows and 5 columns.

Usage

```
data(xmp13.19)
```

Format

A data frame with 31 observations on the following 5 variables.

y a numeric vector

x1 a numeric vector

x2 a numeric vector

x.1 a numeric vector

x.2 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.19)
str(xmp13.19)
```

`xmp13.22`*R Data set: xmp13.22*

Description

The xmp13.22 data frame has 10 rows and 3 columns.

Usage

```
data(xmp13.22)
```

Format

A data frame with 10 observations on the following 3 variables.

Strength a numeric vector

Sp.grav a numeric vector

Moisture a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp13.22)
str(xmp13.22)
```

`xmp14.03`*R Data set: xmp14.03*

Description

The xmp14.03 data frame has 24 rows and 1 column.

Usage

```
data(xmp14.03)
```

Format

A data frame with 24 observations on the following variable.

onset a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp14.03)
str(xmp14.03)
```

xmp14.10

R Data set: xmp14.10

Description

The xmp14.10 data frame has 49 rows and 1 column.

Usage

```
data(xmp14.10)
```

Format

A data frame with 49 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp14.10)
str(xmp14.10)
```

xmp14.13

R Data set: xmp14.13

Description

The xmp14.13 data frame has 4 rows and 7 columns.

Usage

```
data(xmp14.13)
```

Format

A data frame with 4 observations on the following 7 variables.

Production.Line a numeric vector

Blemish a numeric vector

Crack a numeric vector

Location a numeric vector

Missing a numeric vector

Other a numeric vector

Size a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp14.13)
str(xmp14.13)
```

xmp14.14

R Data set: xmp14.14

Description

The xmp14.14 data frame has 3 rows and 3 columns.

Usage

```
data(xmp14.14)
```

Format

A data frame with 3 observations on the following 3 variables.

Substand a numeric vector

Standard a numeric vector

Modern a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp14.14)
str(xmp14.14)
```

xmp15.01

R Data set: xmp15.01

Description

The xmp15.01 data frame has 15 rows and 1 column.

Usage

```
data(xmp15.01)
```


Format

A data frame with 15 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.01)
str(xmp15.01)
```

xmp15.02

R Data set: xmp15.02

Description

The xmp15.02 data frame has 8 rows and 5 columns.

Usage

```
data(xmp15.02)
```

Format

A data frame with 8 observations on the following 5 variables.

Log a numeric vector

Solvent.1 a numeric vector

Solvent.2 a numeric vector

Difference a numeric vector

Signed.rank a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.02)
str(xmp15.02)
```

xmp15.03

R Data set: xmp15.03

Description

The xmp15.03 data frame has 25 rows and 2 columns.

Usage

```
data(xmp15.03)
```

Format

A data frame with 25 observations on the following 2 variables.

`xi` a numeric vector

`Signed.Rank` a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.03)
str(xmp15.03)
```

`xmp15.04`*R Data set: xmp15.04*

Description

The `xmp15.04` data frame has 7 rows and 2 columns.

Usage

```
data(xmp15.04)
```

Format

A data frame with 7 observations on the following 2 variables.

Polluted a numeric vector

Unpolluted a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.04)
str(xmp15.04)
```

`xmp15.06`*R Data set: xmp15.06*

Description

The `xmp15.06` data frame has 28 rows and 1 column.

Usage

```
data(xmp15.06)
```

Format

A data frame with 28 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.06)
str(xmp15.06)
```

xmp15.08

R Data set: xmp15.08

Description

The xmp15.08 data frame has 6 rows and 2 columns.

Usage

```
data(xmp15.08)
```

Format

A data frame with 6 observations on the following 2 variables.

Epoxy a numeric vector

Other a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.08)
str(xmp15.08)
```

xmp15.09

R Data set: xmp15.09

Description

The xmp15.09 data frame has 35 rows and 2 columns.

Usage

```
data(xmp15.09)
```

Format

A data frame with 35 observations on the following 2 variables.

C1 a numeric vector

C2 a factor with levels 10\ " 12\ " 4\ " 6\ " 8\ "

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.09)
str(xmp15.09)
```

xmp15.10

R Data set: xmp15.10

Description

The xmp15.10 data frame has 8 rows and 4 columns.

Usage

```
data(xmp15.10)
```

Format

A data frame with 8 observations on the following 4 variables.

Fear a numeric vector

Happiness a numeric vector

Depression a numeric vector

Calmness a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp15.10)
str(xmp15.10)
```

xmp16.01

R Data set: xmp16.01

Description

The xmp16.01 data frame has 25 rows and 3 columns.

Usage

```
data(xmp16.01)
```

Format

A data frame with 25 observations on the following 3 variables.

Visc1 a numeric vector

Visc2 a numeric vector

Visc3 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp16.01)
str(xmp16.01)
```

xmp16.04

R Data set: xmp16.04

Description

The xmp16.04 data frame has 22 rows and 4 columns.

Usage

```
data(xmp16.04)
```

Format

A data frame with 22 observations on the following 4 variables.

Obs.1 a numeric vector

Obs.2 a numeric vector

Obs.3 a numeric vector

Obs.4 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp16.04)
str(xmp16.04)
```

xmp16.06

R Data set: xmp16.06

Description

The xmp16.06 data frame has 27 rows and 26 columns.

Usage

```
data(xmp16.06)
```

Format

A data frame with 27 observations on the following 26 variables.

C1 a factor with levels 1 10 11 12 13 14 15 16 17 18 19 2 20 21 22 23 24 25 3 4 5 6 7 8 9 Day (i)
C2 a numeric vector
C3 a numeric vector
C4 a numeric vector
C5 a numeric vector
C6 a numeric vector
C7 a numeric vector
C8 a numeric vector
C9 a numeric vector
C10 a numeric vector
C11 a numeric vector
C12 a numeric vector
C13 a numeric vector
C14 a numeric vector
C15 a numeric vector
C16 a numeric vector
C17 a numeric vector
C18 a numeric vector

C19 a numeric vector
C20 a numeric vector
C21 a numeric vector
C22 a numeric vector
C23 a numeric vector
C24 a numeric vector
C25 a numeric vector
C26 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp16.06)  
str(xmp16.06)
```

xmp16.07

R Data set: xmp16.07

Description

The xmp16.07 data frame has 24 rows and 1 column.

Usage

```
data(xmp16.07)
```

Format

A data frame with 24 observations on the following variable.

C1 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp16.07)
str(xmp16.07)
```

xmp16.08

R Data set: xmp16.08

Description

The xmp16.08 data frame has 16 rows and 4 columns.

Usage

```
data(xmp16.08)
```

Format

A data frame with 16 observations on the following 4 variables.

Obs. 1 a numeric vector

Obs. 2 a numeric vector

Obs. 3 a numeric vector

Obs. 4 a numeric vector

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp16.08)
str(xmp16.08)
```

xmp16.09

R Data set: xmp16.09

Description

The xmp16.09 data frame has 18 rows and 6 columns.

Usage

```
data(xmp16.09)
```

Format

A data frame with 18 observations on the following 6 variables.

C1 a factor with levels 1 10 11 12 13 14 15 16 2 3 4 5 6 7 8 9 C1 Sample #

C2 a factor with levels 39.65 39.72 39.76 39.84 39.98 40.06 40.2 40.23 40.32 40.34 40.4
40.41 40.42 40.49 40.61 C2 xw1

C3 a factor with levels 0.05 0.08 -0.09 -0.17 0.17 0.19 0.25 0.26 0.27 -0.31 0.34 -0.39
-0.43 0.46 -0.5 C3 xw1 - 40.15

C4 a factor with levels 0 0.01 0.05 0.1 0.12 0.26 0.27 0.43 0.46 0.71 1 1.08 1.17 1.27 C4 d1

C5 a factor with levels -0.01 -0.09 -0.13 0.13 -0.2 0.21 0.35 0.38 0.47 0.49 0.55 0.56 0.57
0.64 0.76 C5 xw1 - 39.85

C6 a factor with levels 0 0.01 0.09 0.13 0.29 C6 e1

Details

Consult the web site <http://www.thomsonedu.com/statistics/devore> for additional online resources that are available for this book.

Source

Devore, J. L. (2008) *Probability and Statistics for Engineering and the Sciences (7th Edition)*, ISBN-10: 0495382175 ISBN-13: 9780495382171

Examples

```
data(xmp16.09)  
str(xmp16.09)
```

Index

*Topic **datasets**

ex01.11, [10](#)
ex01.12, [10](#)
ex01.13, [11](#)
ex01.14, [12](#)
ex01.15, [12](#)
ex01.17, [13](#)
ex01.18, [14](#)
ex01.19, [14](#)
ex01.20, [15](#)
ex01.21, [16](#)
ex01.23, [17](#)
ex01.24, [17](#)
ex01.25, [18](#)
ex01.27, [19](#)
ex01.28, [19](#)
ex01.29, [20](#)
ex01.32, [21](#)
ex01.33, [21](#)
ex01.34, [22](#)
ex01.35, [23](#)
ex01.36, [23](#)
ex01.37, [24](#)
ex01.38, [25](#)
ex01.39, [25](#)
ex01.43, [26](#)
ex01.44, [27](#)
ex01.45, [27](#)
ex01.46, [28](#)
ex01.49, [29](#)
ex01.50, [29](#)
ex01.51, [30](#)
ex01.54, [31](#)
ex01.56, [31](#)
ex01.59, [32](#)
ex01.60, [33](#)
ex01.63, [33](#)
ex01.64, [34](#)
ex01.65, [35](#)

ex01.67, [36](#)
ex01.70, [36](#)
ex01.72, [37](#)
ex01.73, [38](#)
ex01.75, [38](#)
ex01.77, [39](#)
ex01.80, [40](#)
ex01.83, [41](#)
ex04.82, [41](#)
ex04.83, [42](#)
ex04.84, [43](#)
ex04.86, [43](#)
ex04.88, [44](#)
ex04.89, [45](#)
ex04.90, [45](#)
ex04.91, [46](#)
ex04.92, [47](#)
ex04.94, [47](#)
ex04.97, [48](#)
ex06.01, [49](#)
ex06.02, [49](#)
ex06.03, [50](#)
ex06.04, [51](#)
ex06.05, [51](#)
ex06.06, [52](#)
ex06.09, [53](#)
ex06.15, [54](#)
ex06.25, [54](#)
ex07.10, [55](#)
ex07.26, [56](#)
ex07.33, [56](#)
ex07.37, [57](#)
ex07.45, [58](#)
ex07.46, [58](#)
ex07.47, [59](#)
ex07.49, [60](#)
ex07.56, [60](#)
ex07.58, [61](#)
ex08.32, [62](#)

- ex08.54, [62](#)
- ex08.55, [63](#)
- ex08.56, [64](#)
- ex08.57, [64](#)
- ex08.66, [65](#)
- ex08.68, [66](#)
- ex08.70, [66](#)
- ex08.80, [67](#)
- ex08.83, [68](#)
- ex09.07, [68](#)
- ex09.12, [69](#)
- ex09.16, [70](#)
- ex09.23, [71](#)
- ex09.25, [71](#)
- ex09.27, [72](#)
- ex09.28, [73](#)
- ex09.29, [74](#)
- ex09.30, [74](#)
- ex09.31, [75](#)
- ex09.32, [76](#)
- ex09.33, [77](#)
- ex09.36, [77](#)
- ex09.37, [78](#)
- ex09.38, [79](#)
- ex09.39, [80](#)
- ex09.40, [80](#)
- ex09.41, [81](#)
- ex09.43, [82](#)
- ex09.44, [83](#)
- ex09.63, [83](#)
- ex09.65, [84](#)
- ex09.66, [85](#)
- ex09.68, [86](#)
- ex09.70, [86](#)
- ex09.72, [87](#)
- ex09.76, [88](#)
- ex09.77, [89](#)
- ex09.78, [89](#)
- ex09.79, [90](#)
- ex09.82, [91](#)
- ex09.86, [92](#)
- ex09.88, [92](#)
- ex09.90, [93](#)
- ex09.92, [94](#)
- ex10.06, [95](#)
- ex10.08, [96](#)
- ex10.09, [96](#)
- ex10.18, [97](#)
- ex10.22, [98](#)
- ex10.26, [99](#)
- ex10.27, [100](#)
- ex10.32, [100](#)
- ex10.36, [101](#)
- ex10.37, [102](#)
- ex10.41, [103](#)
- ex10.42, [103](#)
- ex10.44, [104](#)
- ex11.02, [105](#)
- ex11.03, [106](#)
- ex11.04, [106](#)
- ex11.05, [107](#)
- ex11.08, [108](#)
- ex11.09, [109](#)
- ex11.10, [109](#)
- ex11.15, [110](#)
- ex11.16, [111](#)
- ex11.17, [112](#)
- ex11.18, [112](#)
- ex11.20, [113](#)
- ex11.29, [114](#)
- ex11.31, [115](#)
- ex11.34, [115](#)
- ex11.35, [116](#)
- ex11.39, [117](#)
- ex11.40, [118](#)
- ex11.42, [119](#)
- ex11.43, [120](#)
- ex11.48, [121](#)
- ex11.50, [122](#)
- ex11.52, [122](#)
- ex11.53, [123](#)
- ex11.54, [124](#)
- ex11.55, [125](#)
- ex11.56, [125](#)
- ex11.57, [126](#)
- ex11.59, [127](#)
- ex11.61, [128](#)
- ex12.01, [129](#)
- ex12.02, [129](#)
- ex12.03, [130](#)
- ex12.04, [131](#)
- ex12.05, [132](#)
- ex12.13, [132](#)
- ex12.15, [133](#)
- ex12.16, [134](#)
- ex12.19, [135](#)

- ex12.20, 135
- ex12.21, 136
- ex12.24, 137
- ex12.29, 138
- ex12.35, 138
- ex12.36, 139
- ex12.37, 140
- ex12.46, 141
- ex12.50, 141
- ex12.52, 142
- ex12.54, 143
- ex12.55, 144
- ex12.58, 144
- ex12.59, 145
- ex12.61, 146
- ex12.62, 147
- ex12.63, 147
- ex12.65, 148
- ex12.68, 149
- ex12.69, 150
- ex12.71, 150
- ex12.72, 151
- ex12.73, 152
- ex12.75, 153
- ex12.82, 153
- ex12.83, 154
- ex12.84, 155
- ex13.02, 156
- ex13.04, 156
- ex13.05, 157
- ex13.06, 158
- ex13.07, 159
- ex13.08, 159
- ex13.09, 160
- ex13.09a, 161
- ex13.09b, 162
- ex13.09c, 162
- ex13.09d, 163
- ex13.14, 164
- ex13.15, 165
- ex13.16, 165
- ex13.17, 166
- ex13.18, 167
- ex13.19, 168
- ex13.21, 168
- ex13.24, 169
- ex13.25, 170
- ex13.27, 171
- ex13.29, 171
- ex13.30, 172
- ex13.31, 173
- ex13.32, 174
- ex13.33, 174
- ex13.34, 175
- ex13.35, 176
- ex13.47, 177
- ex13.48, 178
- ex13.49, 178
- ex13.50, 179
- ex13.51, 180
- ex13.52, 181
- ex13.53, 181
- ex13.54, 182
- ex13.55, 183
- ex13.64, 184
- ex13.65, 184
- ex13.66, 185
- ex13.67, 186
- ex13.68, 187
- ex13.69, 187
- ex13.70, 188
- ex13.71, 189
- ex13.72, 190
- ex13.73, 190
- ex13.74, 191
- ex13.75, 192
- ex13.76, 193
- ex14.09, 193
- ex14.11, 194
- ex14.12, 195
- ex14.13, 195
- ex14.14, 196
- ex14.15, 197
- ex14.16, 198
- ex14.17, 198
- ex14.18, 199
- ex14.20, 200
- ex14.21, 201
- ex14.22, 201
- ex14.23, 202
- ex14.26, 203
- ex14.27, 203
- ex14.28, 204
- ex14.29, 205
- ex14.30, 206
- ex14.31, 207

- ex14.32, [207](#)
- ex14.38, [208](#)
- ex14.40, [209](#)
- ex14.41, [210](#)
- ex14.42, [210](#)
- ex14.44, [211](#)
- ex15.01, [212](#)
- ex15.03, [213](#)
- ex15.04, [213](#)
- ex15.05, [214](#)
- ex15.08, [215](#)
- ex15.10, [215](#)
- ex15.11, [216](#)
- ex15.12, [217](#)
- ex15.13, [217](#)
- ex15.14, [218](#)
- ex15.15, [219](#)
- ex15.23, [220](#)
- ex15.24, [220](#)
- ex15.25, [221](#)
- ex15.26, [222](#)
- ex15.27, [223](#)
- ex15.28, [223](#)
- ex15.29, [224](#)
- ex15.30, [225](#)
- ex15.32, [226](#)
- ex15.33, [226](#)
- ex15.35, [227](#)
- ex16.06, [228](#)
- ex16.09, [229](#)
- ex16.14, [229](#)
- ex16.25, [230](#)
- ex16.41, [231](#)
- ex16.43, [232](#)
- xmp01.01, [232](#)
- xmp01.02, [233](#)
- xmp01.05, [234](#)
- xmp01.06, [235](#)
- xmp01.08, [235](#)
- xmp01.09, [236](#)
- xmp01.10, [237](#)
- xmp01.11, [237](#)
- xmp01.12, [238](#)
- xmp01.13, [239](#)
- xmp01.14, [239](#)
- xmp01.15, [240](#)
- xmp01.16, [241](#)
- xmp01.17, [241](#)
- xmp01.18, [242](#)
- xmp04.28, [243](#)
- xmp04.29, [243](#)
- xmp04.30, [244](#)
- xmp04.31, [245](#)
- xmp06.02, [246](#)
- xmp06.03, [246](#)
- xmp06.13, [247](#)
- xmp06.14, [248](#)
- xmp07.06, [248](#)
- xmp07.11, [249](#)
- xmp07.15, [250](#)
- xmp08.08, [250](#)
- xmp08.09, [251](#)
- xmp09.04, [252](#)
- xmp09.06, [252](#)
- xmp09.07, [253](#)
- xmp09.08, [254](#)
- xmp09.09, [255](#)
- xmp09.10, [255](#)
- xmp10.01, [256](#)
- xmp10.03, [257](#)
- xmp10.05, [258](#)
- xmp10.08, [258](#)
- xmp10.10, [259](#)
- xmp11.01, [260](#)
- xmp11.05, [261](#)
- xmp11.06, [261](#)
- xmp11.07, [262](#)
- xmp11.10, [263](#)
- xmp11.11, [264](#)
- xmp11.12, [265](#)
- xmp12.01, [265](#)
- xmp12.02, [266](#)
- xmp12.04, [267](#)
- xmp12.06, [268](#)
- xmp12.08, [268](#)
- xmp12.10, [269](#)
- xmp12.11, [270](#)
- xmp12.12, [271](#)
- xmp12.13, [271](#)
- xmp12.14, [272](#)
- xmp12.15, [273](#)
- xmp12.16, [274](#)
- xmp13.01, [274](#)
- xmp13.03, [275](#)
- xmp13.04, [276](#)
- xmp13.06, [277](#)

- xmp13.09, [277](#)
- xmp13.10, [278](#)
- xmp13.11, [279](#)
- xmp13.12, [280](#)
- xmp13.13, [281](#)
- xmp13.15, [282](#)
- xmp13.16, [282](#)
- xmp13.18, [283](#)
- xmp13.19, [284](#)
- xmp13.22, [285](#)
- xmp14.03, [285](#)
- xmp14.10, [286](#)
- xmp14.13, [287](#)
- xmp14.14, [288](#)
- xmp15.01, [288](#)
- xmp15.02, [289](#)
- xmp15.03, [290](#)
- xmp15.04, [291](#)
- xmp15.06, [291](#)
- xmp15.08, [292](#)
- xmp15.09, [293](#)
- xmp15.10, [294](#)
- xmp16.01, [294](#)
- xmp16.04, [295](#)
- xmp16.06, [296](#)
- xmp16.07, [297](#)
- xmp16.08, [298](#)
- xmp16.09, [299](#)

- ex01.11, [10](#)
- ex01.12, [10](#)
- ex01.13, [11](#)
- ex01.14, [12](#)
- ex01.15, [12](#)
- ex01.17, [13](#)
- ex01.18, [14](#)
- ex01.19, [14](#)
- ex01.20, [15](#)
- ex01.21, [16](#)
- ex01.23, [17](#)
- ex01.24, [17](#)
- ex01.25, [18](#)
- ex01.27, [19](#)
- ex01.28, [19](#)
- ex01.29, [20](#)
- ex01.32, [21](#)
- ex01.33, [21](#)
- ex01.34, [22](#)
- ex01.35, [23](#)

- ex01.36, [23](#)
- ex01.37, [24](#)
- ex01.38, [25](#)
- ex01.39, [25](#)
- ex01.43, [26](#)
- ex01.44, [27](#)
- ex01.45, [27](#)
- ex01.46, [28](#)
- ex01.49, [29](#)
- ex01.50, [29](#)
- ex01.51, [30](#)
- ex01.54, [31](#)
- ex01.56, [31](#)
- ex01.59, [32](#)
- ex01.60, [33](#)
- ex01.63, [33](#)
- ex01.64, [34](#)
- ex01.65, [35](#)
- ex01.67, [36](#)
- ex01.70, [36](#)
- ex01.72, [37](#)
- ex01.73, [38](#)
- ex01.75, [38](#)
- ex01.77, [39](#)
- ex01.80, [40](#)
- ex01.83, [41](#)
- ex04.82, [41](#)
- ex04.83, [42](#)
- ex04.84, [43](#)
- ex04.86, [43](#)
- ex04.88, [44](#)
- ex04.89, [45](#)
- ex04.90, [45](#)
- ex04.91, [46](#)
- ex04.92, [47](#)
- ex04.94, [47](#)
- ex04.97, [48](#)
- ex06.01, [49](#)
- ex06.02, [49](#)
- ex06.03, [50](#)
- ex06.04, [51](#)
- ex06.05, [51](#)
- ex06.06, [52](#)
- ex06.09, [53](#)
- ex06.15, [54](#)
- ex06.25, [54](#)
- ex07.10, [55](#)
- ex07.26, [56](#)

- ex07.33, [56](#)
- ex07.37, [57](#)
- ex07.45, [58](#)
- ex07.46, [58](#)
- ex07.47, [59](#)
- ex07.49, [60](#)
- ex07.56, [60](#)
- ex07.58, [61](#)
- ex08.32, [62](#)
- ex08.54, [62](#)
- ex08.55, [63](#)
- ex08.56, [64](#)
- ex08.57, [64](#)
- ex08.66, [65](#)
- ex08.68, [66](#)
- ex08.70, [66](#)
- ex08.80, [67](#)
- ex08.83, [68](#)
- ex09.07, [68](#)
- ex09.12, [69](#)
- ex09.16, [70](#)
- ex09.23, [71](#)
- ex09.25, [71](#)
- ex09.27, [72](#)
- ex09.28, [73](#)
- ex09.29, [74](#)
- ex09.30, [74](#)
- ex09.31, [75](#)
- ex09.32, [76](#)
- ex09.33, [77](#)
- ex09.36, [77](#)
- ex09.37, [78](#)
- ex09.38, [79](#)
- ex09.39, [80](#)
- ex09.40, [80](#)
- ex09.41, [81](#)
- ex09.43, [82](#)
- ex09.44, [83](#)
- ex09.63, [83](#)
- ex09.65, [84](#)
- ex09.66, [85](#)
- ex09.68, [86](#)
- ex09.70, [86](#)
- ex09.72, [87](#)
- ex09.76, [88](#)
- ex09.77, [89](#)
- ex09.78, [89](#)
- ex09.79, [90](#)
- ex09.82, [91](#)
- ex09.86, [92](#)
- ex09.88, [92](#)
- ex09.90, [93](#)
- ex09.92, [94](#)
- ex10.06, [95](#)
- ex10.08, [96](#)
- ex10.09, [96](#)
- ex10.18, [97](#)
- ex10.22, [98](#)
- ex10.26, [99](#)
- ex10.27, [100](#)
- ex10.32, [100](#)
- ex10.36, [101](#)
- ex10.37, [102](#)
- ex10.41, [103](#)
- ex10.42, [103](#)
- ex10.44, [104](#)
- ex11.02, [105](#)
- ex11.03, [106](#)
- ex11.04, [106](#)
- ex11.05, [107](#)
- ex11.08, [108](#)
- ex11.09, [109](#)
- ex11.10, [109](#)
- ex11.15, [110](#)
- ex11.16, [111](#)
- ex11.17, [112](#)
- ex11.18, [112](#)
- ex11.20, [113](#)
- ex11.29, [114](#)
- ex11.31, [115](#)
- ex11.34, [115](#)
- ex11.35, [116](#)
- ex11.39, [117](#)
- ex11.40, [118](#)
- ex11.42, [119](#)
- ex11.43, [120](#)
- ex11.48, [121](#)
- ex11.50, [122](#)
- ex11.52, [122](#)
- ex11.53, [123](#)
- ex11.54, [124](#)
- ex11.55, [125](#)
- ex11.56, [125](#)
- ex11.57, [126](#)
- ex11.59, [127](#)
- ex11.61, [128](#)

- ex12.01, 129
- ex12.02, 129
- ex12.03, 130
- ex12.04, 131
- ex12.05, 132
- ex12.13, 132
- ex12.15, 133
- ex12.16, 134
- ex12.19, 135
- ex12.20, 135
- ex12.21, 136
- ex12.24, 137
- ex12.29, 138
- ex12.35, 138
- ex12.36, 139
- ex12.37, 140
- ex12.46, 141
- ex12.50, 141
- ex12.52, 142
- ex12.54, 143
- ex12.55, 144
- ex12.58, 144
- ex12.59, 145
- ex12.61, 146
- ex12.62, 147
- ex12.63, 147
- ex12.65, 148
- ex12.68, 149
- ex12.69, 150
- ex12.71, 150
- ex12.72, 151
- ex12.73, 152
- ex12.75, 153
- ex12.82, 153
- ex12.83, 154
- ex12.84, 155
- ex13.02, 156
- ex13.04, 156
- ex13.05, 157
- ex13.06, 158
- ex13.07, 159
- ex13.08, 159
- ex13.09, 160
- ex13.09a, 161
- ex13.09b, 162
- ex13.09c, 162
- ex13.09d, 163
- ex13.14, 164
- ex13.15, 165
- ex13.16, 165
- ex13.17, 166
- ex13.18, 167
- ex13.19, 168
- ex13.21, 168
- ex13.24, 169
- ex13.25, 170
- ex13.27, 171
- ex13.29, 171
- ex13.30, 172
- ex13.31, 173
- ex13.32, 174
- ex13.33, 174
- ex13.34, 175
- ex13.35, 176
- ex13.47, 177
- ex13.48, 178
- ex13.49, 178
- ex13.50, 179
- ex13.51, 180
- ex13.52, 181
- ex13.53, 181
- ex13.54, 182
- ex13.55, 183
- ex13.64, 184
- ex13.65, 184
- ex13.66, 185
- ex13.67, 186
- ex13.68, 187
- ex13.69, 187
- ex13.70, 188
- ex13.71, 189
- ex13.72, 190
- ex13.73, 190
- ex13.74, 191
- ex13.75, 192
- ex13.76, 193
- ex14.09, 193
- ex14.11, 194
- ex14.12, 195
- ex14.13, 195
- ex14.14, 196
- ex14.15, 197
- ex14.16, 198
- ex14.17, 198
- ex14.18, 199
- ex14.20, 200

- ex14.21, 201
- ex14.22, 201
- ex14.23, 202
- ex14.26, 203
- ex14.27, 203
- ex14.28, 204
- ex14.29, 205
- ex14.30, 206
- ex14.31, 207
- ex14.32, 207
- ex14.38, 208
- ex14.40, 209
- ex14.41, 210
- ex14.42, 210
- ex14.44, 211
- ex15.01, 212
- ex15.03, 213
- ex15.04, 213
- ex15.05, 214
- ex15.08, 215
- ex15.10, 215
- ex15.11, 216
- ex15.12, 217
- ex15.13, 217
- ex15.14, 218
- ex15.15, 219
- ex15.23, 220
- ex15.24, 220
- ex15.25, 221
- ex15.26, 222
- ex15.27, 223
- ex15.28, 223
- ex15.29, 224
- ex15.30, 225
- ex15.32, 226
- ex15.33, 226
- ex15.35, 227
- ex16.06, 228
- ex16.09, 229
- ex16.14, 229
- ex16.25, 230
- ex16.41, 231
- ex16.43, 232

- xmp01.01, 232
- xmp01.02, 233
- xmp01.05, 234
- xmp01.06, 235
- xmp01.08, 235

- xmp01.09, 236
- xmp01.10, 237
- xmp01.11, 237
- xmp01.12, 238
- xmp01.13, 239
- xmp01.14, 239
- xmp01.15, 240
- xmp01.16, 241
- xmp01.17, 241
- xmp01.18, 242
- xmp04.28, 243
- xmp04.29, 243
- xmp04.30, 244
- xmp04.31, 245
- xmp06.02, 246
- xmp06.03, 246
- xmp06.13, 247
- xmp06.14, 248
- xmp07.06, 248
- xmp07.11, 249
- xmp07.15, 250
- xmp08.08, 250
- xmp08.09, 251
- xmp09.04, 252
- xmp09.06, 252
- xmp09.07, 253
- xmp09.08, 254
- xmp09.09, 255
- xmp09.10, 255
- xmp10.01, 256
- xmp10.03, 257
- xmp10.05, 258
- xmp10.08, 258
- xmp10.10, 259
- xmp11.01, 260
- xmp11.05, 261
- xmp11.06, 261
- xmp11.07, 262
- xmp11.10, 263
- xmp11.11, 264
- xmp11.12, 265
- xmp12.01, 265
- xmp12.02, 266
- xmp12.04, 267
- xmp12.06, 268
- xmp12.08, 268
- xmp12.10, 269
- xmp12.11, 270

xmp12.12, [271](#)
xmp12.13, [271](#)
xmp12.14, [272](#)
xmp12.15, [273](#)
xmp12.16, [274](#)
xmp13.01, [274](#)
xmp13.03, [275](#)
xmp13.04, [276](#)
xmp13.06, [277](#)
xmp13.09, [277](#)
xmp13.10, [278](#)
xmp13.11, [279](#)
xmp13.12, [280](#)
xmp13.13, [281](#)
xmp13.15, [282](#)
xmp13.16, [282](#)
xmp13.18, [283](#)
xmp13.19, [284](#)
xmp13.22, [285](#)
xmp14.03, [285](#)
xmp14.10, [286](#)
xmp14.13, [287](#)
xmp14.14, [288](#)
xmp15.01, [288](#)
xmp15.02, [289](#)
xmp15.03, [290](#)
xmp15.04, [291](#)
xmp15.06, [291](#)
xmp15.08, [292](#)
xmp15.09, [293](#)
xmp15.10, [294](#)
xmp16.01, [294](#)
xmp16.04, [295](#)
xmp16.06, [296](#)
xmp16.07, [297](#)
xmp16.08, [298](#)
xmp16.09, [299](#)