

Package ‘MKmisc’

July 2, 2014

Type Package

Title Miscellaneous Functions from M. Kohl

Version 0.96

Date 2013-11-17

Author Matthias Kohl

Maintainer Matthias Kohl <Matthias.Kohl@stamats.de>

Description Miscellaneous Functions from M. Kohl

Depends R(>= 2.14.0), stats, graphics

Imports RColorBrewer, robustbase

Suggests gplots

License LGPL-3

URL <http://www.stamats.de/>

NeedsCompilation no

Repository CRAN

Date/Publication 2013-11-17 17:46:59

R topics documented:

MKmisc-package	2
AUC	3
AUC.test	4
binomCI	5
corDist	7
corPlot	8
fiveNS	10
heatmapCol	11

HLgof.test	12
IQrange	13
madMatrix	14
madPlot	15
oneWayAnova	17
pairwise.auc	18
pairwise.fc	19
pairwise.fun	20
pairwise.logfc	21
power.diagnostic.test	22
qboxplot	24
qbxp.stats	28
quantileCI	29
repMeans	31
simPlot	32
stringDist	34
stringSim	35
traceBack	36
twoWayAnova	38

Index	40
--------------	-----------

MKmisc-package	<i>Miscellaneous Functions from M. Kohl.</i>
----------------	--

Description

Miscellaneous Functions from M. Kohl.

Details

Package: MKmisc
 Type: Package
 Version: 0.95
 Date: 2013-09-28
 Depends: R(>= 2.14.0), stats, graphics
 Imports: RColorBrewer, robustbase
 Suggests: gplots
 License: LGPL-3
 URL: <http://www.stamats.de/>

require(MKmisc)

Author(s)

Matthias Kohl <http://www.stamats.de>

Maintainer: Matthias Kohl <matthias.kohl@stamats.de>

AUC

Compute AUC

Description

The function computes AUC.

Usage

```
AUC(x, y, group, switchAUC = TRUE)
```

Arguments

x	numeric vector.
y	numeric vector. If missing, group has to be specified.
group	grouping vector or factor.
switchAUC	logical value. Switch AUC; see Details section.

Details

The function computes the area under the receiver operating characteristic curve (AUC under ROC curve).

If $AUC < 0.5$, a warning is printed and $1-AUC$ is returned. This behaviour can be suppressed by using `switchAUC = FALSE`

The implementation uses the connection of AUC to the Wilcoxon rank sum test; see Hanley and McNeil (1982).

Value

AUC value.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

J. A. Hanley and B. J. McNeil (1982). The meaning and use of the area under a receiver operating characteristic (ROC) curve. *Radiology*, **143**, 29-36.

Examples

```

set.seed(13)
x <- rnorm(100) ## assumed as log2-data
g <- sample(1:2, 100, replace = TRUE)
AUC(x, group = g)
## avoid switching AUC
AUC(x, group = g, switchAUC = FALSE)

```

AUC.test

AUC-Test

Description

Performs tests for one and two AUCs.

Usage

```
AUC.test(pred1, lab1, pred2, lab2, conf.level = 0.95, paired = FALSE)
```

Arguments

pred1	numeric vector.
lab1	grouping vector or factor for pred1.
pred2	numeric vector.
lab2	grouping vector or factor for pred2.
conf.level	confidence level of the interval.
paired	not yet implemented.

Details

If pred2 and lab2 are missing, the AUC for pred1 and lab1 is tested using the Wilcoxon signed rank test; see [wilcox.test](#).

If pred1 and lab1 as well as pred2 and lab2 are specified, the Hanley and McNeil test (cf. Hanley and McNeil (1982)) is computed.

Value

A list with AUC, SE and confidence interval as well as the corresponding test result.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

J. A. Hanley and B. J. McNeil (1982). The meaning and use of the area under a receiver operating characteristic (ROC) curve. *Radiology*, **143**, 29-36.

See Also

[wilcox.test](#), [AUC](#)

Examples

```
set.seed(13)
x <- rnorm(100) ## assumed as log2-data
g <- sample(1:2, 100, replace = TRUE)
AUC.test(x, g)
y <- rnorm(100) ## assumed as log2-data
h <- sample(1:2, 100, replace = TRUE)
AUC.test(x, g, y, h)
```

binomCI

Confidence Intervals for Binomial Proportions

Description

This functions can be used to compute confidence intervals for binomial proportions.

Usage

```
binomCI(x, n, conf.level = 0.95, method = "wilson", rand = 123)
```

Arguments

x	number of successes
n	number of trials
conf.level	confidence level
method	character string specifying which method to use; see details.
rand	seed for random number generator; see details.

Details

The Wald interval is obtained by inverting the acceptance region of the Wald large-sample normal test.

The Wilson interval, which is the default, was introduced by Wilson (1927) and is the inversion of the CLT approximation to the family of equal tail tests of $p = p_0$. The Wilson interval is recommended by Agresti and Coull (1998) as well as by Brown et al (2001).

The Agresti-Coull interval was proposed by Agresti and Coull (1998) and is a slight modification of the Wilson interval. The Agresti-Coull intervals are never shorter than the Wilson intervals; cf. Brown et al (2001).

The Jeffreys interval is an implementation of the equal-tailed Jeffreys prior interval as given in Brown et al (2001).

The modified Wilson interval is a modification of the Wilson interval for x close to 0 or n as proposed by Brown et al (2001).

The modified Jeffreys interval is a modification of the Jeffreys interval for $x = 0$ | $x = 1$ and $x = n-1$ | $x = n$ as proposed by Brown et al (2001).

The Clopper-Pearson interval is based on quantiles of corresponding beta distributions. This is sometimes also called exact interval.

The arcsine interval is based on the variance stabilizing distribution for the binomial distribution.

The logit interval is obtained by inverting the Wald type interval for the log odds.

The Witting interval (cf. Beispiel 2.106 in Witting (1985)) uses randomization to obtain uniformly optimal lower and upper confidence bounds (cf. Satz 2.105 in Witting (1985)) for binomial proportions.

For more details we refer to Brown et al (2001) as well as Witting (1985).

Value

A list with components

estimate	the estimated probability of success.
CI	a confidence interval for the probability of success.

Note

A first version of this function appeared in R package SLMisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

A. Agresti and B.A. Coull (1998). Approximate is better than "exact" for interval estimation of binomial proportions. *American Statistician*, **52**, 119-126.

L.D. Brown, T.T. Cai and A. Dasgupta (2001). Interval estimation for a binomial proportion. *Statistical Science*, **16**(2), 101-133.

H. Witting (1985). *Mathematische Statistik I*. Stuttgart: Teubner.

See Also

[binom.test](#), [binconf](#)

Examples

```
binomCI(x = 42, n = 43, method = "wald")
binomCI(x = 42, n = 43, method = "wilson")
binomCI(x = 42, n = 43, method = "agresti-coull")
binomCI(x = 42, n = 43, method = "jeffreys")
binomCI(x = 42, n = 43, method = "modified wilson")
binomCI(x = 42, n = 43, method = "modified jeffreys")
```

```

binomCI(x = 42, n = 43, method = "clopper-pearson")
binomCI(x = 42, n = 43, method = "arcsine")
binomCI(x = 42, n = 43, method = "logit")
binomCI(x = 42, n = 43, method = "witting")

## the confidence interval computed by binom.test
## corresponds to the Clopper-Pearson interval
binomCI(x = 42, n = 43, method = "clopper-pearson")$CI
binom.test(x = 42, n = 43)$conf.int

```

corDist

Correlation Distance Matrix Computation

Description

The function computes and returns the correlation and absolute correlation distance matrix computed by using the specified distance measure to compute the distances between the rows of a data matrix.

Usage

```

corDist(x, method = "pearson", diag = FALSE, upper = FALSE, abs = FALSE,
        use = "pairwise.complete.obs", ...)

```

Arguments

x	a numeric matrix or data frame
method	the correlation distance measure to be used. This must be one of "pearson", "spearman", "kandall", "cosine", "mcd" or "ogk", respectively. Any unambiguous substring can be given.
diag	logical value indicating whether the diagonal of the distance matrix should be printed by 'print.dist'.
upper	logical value indicating whether the upper triangle of the distance matrix should be printed by 'print.dist'.
abs	logical, compute absolute correlation distances
use	character, corresponds to argument use of function <code>cor</code>
...	further arguments to functions <code>covMcd</code> or <code>covOGK</code> , respectively.

Details

The function computes the Pearson, Spearman, Kendall or Cosine sample correlation and absolute correlation; confer Section 12.2.2 of Gentleman et al (2005). For more details about the arguments we refer to functions `dist` and `cor`. Moreover, the function computes the minimum covariance determinant or the orthogonalized Gnanadesikan-Kettenring estimator. For more details we refer to functions `covMcd` and `covOGK`, respectively.

Value

corDist returns an object of class "dist"; cf. [dist](#).

Note

A first version of this function appeared in package SLmisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

- Gentleman R. Ding B., Dudoit S. and Ibrahim J. (2005). Distance Measures in DNA Microarray Data Analysis. In: Gentleman R., Carey V.J., Huber W., Irizarry R.A. and Dudoit S. (editors) Bioinformatics and Computational Biology Solutions Using R and Bioconductor. Springer.
- P. J. Rousseeuw and A. M. Leroy (1987). Robust Regression and Outlier Detection. Wiley.
- P. J. Rousseeuw and K. van Driessen (1999) A fast algorithm for the minimum covariance determinant estimator. Technometrics 41, 212-223.
- Pison, G., Van Aelst, S., and Willems, G. (2002), Small Sample Corrections for LTS and MCD, Metrika, 55, 111-123.
- Maronna, R.A. and Zamar, R.H. (2002). Robust estimates of location and dispersion of high-dimensional datasets; Technometrics 44(4), 307-317.
- Gnanadesikan, R. and John R. Kettenring (1972). Robust estimates, residuals, and outlier detection with multiresponse data. Biometrics 28, 81-124.

Examples

```
## only a dummy example
M <- cor(matrix(rnorm(1000), ncol = 20))
D <- corDist(M)
```

corPlot

Plot of similarity matrix based on correlation

Description

Plot of similarity matrix. This function is a slight modification of function `plot.cor` of the archived package "sma".

Usage

```
corPlot(x, new = FALSE, col, minCor,
        labels = FALSE, lab.both.axes = FALSE, labcols = "black",
        title = "", cex.title = 1.2,
        protocol = FALSE, cex.axis = 0.8,
        cex.axis.bar = 1, signifBar = 2, ...)
```


Arguments

<code>x</code>	data or correlation matrix, respectively
<code>new</code>	If <code>new=FALSE</code> , <code>x</code> must already be a correlation matrix. If <code>new=TRUE</code> , the correlation matrix for the columns of <code>x</code> is computed and displayed in the image.
<code>col</code>	colors palette for image. If missing, the <code>RdYlGn</code> palette of <code>RColorBrewer</code> is used.
<code>minCor</code>	numeric value in <code>[-1,1]</code> , used to adjust <code>col</code>
<code>labels</code>	vector of character strings to be placed at the tickpoints, labels for the columns of <code>x</code> .
<code>lab.both.axes</code>	logical, display labels on both axes
<code>labcols</code>	colors to be used for the labels of the columns of <code>x</code> . <code>labcols</code> can have either length 1, in which case all the labels are displayed using the same color, or the same length as <code>labels</code> , in which case a color is specified for the label of each column of <code>x</code> .
<code>title</code>	character string, overall title for the plot.
<code>cex.title</code>	A numerical value giving the amount by which plotting text and symbols should be magnified relative to the default; cf. <code>par</code> , <code>cex.main</code> .
<code>protocol</code>	logical, display color bar without numbers
<code>cex.axis</code>	The magnification to be used for axis annotation relative to the current setting of <code>'cex'</code> ; cf. <code>par</code> .
<code>cex.axis.bar</code>	The magnification to be used for axis annotation of the color bar relative to the current setting of <code>'cex'</code> ; cf. <code>par</code> .
<code>signifBar</code>	integer indicating the precision to be used for the bar.
<code>...</code>	graphical parameters may also be supplied as arguments to the function (see <code>par</code>). For comparison purposes, it is good to set <code>zlim=c(-1,1)</code> .

Details

This functions generates the so called similarity matrix (based on correlation) for a microarray experiment.

If `min(x)`, respectively `min(cor(x))` is smaller than `minCor`, the colors in `col` are adjusted such that the minimum correlation value which is color coded is equal to `minCor`.

Value

`invisible()`

Note

A first version of this function appeared in package `SLmisc`.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Sandrine Dudoit, Yee Hwa (Jean) Yang, Benjamin Milo Bolstad and with contributions from Natalie Thorne, Ingrid Loennstedt and Jessica Mar. sma: Statistical Microarray Analysis.
<http://www.stat.berkeley.edu/users/terry/zarray/Software/smacode.html>

Examples

```
## only a dummy example
M <- matrix(rnorm(1000), ncol = 20)
colnames(M) <- paste("Sample", 1:20)
M.cor <- cor(M)

corPlot(M.cor, minCor = min(M.cor))
corPlot(M.cor, minCor = min(M.cor), lab.both.axes = TRUE)
corPlot(M.cor, minCor = min(M.cor), protocol = TRUE)
corPlot(M.cor, minCor = min(M.cor), signifBar = 1)
```

fiveNS

Five-Number Summaries

Description

Function to compute five-number summaries (minimum, 1st quartile, median, 3rd quartile, maximum)

Usage

```
fiveNS(x, na.rm = TRUE, type = 7)
```

Arguments

x	numeric vector
na.rm	logical; remove NA before the computations.
type	an integer between 1 and 9 selecting one of nine quantile algorithms; for more details see quantile .

Details

In contrast to [fivenum](#) the functions computes the first and third quartile using function [quantile](#).

Value

A numeric vector of length 5 containing the summary information.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[fivenum](#), [quantile](#)

Examples

```
x <- rnorm(100)
fiveNS(x)
fiveNS(x, type = 2)
fivenum(x)
```

heatmapCol

Generate colors for heatmaps

Description

This function modifies a given color vector as used for heatmaps.

Usage

```
heatmapCol(data, col, lim, na.rm = TRUE)
```

Arguments

data	matrix or data.frame; data which shall be displayed in a heatmap; ranging from negative to positive numbers.
col	vector of colors used for heatmap.
lim	constant colors are used for data below $-lim$ resp. above lim .
na.rm	logical; remove NA values.

Details

Colors below and above a specified value are kept constant. In addition, the colors are symmetrized.

Value

vector of colors

Note

A first version of this function appeared in package SLmisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

Examples

```

data.plot <- matrix(rnorm(100*50, sd = 1), ncol = 50)
colnames(data.plot) <- paste("patient", 1:50)
rownames(data.plot) <- paste("gene", 1:100)
data.plot[1:70, 1:30] <- data.plot[1:70, 1:30] + 3
data.plot[71:100, 31:50] <- data.plot[71:100, 31:50] - 1.4
data.plot[1:70, 31:50] <- rnorm(1400, sd = 1.2)
data.plot[71:100, 1:30] <- rnorm(900, sd = 1.2)
nrcol <- 128

require(gplots)
require(RColorBrewer)
myCol <- rev(colorRampPalette(brewer.pal(10, "RdBu"))(nrcol))
heatmap.2(data.plot, col = myCol, trace = "none", tracecol = "black")
farbe <- heatmapCol(data = data.plot, col = myCol,
                    lim = min(abs(range(data.plot)))-1)
heatmap.2(data.plot, col = farbe, trace = "none", tracecol = "black")

```

HLgof.test

Hosmer-Lemeshow goodness of fit tests.

Description

The function computes Hosmer-Lemeshow goodness of fit tests for C and H statistic as well as the le Cessie-van Houwelingen-Copas-Hosmer unweighted sum of squares test for global goodness of fit.

Usage

```
HLgof.test(fit, obs, ngr = 10, X, verbose = FALSE)
```

Arguments

fit	numeric vector with fitted probabilities.
obs	numeric vector with observed values.
ngr	number of groups for C and H statistic.
X	covariate(s) for le Cessie-van Houwelingen-Copas-Hosmer global goodness of fit test.
verbose	logical, print intermediate results.

Details

Hosmer-Lemeshow goodness of fit tests are computed; see Lemeshow and Hosmer (1982).

If X is specified, the le Cessie-van Houwelingen-Copas-Hosmer unweighted sum of squares test for global goodness of fit is additionally determined; see Hosmer et al. (1997). A more general version of this test is implemented in function `residuals.lrm` in package `rms`.

Value

A list of test results.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

S. Lemeshow and D.W. Hosmer (1982). A review of goodness of fit statistics for use in the development of logistic regression models. *American Journal of Epidemiology*, **115**(1), 92-106.

D.W. Hosmer, T. Hosmer, S. le Cessie, S. Lemeshow (1997). A comparison of goodness-of-fit tests for the logistic regression model. *Statistics in Medicine*, **16**, 965-980.

See Also

[residuals.lrm](#)

Examples

```
set.seed(111)
x1 <- factor(sample(1:3, 50, replace = TRUE))
x2 <- rnorm(50)
obs <- sample(c(0,1), 50, replace = TRUE)
fit <- glm(obs ~ x1+x2, family = binomial)
HLgof.test(fit = fitted(fit), obs = obs)
HLgof.test(fit = fitted(fit), obs = obs, X = model.matrix(obs ~ x1+x2))
```

IQRrange

The Interquartile Range

Description

computes interquartile range of the x values.

Usage

```
IQRrange(x, na.rm = FALSE, type = 7)
```

Arguments

x	a numeric vector.
na.rm	logical. Should missing values be removed?
type	an integer between 1 and 9 selecting one of nine quantile algorithms; for more details see quantile .

Details

This function computes quartiles as $IQR(x) = \text{quantile}(x, 3/4) - \text{quantile}(x, 1/4)$. The function is identical to function `IQR`. It was added before the `type` argument was introduced to function `IQR` in 2010 (r53643, r53644).

For normally $N(m, 1)$ distributed X , the expected value of $IQR(X)$ is $2 * \text{qnorm}(3/4) = 1.3490$, i.e., for a normal-consistent estimate of the standard deviation, use $IQR(x) / 1.349$.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Tukey, J. W. (1977). *Exploratory Data Analysis*. Reading: Addison-Wesley.

See Also

[quantile](#), [IQR](#).

Examples

```
IQrange(rivers)

## identical to
IQR(rivers)

## but, e.g.
IQrange(rivers, type = 4)
IQrange(rivers, type = 5)
```

madMatrix

Compute MAD between columns of a matrix or data.frame

Description

Compute MAD between columns of a matrix or data.frame. Can be used to create a similarity matrix for a microarray experiment.

Usage

```
madMatrix(x)
```

Arguments

x matrix or data.frame

Details

This function computes the so called similarity matrix (based on MAD) for a microarray experiment; cf. Buness et. al. (2004).

Value

matrix of MAD values between columns of x

Note

A first version of this function appeared in package SLmisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Andreas Buness, Wolfgang Huber, Klaus Steiner, Holger Sueltmann, and Annemarie Poustka. arrayMagic: two-colour cDNA microarray quality control and preprocessing. *Bioinformatics Advance Access published on September 28, 2004.* doi:10.1093/bioinformatics/bti052

See Also

plotMAD

Examples

```
## only a dummy example
M <- madMatrix(matrix(rnorm(1000), ncol = 10))
madPlot(M)
```

madPlot

Plot of similarity matrix based on MAD

Description

Plot of similarity matrix based on MAD between microarrays.

Usage

```
madPlot(x, new = FALSE, col, maxMAD = 3, labels = FALSE,
        labcols = "black", title = "", protocol = FALSE, ...)
```

Arguments

x	data or correlation matrix, respectively
new	If new=FALSE, x must already be a matrix with MAD values. If new=TRUE, the MAD matrix for the columns of x is computed and displayed in the image.
col	colors palette for image. If missing, the RdYlGn palette of RColorBrewer is used.
maxMAD	maximum MAD value displayed
labels	vector of character strings to be placed at the tickpoints, labels for the columns of x.
labcols	colors to be used for the labels of the columns of x. labcols can have either length 1, in which case all the labels are displayed using the same color, or the same length as labels, in which case a color is specified for the label of each column of x.
title	character string, overall title for the plot.
protocol	logical, display color bar without numbers
...	graphical parameters may also be supplied as arguments to the function (see par). For comparison purposes, it is good to set zlim=c(-1,1).

Details

This functions generates the so called similarity matrix (based on MAD) for a microarray experiment; cf. Bunes et. al. (2004). The function is similar to [corPlot](#).

Note

A first version of this function appeared in package SLmisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Sandrine Dudoit, Yee Hwa (Jean) Yang, Benjamin Milo Bolstad and with contributions from Natalie Thorne, Ingrid Loennstedt and Jessica Mar. sma: Statistical Microarray Analysis. <http://www.stat.berkeley.edu/users/terry/zarray/Software/smacode.html>

Andreas Bunes, Wolfgang Huber, Klaus Steiner, Holger Sueltmann, and Annemarie Poustka. arrayMagic: two-colour cDNA microarray quality control and preprocessing. Bioinformatics Advance Access published on September 28, 2004. doi:10.1093/bioinformatics/bti052

See Also

[corPlot](#)

Examples

```
## only a dummy example
set.seed(13)
x <- matrix(rnorm(1000), ncol = 10)
x[1:20,5] <- x[1:20,5] + 10
madPlot(x, new = TRUE, maxMAD = 2.5)
## in contrast
corPlot(x, new = TRUE, minCor = -0.5)
```

oneWayAnova

A function for Analysis of Variance

Description

This function is a slight modification of function [Anova](#) of package "genefilter".

Usage

```
oneWayAnova(cov, na.rm = TRUE, var.equal = FALSE)
```

Arguments

<code>cov</code>	The covariate. It must have length equal to the number of columns of the array that the result of <code>oneWayAnova</code> will be applied to.
<code>na.rm</code>	a logical value indicating whether NA values should be stripped before the computation proceeds.
<code>var.equal</code>	a logical variable indicating whether to treat the variances in the samples as equal. If TRUE, then a simple F test for the equality of means in a one-way analysis of variance is performed. If FALSE, an approximate method of Welch (1951) is used, which generalizes the commonly known 2-sample Welch test to the case of arbitrarily many samples.

Details

The function returned by `oneWayAnova` uses [oneway.test](#) to perform a one-way ANOVA, where `x` is the set of gene expressions. The F statistic for an overall effect is computed and the corresponding p-value is returned.

The function [Anova](#) instead compares the computed p-value to a prespecified p-value and returns TRUE, if the computed p-value is smaller than the prespecified one.

Value

`oneWayAnova` returns a function with bindings for `cov` that will perform a one-way ANOVA.

The covariate can be continuous, in which case the test is for a linear effect for the covariate.

Note

A first version of this function appeared in package SLmisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

R. Gentleman, V. Carey, W. Huber and F. Hahne (2006). `genefilter`: methods for filtering genes from microarray experiments. R package version 1.13.7.

See Also

[oneway.test](#), [Anova](#)

Examples

```
set.seed(123)
af <- oneWayAnova(c(rep(1,5),rep(2,5)))
af(rnorm(10))
```

pairwise.auc

Compute pairwise AUCs

Description

The function computes pairwise AUCs.

Usage

```
pairwise.auc(x, g)
```

Arguments

x	numeric vector.
g	grouping vector or factor

Details

The function computes pairwise areas under the receiver operating characteristic curves (AUC under ROC curves) using function [AUC](#).

The implementation is in certain aspects analogously to [pairwise.t.test](#).

Value

Vector with pairwise AUCs.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[AUC](#), [pairwise.t.test](#)

Examples

```
set.seed(13)
x <- rnorm(100)
g <- factor(sample(1:4, 100, replace = TRUE))
levels(g) <- c("a", "b", "c", "d")
pairwise.auc(x, g)
```

pairwise.fc

Compute pairwise fold changes

Description

This function computes pairwise fold changes. It also works for logarithmic data.

Usage

```
pairwise.fc(x, g, ave = mean, log = TRUE, base = 2, mod.fc = TRUE, ...)
```

Arguments

x	numeric vector.
g	grouping vector or factor
ave	function to compute the group averages.
log	logical. Is the data logarithmic?
base	If log = TRUE, the base which was used to compute the logarithms.
mod.fc	logical. Return modified fold changes? (see details)
...	optional arguments to ave.

Details

The function computes pairwise fold changes between groups, where the group values are aggregated using the function which is given by the argument ave.

The fold changes are returned in a slightly modified form if mod.fc = TRUE. Fold changes FC which are smaller than 1 are reported as to $-1/FC$.

The implementation is in certain aspects analogously to [pairwise.t.test](#).

Value

Vector with pairwise fold changes.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[pairwise.t.test](#)

Examples

```
set.seed(13)
x <- rnorm(100) ## assumed as log2-data
g <- factor(sample(1:4, 100, replace = TRUE))
levels(g) <- c("a", "b", "c", "d")
pairwise.fc(x, g)

## some small checks
res <- by(x, list(g), mean)
2^(res[[1]] - res[[2]]) # a vs. b
-1/2^(res[[1]] - res[[3]]) # a vs. c
2^(res[[1]] - res[[4]]) # a vs. d
-1/2^(res[[2]] - res[[3]]) # b vs. c
-1/2^(res[[2]] - res[[4]]) # b vs. d
2^(res[[3]] - res[[4]]) # c vs. d
```

pairwise.fun

Compute pairwise values for a given function

Description

The function computes pairwise values for a given function.

Usage

```
pairwise.fun(x, g, fun, ...)
```

Arguments

x	numeric vector.
g	grouping vector or factor
fun	some function where the first two arguments have to be numeric vectors for which the function computes some quantity; see example section below.
...	additional arguments to fun.

Details

The function computes pairwise values for a given function.

The implementation is in certain aspects analogously to [pairwise.t.test](#).

Value

Vector with pairwise function values.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[pairwise.t.test](#), [pairwise.fc](#), [pairwise.logfc](#), [pairwise.auc](#)

Examples

```
set.seed(13)
x <- rnorm(100)
g <- factor(sample(1:4, 100, replace = TRUE))
levels(g) <- c("a", "b", "c", "d")
pairwise.fun(x, g, fun = function(x, y) t.test(x,y)$p.value)
## in contrast to
pairwise.t.test(x, g, p.adjust.method = "none", pool.sd = FALSE)
```

pairwise.logfc

Compute pairwise log-fold changes

Description

The function computes pairwise log-fold changes.

Usage

```
pairwise.logfc(x, g, ave = mean, log = TRUE, base = 2, ...)
```

Arguments

x	numeric vector.
g	grouping vector or factor
ave	function to compute the group averages.
log	logical. Is the data logarithmic?
base	If log = TRUE, the base which was used to compute the logarithms.
...	optional arguments to ave.

Details

The function computes pairwise log-fold changes between groups, where the group values are aggregated using the function which is given by the argument `ave`.

The implementation is in certain aspects analogously to [pairwise.t.test](#).

Value

Vector with pairwise log-fold changes.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[pairwise.t.test](#)

Examples

```
set.seed(13)
x <- rnorm(100) ## assumed as log2-data
g <- factor(sample(1:4, 100, replace = TRUE))
levels(g) <- c("a", "b", "c", "d")
pairwise.logfc(x, g)

## some small checks
res <- by(x, list(g), mean)
res[[1]] - res[[2]] # a vs. b
res[[1]] - res[[3]] # a vs. c
res[[1]] - res[[4]] # a vs. d
res[[2]] - res[[3]] # b vs. c
res[[2]] - res[[4]] # b vs. d
res[[3]] - res[[4]] # c vs. d
```

`power.diagnostic.test` *Power calculations for a diagnostic test*

Description

Compute sample size, power, delta, or significance level of a diagnostic test for an expected sensitivity or specificity.

Usage

```
power.diagnostic.test(sens = NULL, spec = NULL,
                      n = NULL, delta = NULL, sig.level = 0.05,
                      power = NULL, prev = NULL,
                      method = c("exact", "asymptotic"),
                      NMAX = 1e4)
```

Arguments

sens	Expected sensitivity; either sens or spec has to be specified.
spec	Expected specificity; either sens or spec has to be specified.
n	Number of cases if sens and number of controls if spec is given.
delta	sens-delta resp. spec-delta is used as lower confidence limit
sig.level	Significance level (Type I error probability)
power	Power of test (1 minus Type II error probability)
prev	Prevalence, if NULL prevalence is ignored which means $prev = 0.5$ is assumed.
method	exact or asymptotic formula; default "exact".
NMAX	Maximum sample size considered in case method = "exact".

Details

Either sens or spec has to be specified which leads to computations for either cases or controls.

Exactly one of the parameters n, delta, sig.level, and power must be passed as NULL, and that parameter is determined from the others. Notice that sig.level has a non-NULL default so NULL must be explicitly passed if you want to compute it.

The computations are based on the formulas given in the Appendix of Flahault et al. (2005). Please be careful, in Equation (A1) the numerator should be squared, in equation (A2) and (A3) the second exponent should be $n-i$ and not i .

As noted in Chu and Cole (2007) power is not a monotonically increasing function in n but rather saw toothed (see also Chernick and Liu (2002)). Hence, in our calculations we use the more conservative approach II); i.e., the minimum sample size n such that the actual power is larger or equal power and such that for any sample size larger than n it also holds that the actual power is larger or equal power.

Value

Object of class "power.htest", a list of the arguments (including the computed one) augmented with method and note elements.

Note

uniroot is used to solve power equation for unknowns, so you may see errors from it, notably about inability to bracket the root when invalid arguments are given.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

- A. Flahault, M. Cadilhac, and G. Thomas (2005). Sample size calculation should be performed for design accuracy in diagnostic test studies. *Journal of Clinical Epidemiology*, **58**(8):859-862.
- H. Chu and S.R. Cole (2007). Sample size calculation using exact methods in diagnostic test studies. *Journal of Clinical Epidemiology*, **60**(11):1201-1202.

M.R. Chernick and C.Y. Liu (2002). The saw-toothed behavior of power versus sample size and software solutions: single binomial proportion using exact methods. *Am Stat*, **56**:149-155.

See Also

[uniroot](#)

Examples

```
## see n2 on page 1202 of Chu and Cole (2007)
power.diagnostic.test(sens = 0.99, delta = 0.14, power = 0.95) # 40
power.diagnostic.test(sens = 0.99, delta = 0.13, power = 0.95) # 43
power.diagnostic.test(sens = 0.99, delta = 0.12, power = 0.95) # 47

power.diagnostic.test(sens = 0.98, delta = 0.13, power = 0.95) # 50
power.diagnostic.test(sens = 0.98, delta = 0.11, power = 0.95) # 58

## see page 1201 of Chu and Cole (2007)
power.diagnostic.test(sens = 0.95, delta = 0.1, n = 93) ## 0.957
power.diagnostic.test(sens = 0.95, delta = 0.1, n = 93, power = 0.95,
                      sig.level = NULL) ## 0.0496
power.diagnostic.test(sens = 0.95, delta = 0.1, n = 102) ## 0.968
power.diagnostic.test(sens = 0.95, delta = 0.1, n = 102, power = 0.95,
                      sig.level = NULL) ## 0.0471

## yields 102 not 93!
power.diagnostic.test(sens = 0.95, delta = 0.1, power = 0.95)
```

qboxplot

Box Plots

Description

Produce box-and-whisker plot(s) of the given (grouped) values. In contrast to [boxplot](#) quartiles are used instead of hinges (which are not necessarily quartiles) the rest of the implementation is identical to [boxplot](#).

Usage

```
qboxplot(x, ...)
```

S3 method for class 'formula'

```
qboxplot(formula, data = NULL, ..., subset, na.action = NULL, type = 7)
```

Default S3 method:

```
qboxplot(x, ..., range = 1.5, width = NULL, varwidth = FALSE,
         notch = FALSE, outline = TRUE, names, plot = TRUE,
         border = par("fg"), col = NULL, log = "",
         pars = list(boxwex = 0.8, staplewex = 0.5, outwex = 0.5),
         horizontal = FALSE, add = FALSE, at = NULL, type = 7)
```


Arguments

formula	a formula, such as $y \sim \text{grp}$, where y is a numeric vector of data values to be split into groups according to the grouping variable grp (usually a factor).
data	a data.frame (or list) from which the variables in formula should be taken.
subset	an optional vector specifying a subset of observations to be used for plotting.
na.action	a function which indicates what should happen when the data contain NAs. The default is to ignore missing values in either the response or the group.
x	for specifying data from which the boxplots are to be produced. Either a numeric vector, or a single list containing such vectors. Additional unnamed arguments specify further data as separate vectors (each corresponding to a component boxplot). NAs are allowed in the data.
...	For the formula method, named arguments to be passed to the default method. For the default method, unnamed arguments are additional data vectors (unless x is a list when they are ignored), and named arguments are arguments and graphical parameters to be passed to <code>bxp</code> in addition to the ones given by argument <code>pars</code> (and override those in <code>pars</code>).
range	this determines how far the plot whiskers extend out from the box. If range is positive, the whiskers extend to the most extreme data point which is no more than range times the interquartile range from the box. A value of zero causes the whiskers to extend to the data extremes.
width	a vector giving the relative widths of the boxes making up the plot.
varwidth	if varwidth is TRUE, the boxes are drawn with widths proportional to the square-roots of the number of observations in the groups.
notch	if notch is TRUE, a notch is drawn in each side of the boxes. If the notches of two plots do not overlap this is 'strong evidence' that the two medians differ (Chambers <i>et al.</i> , 1983, p. 62). See <code>boxplot.stats</code> for the calculations used.
outline	if outline is not true, the outliers are not drawn (as points whereas S+ uses lines).
names	group labels which will be printed under each boxplot. Can be a character vector or an expression (see <code>plotmath</code>).
boxwex	a scale factor to be applied to all boxes. When there are only a few groups, the appearance of the plot can be improved by making the boxes narrower.
staplewex	staple line width expansion, proportional to box width.
outwex	outlier line width expansion, proportional to box width.
plot	if TRUE (the default) then a boxplot is produced. If not, the summaries which the boxplots are based on are returned.
border	an optional vector of colors for the outlines of the boxplots. The values in border are recycled if the length of border is less than the number of plots.
col	if col is non-null it is assumed to contain colors to be used to colour the bodies of the box plots. By default they are in the background colour.
log	character indicating if x or y or both coordinates should be plotted in log scale.

pars	a list of (potentially many) more graphical parameters, e.g., boxwex or outpch; these are passed to <code>bxp</code> (if <code>plot</code> is true); for details, see there.
horizontal	logical indicating if the boxplots should be horizontal; default FALSE means vertical boxes.
add	logical, if true <i>add</i> boxplot to current plot.
at	numeric vector giving the locations where the boxplots should be drawn, particularly when <code>add = TRUE</code> ; defaults to <code>1:n</code> where <code>n</code> is the number of boxes.
type	an integer between 1 and 9 selecting one of nine quantile algorithms; for more details see quantile .

Details

The generic function `qboxplot` currently has a default method (`qboxplot.default`) and a formula interface (`qboxplot.formula`).

If multiple groups are supplied either as multiple arguments or via a formula, parallel boxplots will be plotted, in the order of the arguments or the order of the levels of the factor (see [factor](#)).

Missing values are ignored when forming boxplots.

Value

List with the following components:

stats	a matrix, each column contains the extreme of the lower whisker, the lower hinge, the median, the upper hinge and the extreme of the upper whisker for one group/plot. If all the inputs have the same class attribute, so will this component.
n	a vector with the number of observations in each group.
conf	a matrix where each column contains the lower and upper extremes of the notch.
out	the values of any data points which lie beyond the extremes of the whiskers.
group	a vector of the same length as <code>out</code> whose elements indicate to which group the outlier belongs.
names	a vector of names for the groups.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

Chambers, J. M., Cleveland, W. S., Kleiner, B. and Tukey, P. A. (1983) *Graphical Methods for Data Analysis*. Wadsworth & Brooks/Cole.

Murrell, P. (2005) *R Graphics*. Chapman & Hall/CRC Press.

See also [boxplot.stats](#).

See Also

[qbxp.stats](#) which does the computation, [bxp](#) for the plotting and more examples; and [stripchart](#) for an alternative (with small data sets).

Examples

```
## adapted examples from boxplot

## qboxplot on a formula:
qboxplot(count ~ spray, data = InsectSprays, col = "lightgray")
# *add* notches (somewhat funny here):
qboxplot(count ~ spray, data = InsectSprays,
          notch = TRUE, add = TRUE, col = "blue")

qboxplot(decrease ~ treatment, data = OrchardSprays,
          log = "y", col = "bisque")

rb <- qboxplot(decrease ~ treatment, data = OrchardSprays, col="bisque")
title("Comparing boxplot()s and non-robust mean +/- SD")

mn.t <- tapply(OrchardSprays$decrease, OrchardSprays$treatment, mean)
sd.t <- tapply(OrchardSprays$decrease, OrchardSprays$treatment, sd)
xi <- 0.3 + seq(rb$n)
points(xi, mn.t, col = "orange", pch = 18)
arrows(xi, mn.t - sd.t, xi, mn.t + sd.t,
       code = 3, col = "pink", angle = 75, length = .1)

## boxplot on a matrix:
mat <- cbind(Uni05 = (1:100)/21, Norm = rnorm(100),
            `5T` = rt(100, df = 5), Gam2 = rgamma(100, shape = 2))
qboxplot(as.data.frame(mat),
         main = "qboxplot(as.data.frame(mat), main = ...)")
par(las=1)# all axis labels horizontal
qboxplot(as.data.frame(mat), main = "boxplot(*, horizontal = TRUE)",
         horizontal = TRUE)

## Using 'at = ' and adding boxplots -- example idea by Roger Bivand :

qboxplot(len ~ dose, data = ToothGrowth,
         boxwex = 0.25, at = 1:3 - 0.2,
         subset = supp == "VC", col = "yellow",
         main = "Guinea Pigs' Tooth Growth",
         xlab = "Vitamin C dose mg",
         ylab = "tooth length",
         xlim = c(0.5, 3.5), ylim = c(0, 35), yaxs = "i")
qboxplot(len ~ dose, data = ToothGrowth, add = TRUE,
         boxwex = 0.25, at = 1:3 + 0.2,
         subset = supp == "OJ", col = "orange")
legend(2, 9, c("Ascorbic acid", "Orange juice"),
      fill = c("yellow", "orange"))
```

qbxp.stats

*Box Plot Statistics***Description**

This functions works identical to [boxplot.stats](#). It is typically called by another function to gather the statistics necessary for producing box plots, but may be invoked separately.

Usage

```
qbxp.stats(x, coef = 1.5, do.conf = TRUE, do.out = TRUE, type = 7)
```

Arguments

x	a numeric vector for which the boxplot will be constructed (NAs and NaNs are allowed and omitted).
coef	it determines how far the plot ‘whiskers’ extend out from the box. If coef is positive, the whiskers extend to the most extreme data point which is no more than coef times the length of the box away from the box. A value of zero causes the whiskers to extend to the data extremes (and no outliers be returned).
do.conf	logical; if FALSE, the conf component will be empty in the result.
do.out	logical; if FALSE, out component will be empty in the result.
type	an integer between 1 and 9 selecting one of nine quantile algorithms; for more details see quantile .

Details

The notches (if requested) extend to $\pm 1.58 \text{ IQR}/\sqrt{n}$. This seems to be based on the same calculations as the formula with 1.57 in Chambers *et al.* (1983, p. 62), given in McGill *et al.* (1978, p. 16). They are based on asymptotic normality of the median and roughly equal sample sizes for the two medians being compared, and are said to be rather insensitive to the underlying distributions of the samples. The idea appears to be to give roughly a 95% confidence interval for the difference in two medians.

Value

List with named components as follows:

stats	a vector of length 5, containing the extreme of the lower whisker, the first quartile, the median, the third quartile and the extreme of the upper whisker.
n	the number of non-NA observations in the sample.
conf	the lower and upper extremes of the ‘notch’ (if(do.conf)). See the details.
out	the values of any data points which lie beyond the extremes of the whiskers (if(do.out)).

Note that \$stats and \$conf are sorted in *increasing* order, unlike S, and that \$n and \$out include any $\pm \text{Inf}$ values.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

- Tukey, J. W. (1977) *Exploratory Data Analysis*. Section 2C.
- McGill, R., Tukey, J. W. and Larsen, W. A. (1978) Variations of box plots. *The American Statistician* **32**, 12–16.
- Velleman, P. F. and Hoaglin, D. C. (1981) *Applications, Basics and Computing of Exploratory Data Analysis*. Duxbury Press.
- Emerson, J. D and Strenio, J. (1983). Boxplots and batch comparison. Chapter 3 of *Understanding Robust and Exploratory Data Analysis*, eds. D. C. Hoaglin, F. Mosteller and J. W. Tukey. Wiley.
- Chambers, J. M., Cleveland, W. S., Kleiner, B. and Tukey, P. A. (1983) *Graphical Methods for Data Analysis*. Wadsworth & Brooks/Cole.

See Also

[quantile](#), [boxplot.stats](#)

Examples

```
## adapted example from boxplot.stats
x <- c(1:100, 1000)
(b1 <- qbxp.stats(x))
(b2 <- qbxp.stats(x, do.conf=FALSE, do.out=FALSE))
stopifnot(b1$stats == b2$stats) # do.out=F is still robust
qbxp.stats(x, coef = 3, do.conf=FALSE)
## no outlier treatment:
qbxp.stats(x, coef = 0)

qbxp.stats(c(x, NA)) # slight change : n is 101
(r <- qbxp.stats(c(x, -1:1/0)))
stopifnot(r$out == c(1000, -Inf, Inf))
```

quantileCI

Confidence Intervals for Binomial Proportions

Description

This functions can be used to compute confidence intervals for binomial proportions.

Usage

```
quantileCI(x, prob = 0.5, conf.level = 0.95, method = "exact", na.rm = FALSE)
medianCI(x, conf.level = 0.95, method = "exact", na.rm = FALSE)
```

Arguments

x	numeric data vector
prob	quantile
conf.level	confidence level
method	character string specifying which method to use; see details.
na.rm	logical, remove NA values.

Details

The exact confidence interval (`method = "exact"`) is computed using binomial probabilities; see Section 6.8.1 in Sachs and Hedderich (2009). If the result is not unique, i.e. there is more than one interval with coverage probability closest to `conf.level`, then a matrix of confidence intervals is returned.

The asymptotic confidence interval (`method = "asymptotic"`) is based on the normal approximation of the binomial distribution; see Section 6.8.1 in Sachs and Hedderich (2009).

Value

A list with components

estimate	the sample quantile.
CI	a confidence interval for the sample quantile.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

L. Sachs and J. Hedderich (2009). *Angewandte Statistik*. Springer.

See Also

[binom.test](#), [binconf](#)

Examples

```
## To get a non-trivial confidence interval for the median
## one needs at least 6 observations
set.seed(123)
x <- rnorm(8)
## exact confidence interval not unique
(res <- medianCI(x))

## asymptotic confidence interval
medianCI(x, method = "asymptotic")

## length of exact intervals
res$CI[,2]-res$CI[,1]
```

```
## confidence interval for quantiles
quantileCI(x, prob = 0.4)
quantileCI(x, prob = 0.6)
```

repMeans

Compute mean of replicated spots

Description

Compute mean of replicated spots where additionally spot flags may incorporated.

Usage

```
repMeans(x, flags, use.flags = NULL, ndups, spacing, method, ...)
```

Arguments

x	matrix or data.frame of expression values
flags	matrix or data.frame of spot flags; must have same dimension as x
use.flags	should flags be included and in which way; cf. section details
ndups	integer, number of replicates on chip. The number of rows of x must be divisible by ndups
spacing	the spacing between the rows of 'x' corresponding to replicated spots, spacing = 1 for consecutive spots; cf. function unwrapdups in package "limma"
method	function to aggregate the replicated spots. If missing, the mean is used.
...	optional arguments to method.

Details

The incorporation of spot flags is controlled via argument `use.flags`.

NULL: flags are not used; minimum flag value of replicated spots is returned

"max": only spots with flag value equal to the maximum flag value of replicated spots are used

"median": only spots with flag values larger or equal to median of replicated spots are used

"mean": only spots with flag values larger or equal to mean of replicated spots are used

Value

LIST with components

exprs	mean of expression values
flags	flags for mean expression values

Note

A first version of this function appeared in package SLmisc.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

See Also

[unwrapdups](#)

Examples

```
## only a dummy example
M <- matrix(rnorm(1000), ncol = 10)
FL <- matrix(rpois(1000, lambda = 10), ncol = 10) # only for this example
res <- repMeans(x = M, flags = FL, use.flags = "max", ndups = 5, spacing = 20)
```

simPlot

Plot of a similarity matrix.

Description

Plot of similarity matrix.

Usage

```
simPlot(x, col, minVal, labels = FALSE, lab.both.axes = FALSE,
        labcols = "black", title = "", cex.title = 1.2,
        protocol = FALSE, cex.axis = 0.8,
        cex.axis.bar = 1, signifBar = 2, ...)
```

Arguments

x	quadratic data matrix.
col	colors palette for image. If missing, the RdYlGn palette of RColorBrewer is used.
minVal	numeric, minimum value which is display by a color; used to adjust col
labels	vector of character strings to be placed at the tickpoints, labels for the columns of x.
lab.both.axes	logical, display labels on both axes
labcols	colors to be used for the labels of the columns of x. labcols can have either length 1, in which case all the labels are displayed using the same color, or the same length as labels, in which case a color is specified for the label of each column of x.
title	character string, overall title for the plot.

<code>cex.title</code>	A numerical value giving the amount by which plotting text and symbols should be magnified relative to the default; cf. <code>par</code> , <code>cex.main</code> .
<code>protocol</code>	logical, display color bar without numbers
<code>cex.axis</code>	The magnification to be used for axis annotation relative to the current setting of 'cex'; cf. <code>par</code> .
<code>cex.axis.bar</code>	The magnification to be used for axis annotation of the color bar relative to the current setting of 'cex'; cf. <code>par</code> .
<code>signifBar</code>	integer indicating the precision to be used for the bar.
<code>...</code>	graphical parameters may also be supplied as arguments to the function (see <code>par</code>). For comparison purposes, it is good to set <code>zlim=c(-1,1)</code> .

Details

This functions generates a so called similarity matrix.

If `min(x)` is smaller than `minVal`, the colors in `col` are adjusted such that the minimum value which is color coded is equal to `minVal`.

Value

`invisible()`

Note

The function is a slight modification of function `corPlot` of package `MKmisc`.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

Sandrine Dudoit, Yee Hwa (Jean) Yang, Benjamin Milo Bolstad and with contributions from Natalie Thorne, Ingrid Loennstedt and Jessica Mar. sma: Statistical Microarray Analysis.
<http://www.stat.berkeley.edu/users/terry/zarray/Software/smacode.html>

Examples

```
## only a dummy example
M <- matrix(rnorm(1000), ncol = 20)
colnames(M) <- paste("Sample", 1:20)
M.cor <- cor(M)

simPlot(M.cor, minVal = min(M.cor))
simPlot(M.cor, minVal = min(M.cor), lab.both.axes = TRUE)
simPlot(M.cor, minVal = min(M.cor), protocol = TRUE)
simPlot(M.cor, minVal = min(M.cor), signifBar = 1)
```

stringDist *Function to compute distances between strings*

Description

The function can be used to compute distances between strings.

Usage

```
stringDist(x, y, method = "levenshtein", mismatch = 1, gap = 1)
```

Arguments

x	character vector, first string
y	character vector, second string
method	character, name of the distance method. This must be "levenshtein" or "hamming". Default is the classical Levenshtein distance.
mismatch	numeric, distance value for a mismatch between symbols
gap	numeric, distance value for inserting a gap

Details

The function computes the Hamming and the Levenshtein (edit) distance of two given strings (sequences).

In case of the Hamming distance the two strings must have the same length.

In case of the Levenshtein (edit) distance a scoring and a trace-back matrix are computed and are saved as attributes "ScoringMatrix" and "TraceBackMatrix". The characters in the trace-back matrix reflect insertion of a gap in string y (d: deletion), match (m), mismatch (mm), and insertion of a gap in string x (i).

Value

stringDist returns an object of S3 class "stringDist" inherited from class "dist"; cf. [dist](#).

Note

The function is mainly for teaching purposes.

For distances between strings and string alignments see also Bioconductor package **Biostrings**.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

R. Merkl and S. Waack (2009). Bioinformatik Interaktiv. Wiley.

See Also[dist](#), [stringSim](#)**Examples**

```
x <- "GACGGATTATG"
y <- "GATCGGAATAG"
## Levenshtein distance
d <- stringDist(x, y)
d
attr(d, "ScoringMatrix")
attr(d, "TraceBackMatrix")

## Hamming distance
stringDist(x, y)
```

`stringSim`*Function to compute similarity scores between strings*

Description

The function can be used to compute similarity scores between strings.

Usage

```
stringSim(x, y, global = TRUE, match = 1, mismatch = -1, gap = -1, minSim = 0)
```

Arguments

<code>x</code>	character vector, first string
<code>y</code>	character vector, second string
<code>global</code>	logical; global or local alignment
<code>match</code>	numeric, score for a match between symbols
<code>mismatch</code>	numeric, score for a mismatch between symbols
<code>gap</code>	numeric, penalty for inserting a gap
<code>minSim</code>	numeric, used as required minimum score in case of local alignments

Details

The function computes optimal alignment scores for global (Needleman-Wunsch) and local (Smith-Waterman) alignments with constant gap penalties.

Scoring and trace-back matrix are computed and saved in form of attributes "ScoringMatrix" and "TraceBackMatrix". The characters in the trace-back matrix reflect insertion of a gap in string y (d: deletion), match (m), mismatch (mm), and insertion of a gap in string x (i). In addition stop indicates that the minimum similarity score has been reached.

Value

stringSim returns an object of S3 class "stringSim" inherited from class "dist"; cf. [dist](#).

Note

The function is mainly for teaching purposes.

For distances between strings and string alignments see also Bioconductor package **Biostrings**.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

R. Merkl and S. Waack (2009). Bioinformatik Interaktiv. Wiley.

See Also

[dist](#), [stringDist](#)

Examples

```
x <- "GACGGATTATG"
y <- "GATCGGAATAG"

## optimal global alignment score
d <- stringSim(x, y)
d
attr(d, "ScoringMatrix")
attr(d, "TraceBackMatrix")

## optimal local alignment score
d <- stringSim(x, y, global = FALSE)
d
attr(d, "ScoringMatrix")
attr(d, "TraceBackMatrix")
```

traceBack

Function to trace back

Description

Function computes an optimal global alignment based on a trace back matrix as provided by function [stringDist](#).

Usage

```
traceBack(D, global = TRUE)
```

Arguments

D object of class "stringDist"
global logical, global or local alignment

Details

Computes one possible optimal global or local alignment based on the trace back matrix saved in an object of class "stringDist" or "stringSim".

Value

matrix: pairwise global/local alignment

Note

The function is mainly for teaching purposes.

For distances between strings and string alignments see Bioconductor package **Biostings**.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

R. Merkl and S. Waack (2009). Bioinformatik Interaktiv. Wiley.

See Also

[stringDist](#)

Examples

```
x <- "GACGGATTATG"
y <- "GATCGGAATAG"

## Levenshtein distance
d <- stringDist(x, y)
## optimal global alignment
traceBack(d)

## Optimal alignment score
d <- stringSim(x, y)
## optimal global alignment
traceBack(d)

## Optimal alignment score
d <- stringSim(x, y, global = FALSE)
## optimal global alignment
traceBack(d)
```

`twoWayAnova`*A function for Analysis of Variance*

Description

This function is a slight modification of function [Anova](#) of package "genefilter".

Usage

```
twoWayAnova(cov1, cov2, interaction, na.rm = TRUE)
```

Arguments

<code>cov1</code>	The first covariate. It must have length equal to the number of columns of the array that the result of <code>twoWayAnova</code> will be applied to.
<code>cov2</code>	The second covariate. It must have length equal to the number of columns of the array that the result of <code>twoWayAnova</code> will be applied to.
<code>interaction</code>	logical, should interaction be considered
<code>na.rm</code>	a logical value indicating whether 'NA' values should be stripped before the computation proceeds.

Details

The function returned by `twoWayAnova` uses `lm` to fit a linear model of the form $lm(x \sim cov1 * cov2)$, where x is the set of gene expressions. The F statistics for the main effects and the interaction are computed and the corresponding p-values are returned.

Value

`twoWayAnova` returns a function with bindings for `cov1` and `cov2` that will perform a two-way ANOVA.

Note

A first version of this function appeared in package `SLmisc`.

Author(s)

Matthias Kohl <Matthias.Kohl@stamats.de>

References

R. Gentleman, V. Carey, W. Huber and F. Hahne (2006). `genefilter`: methods for filtering genes from microarray experiments. R package version 1.13.7.

See Also

[Anova](#)

Examples

```
set.seed(123)
af1 <- twoWayAnova(c(rep(1,6),rep(2,6)), rep(c(rep(1,3), rep(2,3)), 2))
af2 <- twoWayAnova(c(rep(1,6),rep(2,6)), rep(c(rep(1,3), rep(2,3)), 2),
                  interaction = FALSE)
x <- matrix(rnorm(12*10), nrow = 10)
apply(x, 1, af1)
apply(x, 1, af2)
```

Index

- *Topic **distribution**
 - fiveNS, 10
 - IQrange, 13
- *Topic **dplot**
 - qbxp.stats, 28
- *Topic **hplot**
 - heatmapCol, 11
 - madPlot, 15
 - qboxplot, 24
- *Topic **htest**
 - oneWayAnova, 17
 - power.diagnostic.test, 22
 - twoWayAnova, 38
- *Topic **models**
 - oneWayAnova, 17
 - twoWayAnova, 38
- *Topic **multivariate**
 - corDist, 7
- *Topic **package**
 - MKmisc-package, 2
- *Topic **robust**
 - IQrange, 13
- *Topic **univar**
 - AUC, 3
 - AUC.test, 4
 - binomCI, 5
 - corPlot, 8
 - fiveNS, 10
 - HLgof.test, 12
 - IQrange, 13
 - madMatrix, 14
 - pairwise.auc, 18
 - pairwise.fc, 19
 - pairwise.fun, 20
 - pairwise.logfc, 21
 - quantileCI, 29
 - repMeans, 31
 - simPlot, 32
 - stringDist, 34
 - stringSim, 35
 - traceBack, 36
- Anova, 17, 18, 38
- AUC, 3, 5, 18, 19
- AUC.test, 4
- binconf, 6, 30
- binom.test, 6, 30
- binomCI, 5
- boxplot, 24
- boxplot.stats, 25, 26, 28, 29
- bxp, 25–27
- cor, 7
- corDist, 7
- corPlot, 8, 16, 33
- covMcd, 7
- covOGK, 7
- dist, 7, 8, 34–36
- expression, 25
- factor, 26
- fiveNS, 10
- fivenum, 10, 11
- heatmapCol, 11
- HLgof.test, 12
- IQR, 14
- IQrange, 13
- lm, 38
- madMatrix, 14
- madPlot, 15
- medianCI (quantileCI), 29
- MKmisc (MKmisc-package), 2
- MKmisc-package, 2

NA, [25](#), [28](#)
NaN, [28](#)

oneway.test, [17](#), [18](#)
oneWayAnova, [17](#)

pairwise.auc, [18](#), [21](#)
pairwise.fc, [19](#), [21](#)
pairwise.fun, [20](#)
pairwise.logfc, [21](#), [21](#)
pairwise.t.test, [18–22](#)
par, [9](#), [16](#), [33](#)
plotmath, [25](#)
power.diagnostic.test, [22](#)

qboxplot, [24](#)
qbxp.stats, [27](#), [28](#)
quantile, [10](#), [11](#), [13](#), [14](#), [26](#), [28](#), [29](#)
quantileCI, [29](#)

repMeans, [31](#)
residuals.lrm, [12](#), [13](#)

simPlot, [32](#)
stringDist, [34](#), [36](#), [37](#)
stringSim, [35](#), [35](#)
stripchart, [27](#)

traceBack, [36](#)
twoWayAnova, [38](#)

uniroot, [24](#)
unwrapdups, [31](#), [32](#)

wilcox.test, [4](#), [5](#)