

Package ‘SIS’

August 1, 2014

Version 0.7-4

Date 2014-07-28

Title Sure Independence Screening

Author Jianqing Fan, Yang Feng, Diego Franco Saldana, Richard Samworth, Yichao Wu

Maintainer Diego Franco Saldana <diego@stat.columbia.edu>

Depends glmnet, ncvreg, survival, R (>= 2.15)

Description (Iterative) Sure Independence Screening for Generalized Linear Models and Cox's Proportional Hazards Models

License GPL-2

NeedsCompilation no

Repository CRAN

Date/Publication 2014-08-01 07:55:08

R topics documented:

leukemia.test	2
leukemia.train	2
predict.SIS	3
print.SIS	5
prostate.test	7
prostate.train	8
SIS	8
standardize	12
tune.fit	13
Index	16

leukemia.test

Gene expression Leukemia testing dataset from Golub et al. (1999)

Description

Gene expression testing data of 7129 genes from 34 patients with acute leukemias (20 in class Acute Lymphoblastic Leukemia and 14 in class Acute Myeloid Leukemia) from the microarray study of Golub et al. (1999).

Usage

```
data(leukemia.test)
```

Format

A data frame with 34 observations on 7129 variables.

Source

<http://wwwprod.broadinstitute.org/cgi-bin/cancer/datasets.cgi>

References

Golub et al. (1999) Molecular Classification of Cancer: Class Discovery and Class Prediction by Gene Expression Monitoring. *Science*, **286**, 531-537.

leukemia.train

Gene expression Leukemia training dataset from Golub et al. (1999)

Description

Gene expression training data of 7129 genes from 38 patients with acute leukemias (27 in class Acute Lymphoblastic Leukemia and 11 in class Acute Myeloid Leukemia) from the microarray study of Golub et al. (1999).

Usage

```
data(leukemia.train)
```

Format

A data frame with 38 observations on 7129 variables.

Source

<http://wwwprod.broadinstitute.org/cgi-bin/cancer/datasets.cgi>

References

Golub et al. (1999) Molecular Classification of Cancer: Class Discovery and Class Prediction by Gene Expression Monitoring. *Science*, **286**, 531-537.

predict.SIS	<i>Model prediction based on a fitted SIS object.</i>
-------------	---

Description

Similar to the usual predict methods, this function returns predictions from a fitted "SIS" object.

Usage

```
## S3 method for class 'SIS'
predict(object, newx, s=object$path.index, type = c("response",
"link", "class"), ...)
```

Arguments

object	Fitted "SIS" model object.
newx	Matrix of new values for x at which predictions are to be made, without the intercept term.
s	Indices of the penalty parameter lambda of the final fitted model by (I)SIS at which predictions are required. By default, only the index minimizing the criterion tune is returned.
type	Type of prediction required. Type "response" gives the fitted values for "gaussian", fitted probabilities for "binomial", fitted mean for "poisson", and the fitted relative risk for "cox". Type "link" returns the linear predictors for "binomial", "poisson" and "cox" models; for "gaussian" models it is equivalent to type "response". Type "class" applies only to "binomial" models, and produces the class label corresponding to the maximum probability (0-1 labels).
...	Not used. Other arguments to predict.

Value

The object returned depends on type.

Author(s)

Jianqing Fan, Yang Feng, Diego Franco Saldana, Richard Samworth, and Yichao Wu

References

- Jianqing Fan and Jinchi Lv (2008) Sure Independence Screening for Ultrahigh Dimensional Feature Space (with discussion). *Journal of Royal Statistical Society B*, **70**, 849-911.
- Jianqing Fan and Rui Song (2010) Sure Independence Screening in Generalized Linear Models with NP-Dimensionality. *The Annals of Statistics*, **38**, 3567-3604.
- Jianqing Fan, Richard Samworth, and Yichao Wu (2009) Ultrahigh Dimensional Feature Selection: Beyond the Linear Model. *Journal of Machine Learning Research*, **10**, 2013-2038.
- Jianqing Fan, Yang Feng, and Yichao Wu (2010) High-dimensional Variable Selection for Cox Proportional Hazards Model. *IMS Collections*, **6**, 70-86.
- Jianqing Fan, Yang Feng, and Rui Song (2011) Nonparametric Independence Screening in Sparse Ultrahigh Dimensional Additive Models. *Journal of the American Statistical Association*, **106**, 544-557.
- Diego Franco Saldana and Yang Feng (2014) Sure Independence Screening in Ultrahigh Dimensional Statistical Models, manuscript.

See Also

[SIS](#), [print.SIS](#)

Examples

```
set.seed(0)
n = 400; p = 50; rho = 0.5
corrmat = diag(rep(1-rho, p)) + matrix(rho, p, p)
corrmat[,4] = sqrt(rho)
corrmat[4, ] = sqrt(rho)
corrmat[4,4] = 1
corrmat[,5] = 0
corrmat[5, ] = 0
corrmat[5,5] = 1
cholmat = chol(corrmat)
x = matrix(rnorm(n*p, mean=0, sd=1), n, p)
x = x%%cholmat
testX = matrix(rnorm(10*p, mean=0, sd=1), nrow=10, ncol=p)

# gaussian response
set.seed(1)
b = c(4,4,4,-6*sqrt(2),4/3)
y=x[, 1:5]%%b + rnorm(n)
model1=SIS(x, y, family="gaussian", tune="bic", varISIS="aggr", seed=11)

predict(model1, testX, type="response")
predict(model1, testX, s=1:10, type="response")

# binary response
set.seed(2)
feta = x[, 1:5]%%b; fprob = exp(feta)/(1+exp(feta))
y = rbinom(n, 1, fprob)
```

```

model2=SIS(x, y, family="binomial", tune="bic", varISIS="aggr", seed=21)

predict(model2, testX, type="response")
predict(model2, testX, type="link")
predict(model2, testX, type="class")

predict(model2, testX, s=1:10, type="response")
predict(model2, testX, s=1:10, type="link")
predict(model2, testX, s=1:10, type="class")

# poisson response
set.seed(3)
b = c(0.6,0.6,0.6,-0.9*sqrt(2))
myrates = exp(x[, 1:4]**%b)
y = rpois(n, myrates)
model3=SIS(x, y, family="poisson", tune="bic", varISIS="aggr", seed=31)

predict(model3, testX, type="response")
predict(model3, testX, type="link")

predict(model3, testX, s=1:10, type="response")
predict(model3, testX, s=1:10, type="link")

# Cox model
set.seed(4)
b = c(4,4,4,-6*sqrt(2),4/3)
myrates = exp(x[, 1:5]**%b)
Sur = rexp(n,myrates); CT = rexp(n,0.1)
Z = pmin(Sur,CT); ind = as.numeric(Sur<=CT)
y = Surv(Z,ind)
model4=SIS(x, y, family="cox", penalty="lasso", tune="bic",
           varISIS="aggr", seed=41)

predict(model4, testX, type="response")
predict(model4, testX, type="link")

predict(model4, testX, s=1:10, type="response")
predict(model4, testX, s=1:10, type="link")

```

print.SIS

Print a SIS object

Description

Print a summary of the selected predictors and its estimated coefficients.

Usage

```

## S3 method for class 'SIS'
print(x, digits = max(3, getOption("digits") - 3), ...)

```

Arguments

x	Fitted "SIS" model object.
digits	Significant digits in printout.
...	Additional print arguments.

Details

The call that produced object x is printed, followed by the indices of the selected predictors (i.e., x\$ix) and its estimated coefficients (i.e., x\$coef.est) for the final model picked up by (I)SIS.

Value

The fitted regression object of type "cv.ncvreg", "ncvreg", "cv.glmnet", or "glmnet" and its corresponding path index where the minimum criterion in tune occurs are silently returned.

Author(s)

Jianqing Fan, Yang Feng, Diego Franco Saldana, Richard Samworth, and Yichao Wu

References

Jianqing Fan and Jinchi Lv (2008) Sure Independence Screening for Ultrahigh Dimensional Feature Space (with discussion). *Journal of Royal Statistical Society B*, **70**, 849-911.

Jianqing Fan and Rui Song (2010) Sure Independence Screening in Generalized Linear Models with NP-Dimensionality. *The Annals of Statistics*, **38**, 3567-3604.

Jianqing Fan, Richard Samworth, and Yichao Wu (2009) Ultrahigh Dimensional Feature Selection: Beyond the Linear Model. *Journal of Machine Learning Research*, **10**, 2013-2038.

Jianqing Fan, Yang Feng, and Yichao Wu (2010) High-dimensional Variable Selection for Cox Proportional Hazards Model. *IMS Collections*, **6**, 70-86.

Jianqing Fan, Yang Feng, and Rui Song (2011) Nonparametric Independence Screening in Sparse Ultrahigh Dimensional Additive Models. *Journal of the American Statistical Association*, **106**, 544-557.

Diego Franco Saldana and Yang Feng (2014) Sure Independence Screening in Ultrahigh Dimensional Statistical Models, manuscript.

See Also

[SIS](#), [predict.SIS](#)

Examples

```
set.seed(0)
n = 400; p = 50; rho = 0.5
corrmat = diag(rep(1-rho, p)) + matrix(rho, p, p)
corrmat[,4] = sqrt(rho)
corrmat[4, ] = sqrt(rho)
corrmat[4,4] = 1
corrmat[,5] = 0
```

```
corrmat[5, ] = 0
corrmat[5,5] = 1
cholmat = chol(corrmat)
x = matrix(rnorm(n*p, mean=0, sd=1), n, p)
x = x%%cholmat

# gaussian response
set.seed(1)
b = c(4,4,4,-6*sqrt(2),4/3)
y=x[, 1:5]%%b + rnorm(n)
model1=SIS(x, y, family="gaussian", tune="bic", varISIS="aggr", seed=11)

print(model1, digits=3)
print(model1, digits=7)
```

prostate.test	<i>Gene expression Prostate Cancer testing dataset from Singh et al. (2002)</i>
---------------	---

Description

Gene expression testing data of 12600 genes from 25 patients with prostate tumors and 9 normal specimens from the microarray study of Singh et al. (2002).

Usage

```
data(prostate.test)
```

Format

A data frame with 34 observations on 12600 variables.

Source

<http://wwwprod.broadinstitute.org/cgi-bin/cancer/datasets.cgi>

References

Singh et al. (2002) Gene Expression Correlates of Clinical Prostate Cancer Behavior. *Cancer Cell*, 1, 203-209.

prostate.train	<i>Gene expression Prostate Cancer training dataset from Singh et al. (2002)</i>
----------------	--

Description

Gene expression training data of 12600 genes from 52 patients with prostate tumors and 50 normal specimens from the microarray study of Singh et al. (2002).

Usage

```
data(prostate.train)
```

Format

A data frame with 102 observations on 12600 variables.

Source

<http://wwwprod.broadinstitute.org/cgi-bin/cancer/datasets.cgi>

References

Singh et al. (2002) Gene Expression Correlates of Clinical Prostate Cancer Behavior. *Cancer Cell*, **1**, 203-209.

SIS	<i>(Iterative) Sure Independence Screening ((I)SIS) and Fitting in Generalized Linear Models and Cox's Proportional Hazards Models</i>
-----	--

Description

This function first implements the Iterative Sure Independence Screening for different variants of (I)SIS, and then fits the final regression model using the R packages **ncvreg** and **glmnet** for the SCAD/MCP/LASSO regularized loglikelihood for the variables picked by (I)SIS.

Usage

```
SIS(x, y, family = c("gaussian", "binomial", "poisson", "cox"),
    penalty=c("SCAD", "MCP", "lasso"), concavity.parameter =
    switch(penalty, SCAD=3.7, 3), tune = c("cv", "aic", "bic", "ebic"),
    nfolds = 10, type.measure = c("deviance", "class", "auc", "mse",
    "mae"), gamma.ebic = 1, nsis = NULL, iter = TRUE, iter.max =
    ifelse(greedy==FALSE, 10, floor(nrow(x)/log(nrow(x)))), varISIS =
    c("vanilla", "aggr", "cons"), perm = FALSE, q = 1, greedy = FALSE,
    greedy.size = 1, seed = 0, standardize = TRUE)
```


Arguments

<code>x</code>	The design matrix, of dimensions $n * p$, without an intercept. Each row is an observation vector. SIS standardizes the data and includes an intercept by default.
<code>y</code>	The response vector of dimension $n * 1$. Quantitative for <code>family="gaussian"</code> , non-negative counts for <code>family="poisson"</code> , binary (0-1) for <code>family="binomial"</code> . For <code>family="cox"</code> , <code>y</code> should be an object of class <code>Surv</code> , as provided by the function <code>Surv()</code> in the package survival .
<code>family</code>	Response type (see above).
<code>penalty</code>	The penalty to be applied in the regularized likelihood subproblems. "SCAD" (the default), "MCP", or "lasso" are provided.
<code>concavity.parameter</code>	The tuning parameter used to adjust the concavity of the SCAD/MCP penalty. Default is 3.7 for SCAD and 3 for MCP.
<code>tune</code>	Method for tuning the regularization parameter of the penalized likelihood subproblems and of the final model selected by (I)SIS. Options include <code>tune="cv"</code> , <code>tune="aic"</code> , <code>tune="bic"</code> , and <code>tune="ebic"</code> .
<code>nfolds</code>	Number of folds used in cross-validation. The default is 10.
<code>type.measure</code>	Loss to use for cross-validation. Currently five options, not all available for all models. The default is <code>type.measure="deviance"</code> , which uses squared-error for gaussian models (also equivalent to <code>type.measure="mse"</code> in this case), deviance for logistic and poisson regression, and partial-likelihood for the Cox model. Both <code>type.measure="class"</code> and <code>type.measure="auc"</code> apply only to logistic regression and give misclassification error and area under the ROC curve, respectively. <code>type.measure="mse"</code> or <code>type.measure="mae"</code> (mean absolute error) can be used by all models except the "cox"; they measure the deviation from the fitted mean to the response. For <code>penalty="SCAD"</code> and <code>penalty="MCP"</code> , only <code>type.measure="deviance"</code> is available.
<code>gamma.ebic</code>	Specifies the parameter in the Extended BIC criterion penalizing the size of the corresponding model space. The default is <code>gamma.ebic=1</code> . See references at the end for details.
<code>nsis</code>	Number of predictors recruited by (I)SIS.
<code>iter</code>	Specifies whether to perform iterative SIS. The default is <code>iter=TRUE</code> .
<code>iter.max</code>	Maximum number of iterations for (I)SIS and its variants.
<code>varISIS</code>	Specifies whether to perform any of the two ISIS variants based on randomly splitting the sample into two groups. The variant <code>varISIS="aggr"</code> is an aggressive variable screening procedure, while <code>varISIS="cons"</code> is a more conservative approach. The default is <code>varISIS="vanilla"</code> , which performs the traditional vanilla version of ISIS. See references at the end for details.
<code>perm</code>	Specifies whether to impose a data-driven threshold in the size of the active sets calculated during the ISIS procedures. The threshold is calculated by first decoupling the predictors x_i and response y_i through a random permutation π of $(1, \dots, n)$ to form a null model. For this newly permuted data, marginal regression coefficients for each predictor are recalculated. As the marginal regression coefficients of the original data should be larger than most recalculated coefficients in the null model, the data-driven threshold is given by the q th quantile of

the null coefficients. This data-driven threshold only allows a $1 - q$ proportion of inactive variables to enter the model when x_i and y_i are not related (in the null model). The default is here is `perm=FALSE`. See references at the end for details.

<code>q</code>	Quantile for calculating the data-driven threshold in the permutation-based ISIS. The default is <code>q=1</code> (i.e., the maximum absolute value of the permuted estimates).
<code>greedy</code>	Specifies whether to run the greedy modification of the permutation-based ISIS. The default is <code>greedy=FALSE</code> .
<code>greedy.size</code>	Maximum size of the active sets in the greedy modification of the permutation-based ISIS. The default is <code>greedy.size=1</code> .
<code>seed</code>	Random seed used for sample splitting, random permutation, and cross-validation sampling of training and test sets.
<code>standardize</code>	Logical flag for x variable standardization, prior to performing (iterative) variable screening. The resulting coefficients are always returned on the original scale. Default is <code>standardize=TRUE</code> . If variables are in the same units already, you might not wish to standardize.

Value

Returns an object with

<code>ix</code>	The vector of indices selected by (I)SIS.
<code>coef.est</code>	The vector of coefficients of the final model selected by (I)SIS.
<code>fit</code>	A fitted object of type <code>ncvreg</code> , <code>cv.ncvreg</code> , <code>glmnet</code> , or <code>cv.glmnet</code> for the final model selected by the (I)SIS procedure. If <code>tune="cv"</code> , the returned fitted object is of type <code>cv.ncvreg</code> if <code>penalty="SCAD"</code> or <code>penalty="MCP"</code> ; otherwise, the returned fitted object is of type <code>cv.glmnet</code> . For the remaining options of <code>tune</code> , the returned object is of type <code>glmnet</code> if <code>penalty="lasso"</code> , and <code>ncvreg</code> otherwise.
<code>path.index</code>	The index along the solution path of <code>fit</code> for which the criterion specified in <code>tune</code> is minimized.

Author(s)

Jianqing Fan, Yang Feng, Diego Franco Saldana, Richard Samworth, and Yichao Wu

References

- Jianqing Fan and Jinchi Lv (2008) Sure Independence Screening for Ultrahigh Dimensional Feature Space (with discussion). *Journal of Royal Statistical Society B*, **70**, 849-911.
- Jianqing Fan and Rui Song (2010) Sure Independence Screening in Generalized Linear Models with NP-Dimensionality. *The Annals of Statistics*, **38**, 3567-3604.
- Jianqing Fan, Richard Samworth, and Yichao Wu (2009) Ultrahigh Dimensional Feature Selection: Beyond the Linear Model. *Journal of Machine Learning Research*, **10**, 2013-2038.
- Jianqing Fan, Yang Feng, and Yichao Wu (2010) High-dimensional Variable Selection for Cox Proportional Hazards Model. *IMS Collections*, **6**, 70-86.

Jianqing Fan, Yang Feng, and Rui Song (2011) Nonparametric Independence Screening in Sparse Ultrahigh Dimensional Additive Models. *Journal of the American Statistical Association*, **106**, 544-557.

Diego Franco Saldana and Yang Feng (2014) Sure Independence Screening in Ultrahigh Dimensional Statistical Models, manuscript.

Jiahua Chen and Zehua Chen (2008) Extended Bayesian Information Criteria for Model Selection with Large Model Spaces. *Biometrika*, **95**, 759-771.

See Also

[predict.SIS](#), [print.SIS](#)

Examples

```
set.seed(0)
n = 400; p = 50; rho = 0.5
corrmat = diag(rep(1-rho, p)) + matrix(rho, p, p)
corrmat[,4] = sqrt(rho)
corrmat[4, ] = sqrt(rho)
corrmat[4,4] = 1
corrmat[,5] = 0
corrmat[5, ] = 0
corrmat[5,5] = 1
cholmat = chol(corrmat)
x = matrix(rnorm(n*p, mean=0, sd=1), n, p)
x = x%*%cholmat

# gaussian response
set.seed(1)
b = c(4,4,4,-6*sqrt(2),4/3)
y=x[, 1:5]%*%b + rnorm(n)
model11=SIS(x, y, family="gaussian", tune="bic")
model12=SIS(x, y, family="gaussian", tune="bic", varISIS="aggr", seed=11)
model11$ix
model12$ix

# binary response
set.seed(2)
feta = x[, 1:5]%*%b; fprob = exp(feta)/(1+exp(feta))
y = rbinom(n, 1, fprob)
model21=SIS(x, y, family="binomial", tune="bic")
model22=SIS(x, y, family="binomial", tune="bic", varISIS="aggr", seed=21)
model21$ix
model22$ix

# poisson response
set.seed(3)
b = c(0.6,0.6,0.6,-0.9*sqrt(2))
myrates = exp(x[, 1:4]%*%b)
y = rpois(n, myrates)
```

```

model31=SIS(x, y, family="poisson", tune="bic", perm=TRUE, q=0.9,
            greedy=TRUE, seed=31)
model32=SIS(x, y, family="poisson", tune="bic", varISIS="aggr",
            perm=TRUE, q=0.9, seed=32)
model31$ix
model32$ix

# Cox model
set.seed(4)
b = c(4,4,4,-6*sqrt(2),4/3)
myrates = exp(x[, 1:5]*%*%b)
Sur = rexp(n,myrates); CT = rexp(n,0.1)
Z = pmin(Sur,CT); ind = as.numeric(Sur<=CT)
y = Surv(Z,ind)
model41=SIS(x, y, family="cox", penalty="lasso", tune="bic",
            varISIS="aggr", seed=41)
model42=SIS(x, y, family="cox", penalty="lasso", tune="bic",
            varISIS="cons", seed=41)
model41$ix
model42$ix

```

standardize

Standardization of High-Dimensional Design Matrices

Description

Standardizes the columns of a high-dimensional design matrix to mean zero and unit Euclidean norm.

Usage

```
standardize(X)
```

Arguments

X A design matrix to be standardized.

Details

Performs a location and scale transform to the columns of the original design matrix, so that the resulting design matrix with p -dimensional observations $\{x_i : i = 1, \dots, n\}$ of the form $x_i = (x_{i1}, x_{i2}, \dots, x_{ip})$ satisfies $\sum_{i=1}^n x_{ij} = 0$ and $\sum_{i=1}^n x_{ij}^2 = 1$ for $j = 1, \dots, p$.

Value

A design matrix with standardized predictors or columns.

Author(s)

Jianqing Fan, Yang Feng, Diego Franco Saldana, Richard Samworth, and Yichao Wu

References

Diego Franco Saldana and Yang Feng (2014) Sure Independence Screening in Ultrahigh Dimensional Statistical Models, manuscript.

Examples

```
set.seed(0)
n = 400; p = 50; rho = 0.5
corrmat = diag(rep(1-rho, p)) + matrix(rho, p, p)
corrmat[,4] = sqrt(rho)
corrmat[4, ] = sqrt(rho)
corrmat[4,4] = 1
corrmat[,5] = 0
corrmat[5, ] = 0
corrmat[5,5] = 1
cholmat = chol(corrmat)
x = matrix(rnorm(n*p, mean=15, sd=9), n, p)
x = x%%cholmat

x.standard = standardize(x)
```

tune.fit

*Using the **glmnet** and **ncvreg** packages, fits a Generalized Linear Model or Cox Proportional Hazards Model using various methods for choosing the regularization parameter λ*

Description

This function fits a generalized linear model or a Cox proportional hazards model via penalized maximum likelihood, with available penalties as indicated in the **glmnet** and **ncvreg** packages. Instead of providing the whole regularization solution path, the function returns the solution at a unique value of λ , the one optimizing the criterion specified in tune.

Usage

```
tune.fit(x, y, family = c("gaussian", "binomial", "poisson", "cox"),
penalty=c("SCAD", "MCP", "lasso"), concavity.parameter =
switch(penalty, SCAD=3.7, 3), tune = c("cv", "aic", "bic", "ebic"),
nfolds = 10, type.measure = c("deviance", "class", "auc", "mse",
"mae"), gamma.ebic = 1)
```

Arguments

<code>x</code>	The design matrix, of dimensions $n * p$, without an intercept. Each row is an observation vector.
<code>y</code>	The response vector of dimension $n * 1$. Quantitative for <code>family="gaussian"</code> , non-negative counts for <code>family="poisson"</code> , binary (0-1) for <code>family="binomial"</code> . For <code>family="cox"</code> , <code>y</code> should be an object of class <code>Surv</code> , as provided by the function <code>Surv()</code> in the package survival .
<code>family</code>	Response type (see above).
<code>penalty</code>	The penalty to be applied in the regularized likelihood subproblems. "SCAD" (the default), "MCP", or "lasso" are provided.
<code>concavity.parameter</code>	The tuning parameter used to adjust the concavity of the SCAD/MCP penalty. Default is 3.7 for SCAD and 3 for MCP.
<code>tune</code>	Method for selecting the regularization parameter along the solution path of the penalized likelihood problem. Options to provide a final model include <code>tune="cv"</code> , <code>tune="aic"</code> , <code>tune="bic"</code> , and <code>tune="ebic"</code> . See references at the end for details.
<code>nfolds</code>	Number of folds used in cross-validation. The default is 10.
<code>type.measure</code>	Loss to use for cross-validation. Currently five options, not all available for all models. The default is <code>type.measure="deviance"</code> , which uses squared-error for gaussian models (also equivalent to <code>type.measure="mse"</code> in this case), deviance for logistic and poisson regression, and partial-likelihood for the Cox model. Both <code>type.measure="class"</code> and <code>type.measure="auc"</code> apply only to logistic regression and give misclassification error and area under the ROC curve, respectively. <code>type.measure="mse"</code> or <code>type.measure="mae"</code> (mean absolute error) can be used by all models except the "cox"; they measure the deviation from the fitted mean to the response. For <code>penalty="SCAD"</code> and <code>penalty="MCP"</code> , only <code>type.measure="deviance"</code> is available.
<code>gamma.ebic</code>	Specifies the parameter in the Extended BIC criterion penalizing the size of the corresponding model space. The default is <code>gamma.ebic=1</code> . See references at the end for details.

Value

Returns an object with

<code>ix</code>	The vector of indices of the nonzero coefficients selected by the maximum penalized likelihood procedure with <code>tune</code> as the method for choosing the regularization parameter.
<code>a0</code>	The intercept of the final model selected by <code>tune</code> .
<code>fit</code>	The vector of coefficients of the final model selected by <code>tune</code> .

Author(s)

Jianqing Fan, Yang Feng, Diego Franco Saldana, Richard Samworth, and Yichao Wu

References

Jerome Friedman and Trevor Hastie and Rob Tibshirani (2010) Regularization Paths for Generalized Linear Models Via Coordinate Descent. *Journal of Statistical Software*, **33**(1), 1-22.

Noah Simon and Jerome Friedman and Trevor Hastie and Rob Tibshirani (2011) Regularization Paths for Cox's Proportional Hazards Model Via Coordinate Descent. *Journal of Statistical Software*, **39**(5), 1-13.

Patrick Breheny and Jian Huang (2011) Coordinate Descent Algorithms for Nonconvex Penalized Regression, with Applications to Biological Feature Selection. *The Annals of Applied Statistics*, **5**, 232-253.

Hiroto Akaike (1973) Information Theory and an Extension of the Maximum Likelihood Principle. In *Proceedings of the 2nd International Symposium on Information Theory*, BN Petrov and F Csaki (eds.), 267-281.

Gideon Schwarz (1978) Estimating the Dimension of a Model. *The Annals of Statistics*, **6**, 461-464.

Jiahua Chen and Zehua Chen (2008) Extended Bayesian Information Criteria for Model Selection with Large Model Spaces. *Biometrika*, **95**, 759-771.

Examples

```
set.seed(0)
data("leukemia.train", package = "SIS")
y.train = leukemia.train[,dim(leukemia.train)[2]]
x.train = as.matrix(leukemia.train[,-dim(leukemia.train)[2]])
x.train = standardize(x.train)
model = tune.fit(x.train[,1:3500], y.train, family="binomial", tune="bic")
model$ix
model$a0
model$fit
```

Index

*Topic **datasets**

leukemia.test, [2](#)
leukemia.train, [2](#)
prostate.test, [7](#)
prostate.train, [8](#)

*Topic **models**

predict.SIS, [3](#)
print.SIS, [5](#)
SIS, [8](#)
standardize, [12](#)
tune.fit, [13](#)

leukemia.test, [2](#)
leukemia.train, [2](#)

predict.SIS, [3](#), [6](#), [11](#)
print.SIS, [4](#), [5](#), [11](#)
prostate.test, [7](#)
prostate.train, [8](#)

SIS, [4](#), [6](#), [8](#)
standardize, [12](#)

tune.fit, [13](#)