

# Package ‘WMCapacity’

July 2, 2014

**Type** Package

**Title** GUI implementing Bayesian working memory models

**Version** 0.9.6.6

**Date** 2011-11-16

**Author** R. D. Morey <richarddmorey@gmail.com>

**Maintainer** R. D. Morey <richarddmorey@gmail.com>

**Depends** R (>= 2.10), gtools, gWidgets, gWidgetsRGtk2, coda,cairoDevice

**Imports** RGtk2, grDevices, XML

**Description** A GUI R implementation of hierarchical Bayesian models of working memory, used for analyzing change detection data.

**License** GPL-2

**LazyLoad** yes

**URL** <http://drsmorey.org/research/rdmorey/>

**Repository** CRAN

**Repository/R-Forge/Project** wmcapacity

**Repository/R-Forge/Revision** 64

**Date/Publication** 2011-11-24 09:13:09

**NeedsCompilation** yes

## R topics documented:

WMCapacity-package . . . . .	2
VisualArray . . . . .	2
womExtractModel . . . . .	4
wommbatGUI . . . . .	5
wommbatNoGUI . . . . .	7
womRPredVals . . . . .	8

**Index****10**

---

WMCapacity-package	<i>Estimation of working memory capacity from change detection data</i>
--------------------	---

---

**Description**

The WMCapacity package implements the hierarchical Bayesian multinomial models of Morey (2011), for the estimation of working memory capacity from change detection data.

**Details**

Package:	WMCapacity
Type:	Package
Version:	0.9
Date:	2009-06-20
License:	GPL 2
LazyLoad:	yes

Most users will want to use this package through the [wombatGUI](#) function.

**Author(s)**

Richard D. Morey <[richarddmorey@gmail.com](mailto:richarddmorey@gmail.com)>

**References**

Morey, R. D. (2011). A hierarchical Bayesian model for the measurement of working memory capacity. *Journal of Mathematical Psychology*, 55, 8-24

---

VisualArray	<i>Working memory visual array change detection responses</i>
-------------	---

---

**Description**

This dataset contains the (cleaned) data which was analyzed in Rouder, Morey, Cowan, Zwilling, Morey, and Pratte (2008).

**Usage**

```
data(VisualArray)
```

**Format**

A data frame with 12345 observations on the following 36 variables.

sub the subject number

blk the block number

tr1 the trial number within a block

prch the log-odds of a change trial within that block

N the visual array set size

ischange whether the array changed or not (1=changed)

resp whether the participant responded "change" (1=changed)

RT the response time

probesq which square number was probed

newcol the color of the probed square

c1 the color of square 1

x1 the x location of square 1

y1 the y location of square 1

c2 the color of square 2

x2 the x location of square 2

y2 the y location of square 2

c3 the color of square 3

x3 the x location of square 3

y3 the y location of square 3

c4 the color of square 4

x4 the x location of square 4

y4 the y location of square 4

c5 the color of square 5

x5 the x location of square 5

y5 the y location of square 5

c6 the color of square 6

x6 the x location of square 6

y6 the y location of square 6

c7 the color of square 7

x7 the x location of square 7

y7 the y location of square 7

c8 the color of square 8

x8 the x location of square 8

y8 the y location of square 8

cor whether the participant was correct or not

oldcol the color of the probed square in the study array

## Details

Each trial consisted of a presentation of N colored squares in an array, followed by a mask, and then a single square. The square was either the same color or a different color than the one in the same location in the first array. The participant responded “change” if they believed the square was different.

## Source

Rouder, J. N., Morey, R. D., Cowan, N., Zwilling, C. E., Morey, C. C. & Pratte, M. S. (2008). An Assessment of Fixed-Capacity Models of Visual Working Memory. *Proceedings of the National Academy of Sciences*, 105, 5976-5979.

## Examples

```
data(VisualArray)
## Aggregated hit and false alarm rates
tapply(VisualArray$resp, list(VisualArray$ischange,
                             VisualArray$N, VisualArray$prch), mean)
```

---

womExtractModel	<i>Extract WMCapacity model specification and results.</i>
-----------------	--

---

## Description

The `womExtractModel` function allows the user to extract model specification and results that were defined in the `wommatGUI` graphical user interface. This allows the user to extract results for the purposes of making plots, et cetera, in R.

## Usage

```
womExtractModel(name=1)
```

## Arguments

name                    the name (or number) of the model defined in the GUI.

## Details

The `womExtractModel` function allows the user access to the model specifications and analysis results from the GUI, once they've been defined.

For further details, see the user's manual at <http://wmcapacity.r-forge.r-project.org/>.

**Value**

A list containing the following elements (if applicable):

modelName	The name of the model.
model	A list containing the model specification.
priors	A list containing the prior specification.
settings	A list containing the MCMC settings, if an analysis has been performed.
results	A list containing the results, if an analysis has been performed.

**See Also**

[wommbatGUI](#), for fitting the working memory models.

**Examples**

```
## Not run:
## load Visual Array data set (Rouder et al., 2008)
data(VisualArray)

## Define the model in the GUI
wommbatGUI(dataFrame=VisualArray)

# extract the first model. Replace 'Model' with the model name (in quotes)
myModel = womExtractModel(name='Model')

# examine the posterior means (if an analysis has been performed)
myModel$results$pointEst

## End(Not run)
```

---

wommbatGUI

*Start GUI for working memory capacity estimation.*

---

**Description**

wommbatGUI starts the graphical user interface for building and estimating parameters of working memory models. This is the main interface for the WMCapacity package.

**Usage**

```
wommbatGUI(project = NULL, projectFile= NULL, CSVfile = NULL, dataFrame = NULL, devel=FALSE)
```

## Arguments

<code>dataFrame</code>	a data frame containing the trial-by-trial data to be analyzed.
<code>CSVfile</code>	the location of a CSV file containing the trial-by-trial data to be analyzed.
<code>projectFile</code>	a saved WMCapacity analysis (.Rdata file), containing all the necessary information necessary to start an analysis.
<code>project</code>	a environment of a WMCapacity analysis, containing all the necessary information necessary to start an analysis.
<code>devel</code>	Turn on (undocumented) testing features.

## Details

This function starts the GUI for estimating working memory capacity from change detection data, using the hierarchical Bayesian models described in Morey (2011).

There are a number of ways of passing data to the function. If you have the trial-by-trial data already loaded in R, you can pass the data via the `dataFrame` argument. If it is in a CSV file, you can load it by passing the path via the `CSVfile` argument. If you saved the analysis and wish to reload it, you can use the pass the saved file name to the `projectFile` argument. Alternatively, you may load data via the GUI.

For further details, click on the Help button in the GUI, or see the user's manual at <http://wmcapacity.r-forge.r-project.org/>.

## Value

This function returns nothing. The defined models and results may be extracted my means of the `womExtractModel` function.

## See Also

`wommbatNoGUI`, for the non-GUI interface (useful for simulations).

## Examples

```
## Not run:
## load Visual Array data set (Rouder et al., 2008)
data(VisualArray)

wommbatGUI(dataFrame=VisualArray)

## End(Not run)
```

---

wommbatNoGUI	<i>Analyze working memory models with no GUI.</i>
--------------	---

---

## Description

The `wommbatNoGUI` function analyzes the models defined in a saved `wommbat` analysis file, without using the GUI. This is useful for simulations.

## Usage

```
wommbatNoGUI(project=NULL, projectFile= NULL, settings)
```

## Arguments

<code>settings</code>	a list containing the MCMC settings for the analysis. See <a href="#">womExtractModel</a> .
<code>projectFile</code>	a saved <code>WMCapacity</code> analysis (.Rdata file), containing all the necessary information necessary to start an analysis.
<code>project</code>	a environment of a <code>WMCapacity</code> analysis, containing all the necessary information necessary to start an analysis.

## Details

This function analyzes the models specified in the saved analysis file, using no GUI.

For further details, click on the Help button in the GUI, or see the user's manual at <http://wmcapacity.r-forge.r-project.org/>.

## Value

This function returns nothing. The defined models and results may be extracted my means of the [womExtractModel](#) function.

## See Also

[wommbatGUI](#), for the GUI interface (useful for simulations).

---

womRPredVals	<i>Compute predicted values for working memory models in the package WMCapacity</i>
--------------	---

---

### Description

The RPredVals function computes predicted response probabilities for a specified working memory model and design, given values of the effect parameters. This function is useful for model checking.

### Usage

```
womRPredVals(x, setup)
```

### Arguments

x	the vector containing values at which to evaluate the function.
setup	a list object, created by means of the <a href="#">womExtractModel</a> function, containing the model specification.

### Details

The womRPredVals function computes predicted probabilities for the model and design specified by the setup argument. The probability of responding “change” in a change detection task is predicted for each trial.

For further details, see the user’s manual at <http://wmcapacity.r-forge.r-project.org/>.

### Value

A vector of predicted probabilities; each element corresponds to a trial.

### See Also

[wommbatGUI](#), for fitting the working memory models, and [womExtractModel](#) for extracting a model specification.

### Examples

```
## Not run:
## load Visual Array data set (Rouder et al., 2008)
data(VisualArray)

wommbatGUI(dataFrame = VisualArray)

## Once the model is defined via the GUI,
## compute log-likelihood at posterior mean
## replace 'Model' with model name (in quotes)
myModel = womExtractModel('Model')
```



*womRPredVals*

9

```
posteriorMean = myModel$results$pointEst[,5]  
womRPredVals(posteriorMean,myModel)  
## End(Not run)
```

# Index

\*Topic **datasets**

VisualArray, [2](#)

\*Topic **nonlinear**

WMCapacity-package, [2](#)

womExtractModel, [4](#)

wommbatGUI, [5](#)

wommbatNoGUI, [7](#)

womRPredVals, [8](#)

VisualArray, [2](#)

WMCapacity (WMCapacity-package), [2](#)

WMCapacity-package, [2](#)

womExtractModel, [4](#), [6–8](#)

wommbatGUI, [2](#), [5](#), [5](#), [7](#), [8](#)

wommbatNoGUI, [6](#), [7](#)

womRPredVals, [8](#)