

# Package ‘crossReg’

July 9, 2014

**Type** Package

**Title** Confidence intervals for crossover points of two simple regression lines

**Version** 1.0

**Date** 2014-07-08

**Author** Sunbok Lee

**Maintainer** Sunbok Lee <sunboklee@gmail.com>

**Description** This package provides functions to calculate confidence intervals for crossover points of two simple linear regression lines using the non-linear regression, the delta method, the Fieller method, and the bootstrap methods.

**Suggests** boot, MASS

**License** GPL-2

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2014-07-09 08:18:12

## R topics documented:

crossReg-package . . . . .	2
BootC . . . . .	2
DeltaC . . . . .	3
FiellerC . . . . .	4
nonLinearC . . . . .	5

<b>Index</b>	<b>7</b>
--------------	----------

---

 crossReg-package

*Confidence intervals for crossover points*


---

### Description

Given the linear regression model  $y = b_0 + b_1*x_1 + b_2*x_2 + b_3*x_1*x_2$ , the crossover point of the two simple regression lines implied by the linear regression model can be expressed as  $C = -b_2/b_3$  (Aiken and West, 1991). This package provides functions to calculate confidence intervals for crossover points of two simple linear regression lines using the non-linear regression, the delta method, the Fieller method, and the bootstrap methods.

### Details

Package: crossReg  
 Type: Package  
 Version: 1.0  
 Date: 2014-07-08  
 License: GPL-2

### Author(s)

Sunbok Lee  
 Maintainer: Sunbok Lee <sunboklee@gmail.com>

---

 BootC

*Confidence intervals for crossover points using the bootstrap methods*


---

### Description

Calculate confidence intervals for crossover points of two simple linear regression lines using the bootstrap

### Usage

BootC(Data)

### Arguments

Data a dataframe containing data values for y, x1, and x2

**Details**

The function `BootC()` calculates confidence intervals for the crossover point `C` using the `boot` package in R. Bootstrap confidence intervals include Normal, Basic, Percentile, and BCa confidence intervals.

**Author(s)**

Sunbok Lee

**References**

Bollen, K. A., & Stine, R. (1990). Direct and indirect effects: Classical and bootstrap estimate of variability. *Sociological Methodology*, 20, 115-140.

**Examples**

```
# example data
library(MASS)
out <- mvrnorm(1000, mu = c(0,0), Sigma = matrix(c(1,0.2,0.2,1), ncol = 2), empirical = TRUE)
x1 <- out[,1]
x2 <- out[,2]
epsilon <- rnorm(1000,0,1)
y <- 1 + 1*x1 + 0.5*x2 + 1*x1*x2 + epsilon # true C = -0.5/1 = -0.5
simData <- data.frame(y=y,x1=x1,x2=x2)

# run BootC()
library(boot)
BootC(simData)
```

---

DeltaC

---

*Confidence intervals for crossover points using the delta method*


---

**Description**

Calculate confidence intervals for crossover points of two simple linear regression lines using the delta method.

**Usage**

```
DeltaC(Data, order)
```

**Arguments**

Data	a dataframe containing data values for y, x1, and x2
order	a scalar number representing the order of Delta method. 1=1st order delta method and 2=2nd order delta method

**Details**

Given a linear regression model  $y = b_0 + b_1*x_1 + b_2*x_2 + b_3*x_1*x_2$ , the crossover point of two simple regression lines can be directly calculated based on  $C = -b_2/b_3$ . The Delta method can be used to estimate the standard error of  $C = -b_2/b_3$  based on the standard errors of  $b_2$  and  $b_3$  which can be obtained from a linear regression. The function `DeltaC()` calculates the confidence intervals for  $C$  based on the standard error of  $C$  obtained from the delta method.

**Value**

LowCI	lower bound of confidence intervals for $C$ based on the delta method
UpperCI	upper bound of confidence intervals for $C$ based on the delta method

**Author(s)**

Sunbok Lee

**References**

Preacher, K. J., Rucker, D. D., & Hayes, A. F. (2007). Assessing moderated mediation hypotheses: Theory, methods, and prescriptions. *Multivariate Behavioral Research*, 42, 185-227.

Sobel, M. E. (1982). Asymptotic confidence intervals for indirect effects in structural equation models. *Sociological Methodology*, 13, 290-312.

**Examples**

```
# example data
library(MASS)
out <- mvrnorm(1000, mu = c(0,0), Sigma = matrix(c(1,0.2,0.2,1), ncol = 2), empirical = TRUE)
x1 <- out[,1]
x2 <- out[,2]
epsilon <- rnorm(1000,0,1)
y <- 1 + 1*x1 + 0.5*x2 + 1*x1*x2 + epsilon # true C = -0.5/1 = -0.5
simData <- data.frame(y=y,x1=x1,x2=x2)

# run DeltaC()
DeltaC(simData,2)
```

---

FiellerC

*Confidence intervals for crossover points using the Fieller method*

---

**Description**

Calculate confidence intervals for crossover points of two simple linear regression lines using the Fieller method.

**Usage**

`FiellerC(Data)`

**Arguments**

Data                    a dataframe containing data values for y, x1, and x2

**Details**

Fieller (1954) proposed a method for calculating the confidence interval for the ratio of two normally distributed random variables without assuming any particular form for the sampling distribution of the ratio itself. The function `FiellerC()` calculates confidence intervals for the crossover points of two simple regression lines using the Fieller method.

**Value**

LowCI                    lower bound of confidence intervals for C based on the Fieller method  
UpperCI                    upper bound of confidence intervals for C based on the Fieller method

**Author(s)**

Sunbok Lee

**References**

Fieller, E. C. (1954). Some problems in interval estimation. *Journal of the Royal Statistical Society, Series B: Methodological*, 16, 175-185.

**Examples**

```
# example data
library(MASS)
out <- mvrnorm(1000, mu = c(0,0), Sigma = matrix(c(1,0.2,0.2,1), ncol = 2), empirical = TRUE)
x1 <- out[,1]
x2 <- out[,2]
epsilon <- rnorm(1000,0,1)
y <- 1 + 1*x1 + 0.5*x2 + 1*x1*x2 + epsilon # true C = -0.5/1 = -0.5
simData <- data.frame(y=y,x1=x1,x2=x2)

# run FiellerC()
FiellerC(simData)
```

---

nonLinearC

*Confidence intervals for crossover points using non-linear regression*

---

**Description**

Calculate confidence intervals for crossover points of two simple linear regression lines using non-linear regression.

**Usage**

```
nonLinearC(Data, startingValue)
```

**Arguments**

Data	a dataframe containing data values for y, x1, and x2
startingValue	a list containing starting values for estimating parameters in non-linear regression

**Details**

For a crossover point  $C = -b_2/b_3$  of the two simple regression lines, Widaman et al. (2012) proposed to estimate C using the non-linear regression of the form  $y = A_0 + A_1*(x_1-C) + A_2*(x_1-C)*x_2$ . The function nonLinearC() estimates C using the non-linear regression and calculates the confidence intervals for C based on the standard error of C obtained from a non-linear regression.

**Value**

C_Hat	estimate of C from a non-linear regression
SE	standard error of C from a non-linear regression
LowCI	lower bound of confidence intervals for C based on a non-linear regression
UpperCI	upper bound of confidence intervals for C based on a non-linear regression

**Author(s)**

Sunbok Lee

**References**

- Aiken, L. S., & West, S. G. (1991). Multiple regression: Testing and interpreting interactions. Newbury Park, CA: Sage
- Widaman, K. F., Helm, J. L., Castro-Schilo, L., Pluess, M., Stallings, M. C., & Belsky, J. (2012). Distinguishing ordinal and disordinal interactions. Psychological Methods, 17, 615-622

**Examples**

```
# set initial values for non-linear regression
startingValue <- list(A0 = 1, B1 = 1, B2 = 1, C = 1)

# example data
library(MASS)
out <- mvrnorm(1000, mu = c(0,0), Sigma = matrix(c(1,0.2,0.2,1), ncol = 2), empirical = TRUE)
x1 <- out[,1]
x2 <- out[,2]
epsilon <- rnorm(1000,0,1)
y <- 1 + 1*x1 + 0.5*x2 + 1*x1*x2 + epsilon # true C = -0.5/1 = -0.5
simData <- data.frame(y=y,x1=x1,x2=x2)

# run nonLinearC()
nonLinearC(simData, startingValue)
```

# Index

\*Topic **\textasciitildekwd1**

BootC, [2](#)

\*Topic **\textasciitildekwd2**

BootC, [2](#)

BootC, [2](#)

crossReg (crossReg-package), [2](#)

crossReg-package, [2](#)

DeltaC, [3](#)

FiellerC, [4](#)

nonLinearC, [5](#)