

# Package ‘epr’

July 2, 2014

**Type** Package

**Title** Easy polynomial regression

**Version** 2.0

**Date** 2013-07-30

**Author** Emmanuel Arnhold

**Maintainer** Emmanuel Arnhold <emmanuelarnhold@yahoo.com.br>

**Description** The package performs analysis of polynomial regression in simple designs with quantitative treatments

**Depends** R (>= 2.13), car

**License** GPL-2

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2013-07-30 21:36:47

## R topics documented:

epr-package . . . . .	2
data1 . . . . .	3
data2 . . . . .	4
data3 . . . . .	4
data4 . . . . .	5
data5 . . . . .	6
pr1 . . . . .	6
pr2 . . . . .	7
regplot . . . . .	9

<b>Index</b>	<b>12</b>
--------------	-----------

---

epr-package

*Easy polynomial regression*

---

## Description

The package performs analysis of polynomial regression in simple designs with quantitative treatments.

## Details

Package: epr  
Type: Package  
Version: 2.0  
Date: 2013-07-30  
License: GPL-2

## Author(s)

Emmanuel Arnhold <emmanuelarnhold@yahoo.com.br>

## References

KAPS, M. and LAMBERSON, W. R. Biostatistics for Animal Science: an introductory text. 2nd Edition. CABI Publishing, Wallingford, Oxfordshire, UK, 2009. 504p.

SAMPAIO, I. B. M. Estatística aplicada a experimentação animal. 3rd Edition. Belo Horizonte: Editora FEPMVZ, Fundação de Ensino e Pesquisa em Medicina Veterinária e Zootecnia, 2010. 264p.

## Examples

```
# analysis in completely randomized design
data(data1)
r1=pr2(data1)
names(r1)
r1
r1[[1]]

# analysis in randomized block design
data(data2)
r2=pr2(data2, design=2)
r2

# analysis in latin square design
data(data3)
```

```
r3=pr2(data3, design=3)
r3

# analysis in several latin squares
data(data4)
r4=pr2(data4, design=4)
r4

# data
treatments=rep(c(0.5,1,1.5,2,2.5,3), c(3,3,3,3,3,3))
r1=rnorm(18,60,3)
r2=r1*1:18
r3=r1*18:1
r4=r1*c(c(1:10),10,10,10,10,10,10,10,10)
data6=data.frame(treatments,r1,r2,r3, r4)

# use the argument list = TRUE
pr2(data6, design=1, list=TRUE)

# graphs
regplot(data6,variable=1, poly=2)
regplot(data6,variable=2, poly=1)
regplot(data6,variable=3, poly=1)
regplot(data6,variable=4, poly=4)
regplot(data6,variable=4, poly=3)
```

---

data1

*data1: Sampaio (2010): page 134*

---

### Description

Quantitative treatments in completely randomized design.

### Usage

```
data(data1)
```

### Format

A data frame with 24 observations on the following 2 variables.

treatment a numeric vector

gain a numeric vector

### References

SAMPAIO, I. B. M. Estatística aplicada a experimentação animal. 3rd Edition. Belo Horizonte: Editora FEPMVZ, Fundação de Ensino e Pesquisa em Medicina Veterinária e Zootecnia, 2010. 264p.

**Examples**

```
data(data1)
summary(data1)
```

---

data2	<i>data2: Kaps and Lamberson (2009): page 434</i>
-------	---

---

**Description**

Quantitative treatments in randomized block design.

**Usage**

```
data(data2)
```

**Format**

A data frame with 25 observations on the following 3 variables.

```
protein_level a numeric vector
litter a factor with levels 11 12 13 14 15
feed_conversion a numeric vector
```

**References**

KAPS, M. and LAMBERSON, W. R. Biostatistics for Animal Science: an introductory text. 2nd Edition. CABI Publishing, Wallingford, Oxfordshire, UK, 2009. 504p.

**Examples**

```
data(data2)
summary(data2)
```

---

data3	<i>data3: fictional example</i>
-------	---------------------------------

---

**Description**

Quantitative treatments in latin square design.

**Usage**

```
data(data3)
```

**Format**

A data frame with 25 observations on the following 4 variables.

treatment a numeric vector

animal a factor with levels a1 a2 a3 a4 a5

period a factor with levels p1 p2 p3 p4 p5

milk\_fat a numeric vector

**Examples**

```
data(data3)
summary(data3)
```

---

data4

*data4: fictional example*

---

**Description**

Quantitative treatments in several latin squares design.

**Usage**

```
data(data4)
```

**Format**

A data frame with 50 observations on the following 5 variables.

treatment a numeric vector

square a numeric vector

animal a factor with levels a1 a2 a3 a4 a5

period a factor with levels p1 p2 p3 p4 p5

milk\_fat a numeric vector

**Examples**

```
data(data4)
summary(data4)
```

---

data5	<i>data5: fictional example</i>
-------	---------------------------------

---

**Description**

Quantitative treatments and three response variable.

**Usage**

```
data(data5)
```

**Format**

A data frame with 24 observations on the following 4 variables.

treatments a numeric vector  
 variable1 a numeric vector  
 variable2 a numeric vector  
 variable3 a numeric vector

**Examples**

```
data(data5)
summary(data5)
```

---

pr1	<i>Analysis of polynomial regression</i>
-----	--

---

**Description**

The function performs analysis of polynomial regression in simple designs with quantitative treatments. The function also performs model fits with plateaus (plateaus linear and quadratic).

**Usage**

```
pr1(data, plateau = FALSE, x.plateau = NULL)
```

**Arguments**

data	data is a data.frame The first column should contain the treatments (explanatory variable) and the remaining columns the response variables.
plateau	FALSE = function returns the linear and quadratic TRUE = function returns the linear, quadratic, linear.plateau and quadratic.plateau
x.plateau	NULL = starting value for the linear plateau will be the point of maximum (or minimum) of the quadratic equation

**Value**

Returns coefficients of the models, t test for coefficients, R squared, adjusted R squared, AIC, BIC and the maximum (or minimum) values of y and critical point of x.

**Author(s)**

Emmanuel Arnhold <emmanuelarnhold@yahoo.com.br>

**See Also**

lm, eal(easyanova package), pr2, regplot

**Examples**

```
# data
data(data5)

# linear and quadratic models
results1=pr1(data5)
results1

# including plateaus models
results2=pr1(data5, plateau=TRUE)
results2
```

---

pr2

*Analysis of polynomial regression*


---

**Description**

The function performs analysis of polynomial regression in simple designs with quantitative treatments. This function performs analysis the lack of fit .

**Usage**

```
pr2(data, design = 1, list = FALSE, type = 2)
```

**Arguments**

data	data is a data.frame data frame with two columns, treatments and response (completely randomized design) data frame with three columns, treatments, blocks and response (randomized block design) data frame with four columns, treatments, rows, cols and response (latin square design) data frame with five columns, treatments, square, rows, cols and response (several latin squares)
------	---

design	1 = completely randomized design 2 = randomized block design 3 = latin square design 4 = several latin squares
list	FALSE = a single response variable TRUE = multivariable response
type	type is form of obtain sum of squares 1 = a sequential sum of squares 2 = a partial sum of squares

**Details**

The response and the treatments must be numeric. Other variables can be numeric or factors.

**Value**

Returns analysis of variance, models, t test for coefficients and R squared and adjusted R squared.

**Author(s)**

Emmanuel Arnhold <emmanuelarnhold@yahoo.com.br>

**References**

KAPS, M. and LAMBERSON, W. R. Biostatistics for Animal Science: an introductory text. 2nd Edition. CABI Publishing, Wallingford, Oxfordshire, UK, 2009. 504p.

SAMPAIO, I. B. M. Estatística aplicada a experimentação animal. 3rd Edition. Belo Horizonte: Editora FEPMVZ, Fundação de Ensino e Pesquisa em Medicina Veterinária e Zootecnia, 2010. 264p.

**See Also**

lm, lme(package nlme), ea1(package easyanova), pr1, regplot

**Examples**

```
# analysis in completely randomized design
data(data1)
r1=pr2(data1)
names(r1)
r1
r1[[1]]

# analysis in randomized block design
data(data2)
r2=pr2(data2, design=2)
r2

# analysis in latin square design
```



```

data(data3)
r3=pr2(data3, design=3)
r3

# analysis in several latin squares
data(data4)
r4=pr2(data4, design=4)
r4

# data
treatments=rep(c(0.5,1,1.5,2,2.5,3), c(3,3,3,3,3,3))
r1=rnorm(18,60,3)
r2=r1*1:18
r3=r1*18:1
r4=r1*c(c(1:10),10,10,10,10,10,10,10,10)
data6=data.frame(treatments,r1,r2,r3, r4)

# use the argument list = TRUE
pr2(data6, design=1, list=TRUE)

# graphs
regplot(data6,variable=1, poly=2)
regplot(data6,variable=2, poly=1)
regplot(data6,variable=3, poly=1)
regplot(data6,variable=4, poly=4)
regplot(data6,variable=4, poly=3)

```

---

regplot

*Regression graphics*


---

### Description

The function generates the scatter plot with the regression equation.

### Usage

```
regplot(data, xlab = NULL, ylab = NULL, poly = 1, position = 6, colors = TRUE,
mean = TRUE, variable = 1, x.plateau = NULL)
```

### Arguments

data	data is a data.frame the first column contain the explanatory variable the others columns contain the responses variables
xlab	name of variable x
ylab	name of variable y

poly	indicates which regression plot 1 = linear (default) 2 = quadratic 3 = linear.plateau 4 = quadratic.plateau
position	position of equation in the graph top=1 bottomright=2 bottom=3 bottomleft=4 left=5 topleft=6 (default) topright=7 right=8 center=9
colors	TRUE = the line is red (default) FALSE = the line is black
mean	TRUE = scatter plots with averages (default) FALSE = scatter plots with all data
variable	1 = second column of data.frame (default) 2 = third column of data.frame see examples
x.plateau	default is NULL = starting value for the linear plateau will be the point of maximum (or minimum) of the quadratic equation

**Value**

The function generates the scatter plot with the regression equation.

**Author(s)**

Emmanuel Arnhold <emmanuelarnhold@yahoo.com.br>

**See Also**

lm, lme, eal(easyanova package), pr2, pr2, dplot(ds package)

**Examples**

```
# data
data(data5)

# first response variable
par(mfrow=c(2,2))
regplot(data5, "Variable X", "Variable Y")
```

```
regplot(data5, "Variable X", "Variable Y", poly=2)
regplot(data5, "Variable X", "Variable Y", poly=3)
regplot(data5, "Variable X", "Variable Y", poly=4)

# second response variable
par(mfrow=c(2,2))
regplot(data5, "Variable X", "Variable Y", variable=2)
regplot(data5, "Variable X", "Variable Y", variable=2, poly=2)
regplot(data5, "Variable X", "Variable Y", variable=2, poly=3)
regplot(data5, "Variable X", "Variable Y", variable=2, poly=4)

# third response variable
par(mfrow=c(2,2))
regplot(data5, variable=3, colors=FALSE, position=4, mean=FALSE)
regplot(data5, variable=3, poly=2, mean=FALSE)
regplot(data5, variable=3, poly=3, mean=FALSE)
regplot(data5, variable=3, poly=4, mean=FALSE)

# data
treatments=rep(c(0.5,1,1.5,2,2.5,3), c(3,3,3,3,3,3))
r1=rnorm(18,60,3)
r2=r1*1:18
r3=r1*18:1
r4=r1*c(c(1:10),10,10,10,10,10,10,10)
data6=data.frame(treatments,r1,r2,r3, r4)

# graphs
regplot(data6,variable=1, poly=2)
regplot(data6,variable=2, poly=1)
regplot(data6,variable=3, poly=1)
regplot(data6,variable=4, poly=4)
regplot(data6,variable=4, poly=3)
```

# Index

data1, [3](#)

data2, [4](#)

data3, [4](#)

data4, [5](#)

data5, [6](#)

epr (epr-package), [2](#)

epr-package, [2](#)

pr1, [6](#)

pr2, [7](#)

regplot, [9](#)