

Package ‘intReg’

July 2, 2014

Version 0.1-2

Date 2012-01-12

Title Interval Regression

Author Ott Toomet <otoomet@gmail.com>

Maintainer Ott Toomet <otoomet@gmail.com>

Depends R (>= 2.7.0), maxLik (>= 1.0-3), sets

Imports sets

Suggests Ecdat

Description Estimating interval regression models. Both common and observation-specific boundaries may be specified.

License GPL (>= 2)

URL <http://CRAN.R-project.org>, <http://www.sampleSelection.org>

Repository CRAN

Date/Publication 2012-01-12 09:24:36

NeedsCompilation no

R topics documented:

coef.intReg	2
intReg	3
model.frame.intReg	5
model.matrix.intReg	6

Index	8
--------------	----------

`coef.intReg`*Extract (only informative) coefficients from 'intReg' model.*

Description

Internally, the interval boundaries are treated as fixed parameters. This method extracts only the informative ones (by default), i.e. it does not return the interval boundaries.

Usage

```
## S3 method for class 'intReg'  
coef(object, boundaries = FALSE, ...)  
## S3 method for class 'intReg'  
stdEr(x, boundaries = FALSE, ...)  
## S3 method for class 'intReg'  
vcov(object, boundaries = FALSE, ...)
```

Arguments

<code>object, x</code>	object of class 'intReg', estimated interval regression model
<code>boundaries</code>	logical, whether to return (fixed) interval boundary parameters
<code>...</code>	arguments for other methods

Value

a named numeric vector, the estimated coefficients

Author(s)

Ott Toomet <otoomet@gmail.com>

See Also

[summary.intReg](#) which provides related functionality.

Examples

```
## Example of observation-specific boundaries  
## Estimate the willingness to pay for the Kakadu National Park  
## Data given in intervals -- 'lower' for lower bound and 'upper' for upper bound.  
## Note that dichotomous-coice answers are already coded to 'lower' and 'upper'  
library(Ecdat)  
data(Kakadu)  
## Estimate in log form, change 999 to Inf  
lb <- log(Kakadu$lower)  
ub <- Kakadu$upper  
ub[ub > 998] <- Inf  
ub <- log(ub)
```

```

y <- cbind(lb, ub)
m <- intReg(y ~ sex + log(income) + age + schooling +
            recparks + jobs + lowrisk + wildlife + future + aboriginal + finben +
            mineparks + moreparks + gov +
            envcon + vparks + tvenv + major, data=Kakadu)
## You may want to compare the results to Werner (1999),
## Journal of Business and Economics Statistics 17(4), pp 479-486
print(coef(m))
print(coef(m, boundaries=TRUE))

```

intReg

Interval Regression

Description

This function estimates interval regression using either common intervals for all observations, or observation-specific intervals. Normal, logistic, log-log, and Cauchy disturbances are supported.

Usage

```

intReg(formula, start, boundaries, ...,
       contrasts = NULL, Hess = FALSE, model = TRUE,
       method = c("logistic", "probit", "cloglog", "cauchit", "model.frame"), print.level = 0,
       data, subset, weights, na.action)

```

Arguments

formula	an object of class <code>"formula"</code> (or one that can be coerced to that class): a symbolic description of the model to be fitted. The left-hand-side variable must be either a factor, describing the intervals where the observations fall to, or a matrix of two columns, describing the interval boundaries for each observation. See details below, see also lm for explanation how to write formulas.
data	an optional data frame, list or environment (or object coercible by <code>'as.data.frame'</code> to a data frame) containing the variables in the model. If not found in <code>'data'</code> , the variables are taken from <code>'environment(formula)'</code> , typically the environment from which <code>'intReg'</code> is called.
weights	an optional vector of weights to be used in the fitting process. Should be <code>'NULL'</code> or a numeric vector. If non- <code>'NULL'</code> , weighted likelihood is maximized (that is, maximizing <code>'sum(w*loglik)'</code>).
start	Initial values for the optimization algorithm. if <code>'NULL'</code> , initial values are calculated based on interval means.
boundaries	Boundaries for intervals. See details.
...	further arguments to maxLik
subset	an optional logical vector specifying a subset of observations to be used in the fitting process.

na.action	a function which indicates what should happen when the data contain 'NA's. The default is set by the 'na.action' setting of sQuoteoptions, and is 'na.fail' if that is unset. The "factory-fresh" default is 'na.omit'. Another possible value is 'NULL', no action. Value 'na.exclude' can be useful.
contrasts	an optional list. See the 'contrasts.arg' of model.matrix.default .
Hess	Should Hessian of the model be returned
model	logical for whether the model matrix should be returned.
method	character, distribution of disturbances: either 'logistic', 'probit', 'cloglog' or 'cauchit'.
print.level	output of run-time information: higher level prints more.

Details

Interval regression is a form of linear regression where only intervals (i.e numeric upper and lower bounds) where the observations fall are visible of the otherwise continuous outcome variable. The current implementation assumes known distribution of the error term (default is normal) and estimates the model using Maximum Likelihood.

The intervals may be specified in two ways: either common intervals for all the observations by using argument 'boundaries', or by specifying the response as Nx2 matrix, where columns correspond to the lower- and upper bound for the individual observations. If you specify the common boundaries, you may want to give names to the components of 'boundaries'. Otherwise they will be names 'Boundary 1', 'Boundary 2' etc. These names will appear to the estimation results. For observations-specific boundaries, the names are generated automatically.

Value

Object of class 'intReg' which inherits from class 'maxLik'.

There are several methods, including [summary](#) and [coef](#), partly inherited from "maxLik" class.

Note that the boundaries are passed as fixed parameters to the maxLik estimation routine and hence returned as fixed estimates with standard errors set to zero.

Note

A lot of code is borrowed from [polr](#) from the package MASS

Author(s)

Ott Toomet <otoomet@gmail.com>

See Also

[polr](#)

Examples

```
## Example of observation-specific boundaries
## Estimate the willingness to pay for the Kakadu National Park
## Data given in intervals -- 'lower' for lower bound and 'upper' for upper bound.
## Note that dichotomous-coice answers are already coded to 'lower' and 'upper'
library(Ecdat)
data(Kakadu)
## Estimate in log form, change 999 to Inf
lb <- log(Kakadu$lower)
ub <- Kakadu$upper
ub[ub > 998] <- Inf
ub <- log(ub)
y <- cbind(lb, ub)
m <- intReg(y ~ sex + log(income) + age + schooling +
            recparks + jobs + lowrisk + wildlife + future + aboriginal + finben +
            mineparks + moreparks + gov +
            envcon + vparks + tvenv + major, data=Kakadu)
## You may want to compare the results to Werner (1999),
## Journal of Business and Economics Statistics 17(4), pp 479-486
print(summary(m))
##
## Example of common intervals for all the observations
##
library(Ecdat)
data(Bwages)
## calculate an ordinary Mincer-style wage regression. First by OLS and
## thereafter cut the wage to intervals and estimate with 'intReg'
## Note: gross hourly wage rate in EUR
ols <- lm(log(wage) ~ factor(educ) + poly(exper, 2), data=Bwages)
cat("OLS estimate:\n")
print(summary(ols))
## Now we censor the wages to intervals
intervals <- c(0, 5, 10, 15, 25, Inf)
salary <- cut(Bwages$wage, intervals)
int <- intReg(salary ~ factor(educ) + poly(exper, 2), data=Bwages, boundaries=log(intervals))
## Note: use logs for the intervals in Euros. We do not have to
## transform salaris to log form as this does not change the intervals.
## Ignore any warnings
cat("Interval regression:\n")
print(summary(int))
```

model.frame.intReg

Data used for estimating interval regression model

Description

Return the variables used for estimating an interval regression model

Usage

```
## S3 method for class 'intReg'  
model.frame( formula, ... )
```

Arguments

formula object of class intReg.
... further arguments passed to other methods (e.g. [model.frame](#)).

Value

A data.frame containing all variables used for the estimation.

The response variable is given as a factor (in case of common boundaries) or as two numeric vectors, corresponding to the lower- and upper boundary for each observation.

Author(s)

Arne Henningsen, Ott Toomet <otoomet@ut.ee>

See Also

[intReg](#), and [model.frame](#)

model.matrix.intReg *Design Matrix of Interval Regression Models*

Description

Create design matrix of interval regression models

Usage

```
## S3 method for class 'intReg'  
model.matrix( object, ... )
```

Arguments

object object of class intReg.
... currently not used.

Value

The design matrix of interval regression models.

Author(s)

Arne Henningsen, Ott Toomet <otoomet@ut.ee>

model.matrix.intReg

7

See Also

[intReg](#), [model.matrix](#), and [model.frame.intReg](#)

Index

*Topic **methods**

- coef.intReg, 2
- model.frame.intReg, 5
- model.matrix.intReg, 6

*Topic **models**

- intReg, 3

*Topic **regression**

- intReg, 3

coef, 4

coef.intReg, 2

intReg, 3, 6, 7

lm, 3

maxLik, 3

model.frame, 6

model.frame.intReg, 5, 7

model.matrix, 7

model.matrix.default, 4

model.matrix.intReg, 6

polr, 4

print.coef.intReg (coef.intReg), 2

print.intReg (intReg), 3

print.summary.intReg (intReg), 3

stdEr.intReg (coef.intReg), 2

summary, 4

summary.intReg, 2

summary.intReg (intReg), 3

vcov.intReg (coef.intReg), 2