

Package ‘multigroup’

September 14, 2014

Type Package

Title methods for multigroup data analysis

Version 0.4.2

Date 2014-09-02

Author Aida Eslami, El Mostafa Qannari, Stephanie Bougeard, Gaston Sanchez
Questions and comments go to Aida Eslami <aida.eslami@yahoo.fr> and
Stephanie Bougeard <stephanie.bougeard@anses.fr>

Maintainer Aida Eslami <aida.eslami@yahoo.fr>

Depends R (>= 2.15.0)

Imports MASS

Description This package includes several methods to study multi-
group data, where the same set of variables are measured on different groups of
individuals.

License GPL-3

NeedsCompilation no

Repository CRAN

Date/Publication 2014-09-14 15:30:37

R topics documented:

BGC	2
DCCSWA	3
DGPA	4
DSTATIS	6
FCPCA	7
loadingsplot	8
loadingsplotXY	9

mbmgPCA	9
mgPCA	11
mgPLS	13
multigroup	15
oliveoil	15
plot.mg	16
scoreplot	17
summarize	17
TBWvariance	18
wine	19

Index	20
--------------	-----------

BGC	<i>Between Group Comparison</i>
-----	---------------------------------

Description

Between Group Comparison (BGC)

Usage

```
BGC(Data, Group, numc = NULL, ncomp = NULL, Scale = FALSE,
     graph = FALSE)
```

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure
numc	number of components associated with PCA on each group
ncomp	number of components, if NULL number of components is equal to 2
Scale	scaling variables, by default is FALSE. By default data are centered within groups
graph	should loading and component be plotted

Value

list with the following results:

Data	Original data
Con.Data	Concatenated centered data
split.Data	Group centered data
Group	Group as a factor vector
loadings.common	Matrix of common loadings
lambda	The specific variances of groups
exp.var	Percentages of total variance recovered associated with each dimension

References

W. J. Krzanowski (1979). Between-groups comparison of principal components, *Journal of the American Statistical Association*, 74, 703-707.

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). General overview of methods of analysis of multi-group datasets, *Revue des Nouvelles Technologies de l'Information*, 25, 108-123.

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). Analyses factorielles de donnees structurees en groupes d'individus, *Journal de la Societe Francaise de Statistique*, 154(3), 44-57.

See Also

[mgPCA](#), [FCPCA](#), [DCCSWA](#), [DSTATIS](#), [DGPA](#), [summarize](#), [TBWvariance](#), [loadingsplot](#), [scoreplot](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.BGC = BGC(Data, Group, graph=TRUE)
loadingsplot(res.BGC, axes=c(1,2))
scoreplot(res.BGC, axes=c(1,2))
```

DCCSWA

Dual Common Component and Specific Weights Analysis

Description

Dual Common Component and Specific Weights Analysis: to find common structure among variables of different groups

Usage

```
DCCSWA(Data, Group, ncomp = NULL, Scale = FALSE, graph = FALSE)
```

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure
ncomp	number of components, if NULL number of components is equal to 2
Scale	scaling variables, by default is FALSE. By default data are centered within groups
graph	should loading and component be plotted

Value

list with the following results:

Data	Original data
Con.Data	Concatenated centered data
split.Data	Group centered data
Group	Group as a factor vector
loadings.common	Matrix of common loadings
saliences	Each group having a specific contribution to the determination of this common space, namely the salience, for each dimension under study
lambda	The specific variances of groups
exp.var	Percentages of total variance recovered associated with each dimension

References

E. M. Qannari, P. Courcoux, and E. Vigneau (2001). Common components and specific weights analysis performed on preference data. *Food Quality and Preference*, 12(5-7), 365-368.

A. Eslami (2013). Multivariate data analysis of multi-group datasets: application to biology. University of Rennes I.

See Also

[mgPCA](#), [FCPCA](#), [BGC](#), [DSTATIS](#), [DGPA](#), [summarize](#), [TBWvariance](#), [loadingsplot](#), [scoreplot](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.DCCSWA = DCCSWA(Data, Group, graph=TRUE)
loadingsplot(res.DCCSWA, axes=c(1,2))
scoreplot(res.DCCSWA, axes=c(1,2))
```

 DGPA

Dual Generalized Procrustes Analysis

Description

Dual Generalized Procrustes Analysis to study multigroup data

Usage

```
DGPA(Data, Group, ncomp = NULL, Scale = FALSE, graph = FALSE)
```

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure
ncomp	number of components, if NULL number of components is equal to 2
Scale	scaling variables, by default is FALSE. By default data are centered within groups
graph	should loading and component be plotted

Value

list with the following results:

Data	Original data
Con.Data	Concatenated centered data
split.Data	Group centered data
Group	Group as a factor vector
loadings.common	Matrix of common loadings
lambda	The specific variances of groups
exp.var	Percentages of total variance recovered associated with each dimension

References

J. Gower (1975). Generalized procrustes analysis. *Psychometrika*, 40(1), 3-51.

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). General overview of methods of analysis of multi-group datasets, *Revue des Nouvelles Technologies de l'Information*, 25, 108-123.

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). Analyses factorielles de donnees structurees en groupes d'individus, *Journal de la Societe Francaise de Statistique*, 154(3), 44-57.

See Also

[mgPCA](#), [FCPCA](#), [DCCSWA](#), [DSTATIS](#), [BGC](#), [summarize](#), [TBWvariance](#), [loadingsplot](#), [scoreplot](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.DGPA = DGPA(Data, Group, graph=TRUE)
loadingsplot(res.DGPA, axes=c(1,2))
scoreplot(res.DGPA, axes=c(1,2))
```

DSTATIS

Dual STATIS

Description

Dual STATIS

Usage

DSTATIS(Data, Group, ncomp = NULL, Scale = FALSE, graph = FALSE)

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure
ncomp	number of components, if NULL number of components is equal to 2
Scale	scaling variables, by default is False. By default data are centered within groups.
graph	should loading and component be plotted

Value

list with the following results:

Data	original data
Con.Data	Concatenated centered data
split.Data	Group centered data
Group	Group as a factor vector
RV	The RV coefficient matrix
weights	Vector of weights
compromise.matrix	Compromise variance-covariance matrix
loadings.common	Matrix of common loadings
lambda	The specific variances of group

References

- C. Lavit (1988). *Analyse conjointe de tableaux quantitatifs*. Masson.
- C. Lavit, Y. Escoufier, R. Sabatier and P. Traissac (1994). The ACT (STATIS method). *Computational Statistics & Data Analysis*, 18, 97-117.
- A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). General overview of methods of analysis of multi-group datasets, *Revue des Nouvelles Technologies de l'Information*, 25, 108-123.

See Also

[mgPCA](#), [FCPCA](#), [DCCSWA](#), [BGC](#), [DGPA](#), [summarize](#), [TBWvariance](#), [loadingsplot](#), [scoreplot](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.DSTATIS = DSTATIS(Data, Group, graph=TRUE)
loadingsplot(res.DSTATIS, axes=c(1,2))
scoreplot(res.DSTATIS, axes=c(1,2))
```

FCPCA

Flury's Common Principal Component Analysis

Description

Common principal component Analysis

Usage

```
FCPCA(Data, Group, Scale = FALSE, graph = FALSE)
```

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure
Scale	scaling variables, by default is False. By default data are centered within groups.
graph	should loading and component be plotted

Value

list with the following results:

Data	Original data
Con.Data	Concatenated centered data
split.Data	Group centered data
Group	Group as a factor vector
loadings.common	Matrix of common loadings
lambda	The specific variances of group
exp.var	Percentages of total variance recovered associated with each dimension

References

B. N. Flury (1984). Common principal components in k groups. *Journal of the American Statistical Association*, 79, 892-898.

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). General overview of methods of analysis of multi-group datasets, *Revue des Nouvelles Technologies de l'Information*, 25, 108-123.

See Also

[mgPCA](#), [DGPA](#), [DCCSWA](#), [DSTATIS](#), [BGC](#), [summarize](#), [TBWvariance](#), [loadingsplot](#), [scoreplot](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.FCPCA = FCPCA(Data, Group, graph=TRUE)
loadingsplot(res.FCPCA, axes=c(1,2))
scoreplot(res.FCPCA, axes=c(1,2))
```

loadingsplot	<i>loadings plot</i>
--------------	----------------------

Description

plots of variables (loadings)

Usage

```
loadingsplot(x, axes = c(1, 2), INERTIE = NULL, cex = NULL,
font.lab = NULL)
```

Arguments

x	results of the proposed multigroup methods in the package
axes	a vector of two selected components
INERTIE	if there is information about inertia
cex	character expansion for text by default .85
font.lab	type of font by default 3

Value

loadings plot

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.mgPCA = mgPCA (Data, Group, graph=TRUE)
loadingsplot(res.mgPCA, axes=c(1,2))
```

loadingsplotXY	<i>loadings plot of X and Y</i>
----------------	---------------------------------

Description

plots of variables (loadings)

Usage

```
loadingsplotXY(X, Y, axes = c(1, 2), INERTIE = NULL, cex = NULL,
  font.lab = NULL)
```

Arguments

X	common loadings associated with X
Y	common loadings associated with Y
axes	a vector of two selected components
INERTIE	if there is information about inertia
cex	character expansion for text by default .85
font.lab	type of font by default 3

Value

loadings plot

Examples

```
data(oliveoil)
DataX = oliveoil[,2:6]
DataY = oliveoil[,7:12]
Group = as.factor(oliveoil[,1])
res.mgPLS = mgPLS (DataX, DataY, Group)
X=res.mgPLS$loadings.commo$X; Y=res.mgPLS$loadings.commo$Y
loadingsplotXY(X, Y, axes=c(1,2), INERTIE=noncumper.inertiglobal)
```

mbmgPCA	<i>multiblock and multigroup PCA</i>
---------	--------------------------------------

Description

multiblock and multigroup PCA (mbmgPCA)

Usage

```
mbmgPCA(Data, Group, nBlock, Block.name = NULL, ncomp = NULL,
        niter = NULL, ScaleGroup = FALSE, ScaleDataA = FALSE,
        ScaleDataB = FALSE, norm = FALSE)
```

Arguments

Data	a numeric (quantitative) matrix or data frame
Group	a vector of factors associated with group structure
nBlock	a vector of number of variables in each block
Block.name	vector of name of blocks
ncomp	number of components, if NULL number of components is equal to $\min(\text{rank}(\text{Data}), M-1)$
niter	number of iteration, if NULL number of iteration is equal to 10
ScaleGroup	scaling variables in each group and block, by default is FALSE
ScaleDataA	scaling variables in each block after group preprocessing, by default is FALSE
ScaleDataB	scaling variables in each block before group preprocessing, by default is FALSE
norm	normalize each block, by default is FALSE

Value

list with the following results:

K.Data	Block data
concat.Data	Concatenated data
concat.block.Data	Block concatenated data
res.iter	Result of iteration
CRIT.h	Maximization criterion for each dimension
CRIT	Maximization criterion
crit.group	Maximization criterion associated with each group
crit.block	Maximization criterion associated with each block
omega	Weight of each block in construction of common scores
block.common.loading	Common loadings for each block
block.group.loadings	Partial loadings for each block and group
similarity	Similarity among common and partial loadings for each block
global.scores	Global scores among blocks
block.scores	Scores for each block
block.group.scores	Scores for each block and group

`block.scores` Scores for each block
`global.expvar` Global explained variance
`cum.exp.var.block.group`
 Cumulative explained variance for each block and group

References

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard, Under Review. Multivariate data analysis of multi-groups datasets. Application to sensory analysis, *Chemolab*, 25, 108-123.

See Also

[mgPCA](#)

Examples

```

data(wine)
Select=c(which(wine[,2]=="Env1"),which(wine[,2]=="Env2"),which(wine[,2]=="Reference"))
WineData = wine[Select,-c(1,2)]
Group <- as.factor(c(rep("Env1",7), rep("Env2",5), rep("Reference",7)))
nBlock <- c(5, 3, 10, 9)
BlockNames <- c("Olfaction at rest", "Vision", "Olfaction after shaking", "Taste")
res = mbmgPCA(Data = WineData, Group, nBlock , ncomp=5)
  
```

mgPCA

Multigroup Principal Component Analysis

Description

Multigroup PCA algorithm (NIPALS for Multigroup PCA)

Usage

```
mgPCA(Data, Group, ncomp = NULL, Scale = FALSE, graph = FALSE)
```

Arguments

`Data` a numeric matrix or data frame
`Group` a vector of factors associated with group structure
`ncomp` number of components, if NULL number of components is equal to 2
`Scale` scaling variables, by default is FALSE. By default data are centered within groups
`graph` should loading and component be plotted

Value

list with the following results:

Data	Original data
Con.Data	Concatenated centered data
split.Data	Group centered data
Group	Group as a factor vector
loadings.group	Loadings associated with each group
score.group	Scores associated with each group
loadings.common	Matrix of common loadings
score.Global	Global scores
cumper.inertigroup	Cumulative percentage of group components inertia
cumper.inertiglobal	Cumulative percentage of global component inertia
noncumper.inertiglobal	Percentage of global component inertia
lambda	The specific variances of groups
exp.var	Percentages of total variance recovered associated with each dimension
Similarity.Common.Group.load	Cumulative similarity between group and common loadings
Similarity.noncum.Common.Group.load	NonCumulative similarity between group and common loadings

References

- A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). General overview of methods of analysis of multi-group datasets, *Revue des Nouvelles Technologies de l'Information*, 25, 108-123.
- A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). Analyses factorielles de données structurées en groupes d'individus, *Journal de la Société Française de Statistique*, 154(3), 44-57.

See Also

[BGC](#), [FCPCA](#), [DCCSWA](#), [DSTATIS](#), [DGPA](#), [summarize](#), [TBWvariance](#), [loadingsplot](#), [scoreplot](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.mgPCA = mgPCA (Data, Group)
barplot(res.mgPCA$noncumper.inertiglobal)
#-----
#Similarity index: group loadings are compared to the common structure (first dimension)
Xzero = rep(0, 3)
MIN = min(res.mgPCA$Similarity.noncum.Common.Group.load[[1]][-1, 1])-0.0005
```

```

XLAB = paste("Dim1, %",res.mgPCA$noncumper.inertiglobal[1])
plot(Xzero, res.mgPCA$Similarity.noncum.Common.Group.load[[1]][-1, 1], pch=15, ylim=c(MIN, 1),
main="Similarity between groups and common structure", xlab=XLAB, ylab="", xaxt="n")
abline(v=0)
abline(h=seq(MIN, 1, by=0.05), col="black", lty=3)
XX=res.mgPCA$Similarity.noncum.Common.Group.load[[1]][-1, 1, drop=FALSE]
text(Xzero, XX, labels=rownames(XX), pos=4)
#-----
# Similarity index: group loadings are compared to the common structure (dimensions 1 and 2)
XX1=res.mgPCA$Similarity.noncum.Common.Group.load[[1]][-1, 1]
XX2=res.mgPCA$Similarity.noncum.Common.Group.load[[2]][-1, 1]
simil <- cbind(XX1, XX2)
YLAB = paste("Dim1, %",res.mgPCA$noncumper.inertiglobal[2])
plot(simil, xlab=XLAB, ylab=YLAB, main="Similarity between groups and common structure", pch=20)
text(simil, labels=rownames(simil), cex=1, font.lab=1, pos=3)
#-----
loadingsplot(res.mgPCA, axes=c(1,2), INERTIE=res.mgPCA$noncumper.inertiglobal)
scoreplot(res.mgPCA, axes=c(1,2))

```

mgPLS

*Multigroup Partial Least Squares Regression***Description**

Multigroup PLS regression

Usage

```
mgPLS(DataX, DataY, Group, ncomp = NULL, Scale = FALSE, Gcenter = FALSE,
      Gscale = FALSE)
```

Arguments

DataX	a numeric matrix or data frame associated with independent dataset
DataY	a numeric matrix or data frame associated with dependent dataset
Group	a vector of factors associated with group structure
ncomp	number of components, if NULL number of components is equal to 2
Scale	scaling variables, by default is FALSE. By default data are centered within groups
Gcenter	global variables centering, by default is FALSE.
Gscale	global variables scaling, by default is FALSE.

Value

list with the following results:

DataXm	Group X data
DataYm	Group Y data

Concat.X	Concatenated X data
Concat.Y	Concatenated Y data
coefficients	Coefficients associated with X data
coefficients.Y	Coefficients associated with regressing Y on Global components X
Components.Global	Concatenated Components for X and Y
Components.Group	Components associated with groups in X and Y
loadings.common	Common vector of loadings for X and Y
loadings.Group	Group vector of loadings for X and Y
expvar	Explained variance associated with global components X
cum.expvar.Group	Cumulative explained variance in groups of X and Y
Similarity.Common.Group.load	Cumulative similarity between group and common loadings
Similarity.noncum.Common.Group.load	NonCumulative similarity between group and common loadings

References

- A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). Multi-group PLS regressMathematics and Statistics, Springer Proceedings (ed), *New Perspectives in Partial Least Squares and Related Methods*, 56, 243-255.
- A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2014). Algorithms for multi-group PLS. *Journal of Chemometrics*, 28(3), 192-201.

See Also

[mgPCA](#), [mbmgPCA](#)

Examples

```
data(oliveoil)
DataX = oliveoil[,2:6]
DataY = oliveoil[,7:12]
Group = as.factor(oliveoil[,1])
res.mgPLS = mgPLS (DataX, DataY, Group)
barplot(res.mgPLS$noncumper.inertiglobal)
#----- Regression coefficients
#res.mgPLS$coefficients[[2]]
#----- Similarity index: group loadings are compared to the common structure (in X and Y spaces)
XX1= res.mgPLS$Similarity.noncum.Common.Group.load$X[[1]][-1, 1, drop=FALSE]
XX2=res.mgPLS$Similarity.noncum.Common.Group.load$X[[2]][-1, 1, drop=FALSE]
simX <- cbind(XX1, XX2)
YY1=res.mgPLS$Similarity.noncum.Common.Group.load$Y[[1]][-1, 1, drop=FALSE]
YY2=res.mgPLS$Similarity.noncum.Common.Group.load$Y[[2]][-1, 1, drop=FALSE]
```

```

simY <- cbind(YY1,YY2)
XLAB = paste("Dim1, %",res.mgPLS$noncumper.inertiglobal[1])
YLAB = paste("Dim1, %",res.mgPLS$noncumper.inertiglobal[2])
plot(simX[, 1], simX[, 2], pch=15, xlim=c(0, 1), ylim=c(0, 1), main="Similarity indices in X space",
      xlab=XLAB, ylab=YLAB)
abline(h=seq(0, 1, by=0.2), col="black", lty=3)
text(simX[, 1], simX[, 2], labels=rownames(simX), pos=2)
plot(simY[, 1], simY[, 2], pch=15, xlim=c(0, 1), ylim=c(0, 1), main="Similarity indices in Y space",
      xlab=XLAB, ylab=YLAB)
abline(h=seq(0, 1, by=0.2), col="black", lty=3)
text(simY[, 1], simY[, 2], labels=rownames(simY), pos=2)

```

multigroup

multigroup: methods for multigroup data analysis

Description

This package includes several methods to study multigroup data, where the same set of variables are measured on different groups of individuals.

Some Functions

multigroup provides a set of functions for multigroup analysis:

- [BGC](#): Between Group Comparison
- [DCCSWA](#): Dual Common Component and Specific Weights Analysis
- [DGPA](#): Dual Generalized Procrustes Analysis
- [DSTATIS](#): Dual STATIS
- [FCPCA](#): Flury's Common Principal Component Analysis
- [mgPCA](#): Multigroup Principal Component Analysis
- [mgPLS](#): Multigroup Partial Least Squares Regression
- [mbmgPCA](#): Multiblock and multigroup PCA

oliveoil

Sensory and physico-chemical data of olive oils

Description

A data set with scores on 6 attributes from a sensory panel and measurements of 5 physico-chemical quality parameters on 16 olive oil samples. The first five oils are Greek, the next five are Italian and the last six are Spanish (Package pls).

Usage

```
data(oliveoil)
```

Format

A data frame with 16 observations on the following 2 variables. sensory a matrix with 6 columns. Scores for attributes yellow, green, brown, glossy, transp, and syrup. chemical a matrix with 5 columns. Measurements of acidity, peroxide, K232, K270, and DK (Package pls).

Source

Package pls

plot.mg

Plots for multigroup objects

Description

plots of variables (loadings) and individuals (scores) if TRUE

Usage

```
## S3 method for class 'mg'  
plot(x, axes = c(1, 2), cex = NULL, font.lab = NULL, ...)
```

Arguments

x	results of multigroup method in the package
axes	by default the first two components
cex	character expansion for text by default .85
font.lab	type of font by default 3
...	Further arguments are ignored

Value

loadings and scores plots

scoreplot	<i>Score plot for multigroup data</i>
-----------	---------------------------------------

Description

plots of individuals

Usage

```
scoreplot(x, axes = c(1, 2), cex = NULL, font.lab = NULL)
```

Arguments

x	results of the proposed multigroup methods in the package
axes	a vector of two selected components
cex	character expansion for text by default .85
font.lab	type of font by default 3

Value

score plot

Examples

```
Data = iris[,-5]
Group = iris[,5]
res.mgPCA = mgPCA (Data, Group, graph=TRUE)
scoreplot(res.mgPCA, axes=c(1,2))
```

summarize	<i>Summary</i>
-----------	----------------

Description

Summary of multigroup data in global and group parts

Usage

```
summarize(Data, Group)
```

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure

Value

list with the following results:

```
Global.summary  summary of globala data
Group.summary   summary of group datasets
mean.between.data
                 matrix of Group mean
mean.within.data
                 matrix of group centered data
```

See Also

[mgPCA](#), [DGPA](#), [DCCSWA](#), [DSTATIS](#), [BGC](#), [TBWvariance](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res = summarize(Data, Group)
```

TBWvariance	<i>Total, within- and between-group variances</i>
-------------	---

Description

Calculation of total, within- and between-group variance-covariance matrices

Usage

```
TBWvariance(Data, Group)
```

Arguments

Data	a numeric matrix or data frame
Group	a vector of factors associated with group structure

Value

list with the following results:

```
Within.Var      within-group variance-covariance matrix
Between.Var     between-group variance-covariance matrix
Total.Var       total variance-covariance matrix
Btween.per      Within-group variance percentage
Btween.per      Between-group variance percentage
```

References

A. Eslami, E. M. Qannari, A. Kohler and S. Bougeard (2013). General overview of methods of analysis of multi-group datasets, *Revue des Nouvelles Technologies de l'Information*, 25, 108-123.

See Also

[mgPCA](#), [DGPA](#), [DCCSWA](#), [DSTATIS](#), [BGC](#), [summarize](#), [iris](#)

Examples

```
Data = iris[,-5]
Group = iris[,5]
res = TBWvariance(Data, Group)
```

wine

Wine data

Description

The data used here refer to 21 wines of Val de Loire.

Usage

```
data(wine)
```

Format

A data frame with 21 rows (the number of wines) and 31 columns: the first column corresponds to the label of origin, the second column corresponds to the soil, and the others correspond to sensory descriptors.

Source

Centre de recherche INRA d'Angers, Package FactoMineR

Index

*Topic **datasets**

oliveoil, [15](#)

wine, [19](#)

BGC, [2](#), [4](#), [5](#), [7](#), [8](#), [12](#), [15](#), [18](#), [19](#)

DCCSWA, [3](#), [3](#), [5](#), [7](#), [8](#), [12](#), [15](#), [18](#), [19](#)

DGPA, [3](#), [4](#), [4](#), [7](#), [8](#), [12](#), [15](#), [18](#), [19](#)

DSTATIS, [3–5](#), [6](#), [8](#), [12](#), [15](#), [18](#), [19](#)

FCPCA, [3–5](#), [7](#), [7](#), [12](#), [15](#)

iris, [3–5](#), [7](#), [8](#), [12](#), [18](#), [19](#)

loadingsplot, [3–5](#), [7](#), [8](#), [8](#), [12](#)

loadingsplotXY, [9](#)

mbmgPCA, [9](#), [14](#), [15](#)

mgPCA, [3–5](#), [7](#), [8](#), [11](#), [11](#), [14](#), [15](#), [18](#), [19](#)

mgPLS, [13](#), [15](#)

multigroup, [15](#)

multigroup-package (multigroup), [15](#)

oliveoil, [15](#)

plot.mg, [16](#)

scoreplot, [3–5](#), [7](#), [8](#), [12](#), [17](#)

summarize, [3–5](#), [7](#), [8](#), [12](#), [17](#), [19](#)

TBWvariance, [3–5](#), [7](#), [8](#), [12](#), [18](#), [18](#)

wine, [19](#)