

Package ‘pkgmaker’

July 2, 2014

Type Package

Title Package development utilities

Version 0.22

Date 2013-09-17

Author Renaud Gaujoux

Maintainer Renaud Gaujoux <renaud@tx.technion.ac.il>

Description This package provides some low-level utilities to use for package development. It currently provides managers for multiple package specific options and registries, vignette, unit test and bibtex related utilities. It serves as a base package for packages like NMF, RcppOctave, doRNG, and as an incubator package for other general purposes utilities, that will eventually be packaged separately. It is still under heavy development and changes in the interface(s) are more than likely to happen.

License GPL (>= 2)

URL <https://renozao.github.io/pkgmaker>

BugReports <http://github.com/renozao/pkgmaker/issues>

SCM github:renozao, r-forge

LazyLoad yes

Depends R (>= 3.0.0), stats, registry

Imports methods, tools, codetools, digest, stringr, xtable, grDevices

Suggests devtools (>= 0.8), bibtex, RUnit, testthat, knitr, ReportingTools, hwriter, argparse

Collate 'utils.R' 'logging.R' 'unitTests.R' 'data.R' 'namespace.R'
'devutils.R' 'package.R' 'options.R' 'is.R' 'registry.R' 'bibtex.R' 'packages.R' 'vignette.R' 'files.R'
'package-extra.R' 'colors.R' 'graphics.R' 'rd.R' 'project.R' 'CLI.R' 'knitr.R' 'repositories.R'

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2014-05-14 16:18:51

R topics documented:

addnames	3
addToLogger	4
add_lib	5
alphacol	6
cgetAnywhere	6
checkWarning	7
citecmd	7
CLIArgumentParser	8
compile_src	9
exitCheck	9
expand_list	10
ExposeAttribute	12
extractLocalFun	13
file_extension	13
getLoadingNamespace	14
graphics-utils	15
hasArg2	15
hasEnvar	16
install.dependencies	16
inSweave	17
isCRANcheck	18
isManualVignette	19
is_something	21
knit_ex	22
latex_preamble	25
list.libs	26
makeFakeVignette	27
makeUnitVignette	27
mkoptions	28
new2	29
oneoffVariable	29
onLoad	30
option_symlink	31
orderVersion	32
packageCLI	33
packageData	34
packageDependencies	35
packageEnv	35
packageReference	37
packageReferenceFile	38

packageRegistry	38
packageTestEnv	40
parsePackageCitation	40
pkgmaker-defunct	41
postponeAction	41
quickinstall	42
R.exec	43
RdSection2latex	43
regfetch	44
require.quiet	45
requirePackage	45
requireRUnit	46
Rversion	46
setBiocMirror	47
setClassRegistry	48
setPackageExtraHandler	48
setupPackageOptions	49
simpleRegistry	50
source_files	51
str_diff	51
str_out	52
sVariable	54
Sys.getenv_value	54
testRversion	55
unit.test	56
userIs	57
utest	57
utestFramework	58
utestPath	59
write.pkgbib	59
writeUnitVignette	60
write_PACKAGES_index	61
Index	62

 addnames

Generating Names

Description

Generates names or dimnames for objects.

Usage

```

addnames(x, ...)

## Default S3 method:
addnames(x, ...)

## S3 method for class 'vector'
addnames(x, prefix = "x", sep = "",
  ...)

## S3 method for class 'array'
addnames(x,
  prefix = letters[1:length(dim(x))], sep = "", ...)

## S3 method for class 'matrix'
addnames(x, prefix = c("row", "col"),
  ...)

```

Arguments

x	object whose names are generated.
prefix	prefix string to use. A vector can be used to specify a prefix for each dimension of x. Names are build as <prefix><sep><index>.
sep	separator used between the prefix and the numeric index.
...	extra arguments to allow extension and passed to the next method.

 addToLogger

Enhancing RUnit Logger

Description

Adds a function or a local variable to RUnit global logger.

Usage

```
addToLogger(name, value, logger = NULL)
```

Arguments

name	name of the function or variable to add
value	object to append to the logger. If value is a function it is added to the list and is accessible via <code>.testLogger\$name</code> . If value is a variable it is added to the local environment and is therefore accessible in all logging functions.
logger	an optional RUnit logger object. If missing or NULL, the object <code>.testLogger</code> is searched in <code>.GlobalEnv</code> – and an error is thrown if it does not exist.

Value

the modified logger object. Note that the global object is also modified if logger is NULL.

add_lib	<i>Adding Package Libraries</i>
---------	---------------------------------

Description

Prepend/append paths to the library path list, using `.libPaths`.

Usage

```
add_lib(..., append = FALSE)
```

Arguments

... paths to add to `.libPath`
append logical that indicates that the paths should be appended rather than prepended.

Details

This function is meant to be more convenient than `.libPaths`, which requires more writing if one wants to:

- sequentially add libraries;
- append and not prepend new path(s);
- keep the standard user library in the search path.

Examples

```
ol <- .libPaths()
# called sequentially, .libPaths only add the last library
show( .libPaths('.') )
show( .libPaths(tempdir()) )
# restore
.libPaths(ol)

# .libPaths does not keep the standard user library
show( .libPaths() )
show( .libPaths('.') )
# restore
.libPaths(ol)

# with add_lib
show( add_lib('.') )
show( add_lib(tempdir()) )
```

```
show( add_lib('..', append=TRUE) )

# restore
.libPaths(ol)
```

alphacol *Colour utilities*

Description

alphacol adds an alpha value to a colour specification and convert to a hexadecimal colour string.

Usage

```
alphacol(col, alpha = FALSE)
```

Arguments

col	vector of any of the three kinds of R color specifications, i.e., either a color name (as listed by <code>colors()</code>), a hexadecimal string of the form "#rrggbb" or "#rrggbbaa" (see <code>rgb</code>), or a positive integer <code>i</code> meaning <code>palette()[i]</code> .
alpha	logical value indicating whether the alpha channel (opacity) values should be returned.

Examples

```
# Alphas
alphacol('red') # do nothing
alphacol('red', 10)
alphacol('#aabbcc', 5)
alphacol(4, 5)
```

cgetAnywhere *Get Anywhere*

Description

Similar to `getAnywhere`, but looks for the value of its argument.

Usage

```
cgetAnywhere(x)
```

Arguments

x	a single character string
---	---------------------------

checkWarning	<i>Extra Check Functions for RUnit</i>
--------------	--

Description

checkWarning checks if a warning is generated by an expression, and optionally follows an expected regular expression pattern.

Usage

```
checkWarning(expr, expected = TRUE, msg = NULL)
```

Arguments

expr	an R expression
expected	expected value as regular expression pattern. If a logical, then it specifies if a warning is expected or not. For backward compatibility, a NULL value is equivalent to TRUE.
msg	informative message to add to the error in case of failure

Examples

```
# check warnings
checkWarning({ warning('ah ah'); 3})
checkWarning({ warning('ah oh ah'); 3}, 'oh')
try( checkWarning(3) )
try( checkWarning({ warning('ah ah'); 3}, 'warn you') )
```

citecmd	<i>Citing Package References</i>
---------	----------------------------------

Description

Create a citation command from package specific BibTeX entries, suitable to be used in Rd files or Latex documents. The entries are looked in a file named REFERENCES.bib in the package's root directory (i.e. inst/ in development mode).

Usage

```
citecmd(key, ..., REFERENCES = NULL)
```

Arguments

key	character vector of BibTeX keys
...	extra arguments passed to <code>format.bibentry</code> .
REFERENCES	package or bibentry specification

Value

a character string containing the text formatted BibTeX entries

CLIArgumentParser *Enhanced Command Line Argument Parser*

Description

Extends the capabilities of package **argparse**, e.g., in defining sub commands.

`parseCMD` parse command line arguments for sub-commands, and dispatch to the associated function.

Usage

```
CLIArgumentParser(prog = CLIfile(), description = "",
  ..., epilog = "", show.defaults = TRUE)

parseCMD(parser, ARGS = commandArgs(TRUE), debug = FALSE,
  envir = parent.frame())
```

Arguments

prog	program name
description	program description
...	extra arguments passed to ArgumentParser .
epilog	epilog messages to display at the end of the man pages
show.defaults	logical that indicates if default argument values should be displayed.
parser	parser object as returned by <code>CLIArgumentParser</code> .
ARGS	command line argument to parse, as a named list or a character string.
debug	logical that indicate if debugging information should be printed.
envir	environment that contains where the sub-command functions are looked for.

compile_src	<i>Compile Source Files from a Development Package</i>
-------------	--

Description

Compile Source Files from a Development Package

Usage

```
compile_src(pkg = NULL, load = TRUE)
```

Arguments

pkg	the name of the package to compile
load	a logical indicating whether the compiled library should be loaded after the compilation (default) or not.

Value

None

exitCheck	<i>Exit Error Checks</i>
-----------	--------------------------

Description

exitCheck provides a mechanism to distinguish the exit status in [on.exit](#) expressions.

Usage

```
exitCheck()
```

Details

It generates a function that is used within a function's body to "flag" normal exits and in its [on.exit](#) expression to check the exit status of a function. Note that it will correctly detect errors only if all normal exit are wrapped into a call to it.

Examples

```
# define some function
f <- function(err){

  # initialise an error checker
  success <- exitCheck()

  # do something on exit that depends on the error status
  on.exit({
    if(success()) cat("Exit with no error: do nothing\n")
    else cat("Exit with error: cleaning up the mess ...\n")
  })

  # throw an error here
  if( err ) stop('There is an error')

  success(1+1)
}

# without error
f(FALSE)
# with error
try( f(TRUE) )
```

expand_list

Expanding Lists

Description

expand_list expands a named list with a given set of default items, if these are not already in the list, partially matching their names.

expand_dots expands the ... arguments of the function in which it is called with default values, using expand_list. It can **only** be called from inside a function.

Usage

```
expand_list(x, ..., .exact = TRUE, .names = !.exact)
```

```
expand_dots(..., .exclude = NULL)
```

Arguments

x	input list
...	extra named arguments defining the default items. A list of default values can also be passed as a single unnamed argument.

.exact	logical that indicates if the names in x should be partially matched against the defaults.
.names	logical that only used when .exact=FALSE and indicates that the names of items in x that partially match some defaults should be expanded in the returned list.
.exclude	optional character vector of argument names to exclude from expansion.

Value

a list

Examples

```
#-----
# expand_list
#-----
expand_list(list(a=1, b=2), c=3)
expand_list(list(a=1, b=2, c=4), c=3)
# with a list
expand_list(list(a=1, b=2), list(c=3, d=10))
# no partial match
expand_list(list(a=1, b=2, c=5), cd=3)
# partial match with names expanded
expand_list(list(a=1, b=2, c=5), cd=3, .exact=FALSE)
# partial match without expanding names
expand_list(list(a=1, b=2, c=5), cd=3, .exact=FALSE, .names=FALSE)

# works also inside a function to expand a call with default arguments
f <- function(...){
  cl <- match.call()
  expand_list(cl, list(a=3, b=4), .exact=FALSE)
}
f()
f(c=1)
f(a=2)
f(c=1, a=2)

#-----
# expand_dots
#-----
# expanding dot arguments

f <- function(...){
  expand_dots(list(a=2, bcd='a', xxx=20), .exclude='xxx')
}

# add default value for all arguments
f()
# add default value for `bcd` only
f(a=10)
# expand names
```

```
f(a=10, b=4)
```

ExposeAttribute *Exposing Object Attributes*

Description

The function `ExposeAttribute` creates an S3 object that exposes all attributes of any R object, by making them accessible via methods `$` and/or `$<-`.

`attr_mode` and `attr_mode<-` get and sets the access mode of `ExposeAttribute` objects.

Usage

```
ExposeAttribute(object, ..., .MODE = "rw",
               .VALUE = FALSE)
```

```
attr_mode(x)
```

```
attr_mode(x)<-value
```

Arguments

<code>object</code>	any R object whose attributes need to be exposed
<code>...</code>	attributes, and optionally their respective values or access permissions. See argument value of <code>attr_mode</code> for details on the way of specifying these.
<code>.MODE</code>	access mode: “r” : (read-only) only method <code>\$</code> is defined “w” : (write-only) only method <code>\$<-</code> is defined “rw” : (read-write) both methods <code>\$</code> and <code>\$<-</code> are defined
<code>.VALUE</code>	logical that indicates if the values of named arguments in <code>...</code> should be considered as attribute assignments, i.e. that the result object has these attributes set with the specified values. In this case all these attributes will have the access permission as defined by argument <code>.MODE</code> .
<code>x</code>	an <code>ExposeAttribute</code> object
<code>value</code>	replacement value for mode. It can be <code>NULL</code> to remove the <code>ExposeAttribute</code> wrapper, a single character string to define a permission for all attributes (e.g., <code>'rw'</code> or <code>'r'</code>), or a list specifying access permission for specific attributes or classes of attributes defined by regular expressions. For example, <code>list(a='r', b='w', `blabla.*`='rw')</code> set attribute <code>'a'</code> as read-only, attribute <code>'b'</code> as write-only, all attributes that start with <code>'blabla'</code> in read-write access.

extractLocalFun	<i>Extracting Local Function Definition</i>
-----------------	---

Description

extractLocalFun Extracts local function from wrapper functions of the following type, typically used in S4 methods: ‘ function(a, b, ...){ .local <- function(a, b, c, d, ...){} .local(a, b, ...) } ’

Works for methods that are created (setMethod) as a wrapper function to an internal function named .local.

Usage

```
extractLocalFun(f)
```

```
allFormals(f)
```

Arguments

f definition of the wrapper function

Value

a function

a paired list like the one returned by [formals](#).

file_extension	<i>Extract File Extension</i>
----------------	-------------------------------

Description

Extract File Extension

Usage

```
file_extension(x, ext = NULL)
```

Arguments

x path as a character vector.

ext extension to append instead of the original extension.

Examples

```
file_extension('alpha.txt')
file_extension(paste('aa.tt', 1:5, sep=' '))
# change extension
file_extension(paste('aa.tt', 1:5, sep=' '), 'pdf')
file_extension(paste('aatt', 1:5, sep=' '), 'pdf')
```

getLoadingNamespace *Namespace Development Functions*

Description

getLoadingNamespace returns information about the loading namespace. It is a wrapper to [loadingNamespaceInfo](#), that does not throw an error.

Tests if a namespace is being loaded.

isNamespaceLoaded tests if a given namespace is loaded, without loading it, contrary to [isNamespace](#).

isDevNamespace tests the – current – namespace is a devtools namespace.

Dynamically adds exported objects into the loading namespace.

ns_get gets an object from a given namespace.

Usage

```
getLoadingNamespace(env = FALSE, info = FALSE,
  nodev = FALSE)
```

```
isLoadingNamespace(ns, nodev = FALSE)
```

```
isNamespaceLoaded(ns)
```

```
isDevNamespace(ns)
```

```
addNamespaceExport(x)
```

```
ns_get(x, ns)
```

Arguments

env	logical that indicates that the namespace's environment (i.e. the namespace itself) should be returned.
info	logical that indicates that the complete information list should be returned
ns	the name of a namespace or a namespace whose loading state is tested. If missing isLoadingNamespace test if any namespace is being loaded.
nodev	logical that indicates if loading devtools namespace should be discarded.

x character vector containing the names of R objects to export in the loading namespace.

Value

the name of the loading namespace if env and info are FALSE, an environment if env=TRUE, a list with elements pkgname and libname if info=TRUE.

graphics-utils *Utility Functions for Graphics*

Description

Utility Functions for Graphics

mfrow returns a 2-long numeric vector suitable to use in [par](#)(mfrow=x), that will arrange n panels in a single plot.

Usage

```
mfrow(n)
```

Arguments

n number of plots to be arranged.

Examples

```
mfrow(1)
mfrow(2)
mfrow(3)
mfrow(4)
mfrow(10)
```

hasArg2 *Checking for Missing Arguments*

Description

This function is identical to [hasArg](#), except that it accepts the argument name as a character string. This avoids to have a check NOTE about invisible binding variable.

Usage

```
hasArg2(name)
```

Arguments

name the name of an argument as a character string.

Examples

```
f <- function(...){ hasArg2('abc') }  
f(a=1)  
f(abc=1)  
f(b=1)
```

hasEnvar *Check Environment Variables*

Description

Tells if some environment variable(s) are defined.

Usage

```
hasEnvar(x)
```

Arguments

x environment variable name, as a character vector.

Examples

```
hasEnvar('_R_CHECK_TIMINGS_')  
hasEnvar('ABCD')
```

install.dependencies *Installing All Package Dependencies*

Description

Install all dependencies from a package source directory or package source file.

Usage

```
install.dependencies(pkg = NULL, all = FALSE, ...,  
                      dryrun = FALSE)
```


Arguments

pkg	package path or source file
all	logical that indicates if 'Suggests' packages should be installed.
...	extra arguments passed to <code>install.packages</code> .
dryrun	logical that indicates if the packages should be effectively installed or only shown.

Examples

```
try( install.dependencies('Matrix', dryrun=TRUE) )
## Not run:
install.dependencies("mypackage_1.0.tar.gz", dryrun=TRUE)

## End(Not run)
```

inSweave

Identifying Sweave Run

Description

Tells if the current code is being executed within a Sweave document.

Usage

```
inSweave()
```

Value

TRUE or FALSE

Examples

```
# Not in a Sweave document
inSweave()

# Within a Sweave document
```

isCRANcheck

*Package Check Utils***Description**

isCRANcheck **tries** to identify if one is running CRAN-like checks.

isCRAN_timing tells if one is running CRAN check with flag '--timing'.

Currently, isCHECK checks both CRAN expected flags, the value of environment variable `_R_CHECK_RUNNING_UTESTS_`, and the value of option `R_CHECK_RUNNING_EXAMPLES_`. It will return TRUE if any of these environment variables is set to anything not equivalent to FALSE, or if the option is TRUE. For example, the function `utest` sets it to the name of the package being checked (`_R_CHECK_RUNNING_UTESTS_=<pkgname>`), but unit tests run as part of unit tests vignettes are run with `_R_CHECK_RUNNING_UTESTS_=FALSE`, so that all tests are run and reported when generating them.

Usage

```
isCRANcheck(...)
```

```
isCRAN_timing()
```

```
isCHECK()
```

Arguments

... each argument specifies a set of tests to do using an AND operator. The final result tests if any of the test set is true. Possible values are:

- 'timing' Check if the environment variable `_R_CHECK_TIMINGS_` is set, as with the flag '--timing' was set.
- 'cran' Check if the environment variable `_R_CHECK_CRAN_INCOMING_` is set, as with the flag '--as-cran' was set.

Details

Currently isCRANcheck returns TRUE if the check is run with either environment variable `_R_CHECK_TIMINGS_` (as set by flag '--timings') or `_R_CHECK_CRAN_INCOMINGS_` (as set by flag '--as-cran').

Important: the checks performed on CRAN check machines are – on purpose – not always run with such flags, so there is no guarantee this function effectively identifies such runs. CRAN recommends users rely on custom dedicated environment variables to enable specific tests or examples.

References

Adapted from the function CRAN in the **fd**a package.

<https://github.com/renozao/roxygen2>

Examples

```
isCHECK()
```

isManualVignette	<i>Identifies Manually Run Vignettes</i>
------------------	--

Description

isManualVignette tells if a vignette is being run through the function runVignette of **pkgmker**, allowing disabling behaviours not allowed in package vignettes that are checked via R CMD check.

rnw provides a unified interface to run vignettes that detects the type of vignette (Sweave or **knitr**), and which Sweave driver to use (either automatically or from an embedded command \VignetteDriver command).

as.rnw creates a S3 rnw object that contains information about a vignette, e.g., source filename, driver, fixed included files, etc..

rnwCompiler tries to detect the vignette compiler to use on a vignette source file, e.g., **Sweave** or **knitr**.

rnwWrapper tries to detect the type of vignette and if it is meant to be wrapped into another main file.

rnwDriver tries to detect Sweave driver to use on a vignette source file, e.g., SweaveCache, highlight, etc..

rnwIncludes detects fixed includes, e.g., image or pdf files, that are required to build the final document.

rnwChildren detects included vignette documents and return them as a list of vignette objects.

vignetteMakefile returns the path to a generic makefile used to make vignettes.

Compact PDFs using either gs_quality='none' or 'ebook', depending on which compacts best (as per CRAN check criteria).

Usage

```
isManualVignette()
```

```
rnw(x, file = NULL, ..., raw = FALSE)
```

```
as.rnw(x, ..., load = TRUE)
```

```
rnwCompiler(x, verbose = TRUE)
```

```
rnwWrapper(x, verbose = TRUE)
```

```
rnwDriver(x)
```

```

rnwIncludes(x)

rnwChildren(x)

vignetteMakefile(package = NULL, skip = NULL,
  print = TRUE, template = NULL, temp = FALSE,
  checkMode = isCHECK() || vignetteCheckMode(),
  user = NULL, tests = TRUE)

compactVignettes(paths, ...)

```

Arguments

x	vignette source file specification as a path or a rnw object.
file	output file
...	extra arguments passed to <code>as.rnw</code> that can be used to force certain building parameters.
raw	a logical that indicates if the raw result for the compilation should be returned, instead of the result file path.
load	logical to indicate if all the object's properties should be loaded, which is done by parsing the file and looking up for specific tags.
verbose	logical that toggles verbosity
package	package name. If NULL, a DESCRIPTION file is looked for one directory up: this is meant to work when building a vignette directly from a package's 'vignettes' sub-directory.
skip	Vignette files to skip (basename).
print	logical that specifies if the path should be printed or only returned.
template	template Makefile to use. The default is to use the file "vignette.mk" shipped with the package pkgmaker and can be found in its install root directory.
temp	logical that indicates if the generated makefile should use a temporary filename (TRUE), or simply named "vignette.mk"
checkMode	logical that indicates if the vignettes should be generated as in a CRAN check (TRUE) or in development mode, in which case pdf <code>l</code> atex, bib <code>t</code> ex, and, optionally, qpdf are required.
user	character vector containing usernames that enforce checkMode=TRUE, if the function is called from within their session.
tests	logical that enables the compilation of a vignette that gathers all unit test results. Note that this means that all unit tests are run before generating the vignette. However, unit tests are not (re)-run at this stage when the vignettes are built when checking the package with <code>R CMD check</code> .
paths	A character vector of paths to PDF files, or a length-one character vector naming a directory, when all '.pdf' files in that directory will be used.

`is_something`*Testing Object Type*

Description

Testing Object Type

`is_NA` tests if a variable is exactly NA (logical, character, numeric or integer)

`isFALSE` Tests if a variable is exactly FALSE.

`isNumber` tests if a variable is a single number

`isReal` tests if a variable is a single real number

`isInteger` tests if an object is a single integer

`isString` tests if an object is a character string.

`is.dir` tests if a filename is a directory.

`is.file` tests if a filename is a file.

`hasNames` tests if an object has names.

Usage

```
is_NA(x)
```

```
isFALSE(x)
```

```
isNumber(x)
```

```
isReal(x)
```

```
isInteger(x)
```

```
isString(x, y, ignore.case = FALSE)
```

```
is.dir(x)
```

```
is.file(x)
```

```
hasNames(x, all = FALSE)
```

Arguments

`x` an R object

`y` character string to compare with.

`ignore.case` logical that indicates if the comparison should be case sensitive.

`all` logical that indicates if the object needs all names non empty

Value

TRUE or FALSE

See Also

[isTRUE](#)

knit_ex

Knitr Extensions

Description

knit_ex is a utility function for running small knitr examples, e.g., to illustrate functionalities or issues.

hook_try simply defines a function try in envir that prints the error message if any, and is called instead of base [try](#).

hook_backspace is a chunk hook that enables the use of backspace characters in the output (e.g., as used in progress bars), and still obtain a final output as in the console.

hook_toggle is a chunk hook that adds clickable elements to toggle *individual* code chunks in HTML documents generated from .Rmd files.

Usage

```
knit_ex(x, ..., quiet = TRUE, open = FALSE)
```

```
hook_try(before, options, envir)
```

```
hook_backspace()
```

```
hook_toggle()
```

Arguments

x	text to knit as a character vector
...	arguments passed to knit2html or knit
quiet	logical that indicates if knitting should be quiet (no progress bars etc.).
open	logical, only used when x is in .Rmd format, that indicates if the generated document result should be open in a browser, instead of being printed on screen. Not that a browser will not open in non-interactive sessions, and the result will be returned invisibly.
before	logical that indicates when the hook is being called: before or after the chunk is processed.
options	list of current knitr chunk options
envir	environment where the chunk is evaluated

Value

knit_ex returns the generated code, although invisibly when open=TRUE.

Examples

```
#-----
# knit_ex
#-----
library(knitr)
knit_ex("1 + 1")

#-----
# hook_try
#-----
library(knitr)

# standard error message is caught
knit_ex("stop('ah ah')")

# with try the error is output on stderr but not caught by knitr
knit_ex("try( stop('ah ah') )")

# no message caught
knit_ex("
^^^{r, include = FALSE}
knit_hooks$set(try = pkgmaker::hook_try)
^^^

^^^{r, try=TRUE}
try( stop('ah ah') )
^^^")

#-----
# hook_backspace
#-----
# Correctly formatting backspaces in chunk outputs
tmp <- tempfile(fileext = '.Rmd')
cat(file = tmp, "
^^^{r, include = FALSE}
library(knitr)
knit_hooks$set(backspace = pkgmaker::hook_backspace())
^^^
Default knitr does not handle backspace and adds a special character:
^^^{r}
cat('abc\bd')
^^^

Using the hook backspace solves the issue:
^^^{r, backspace=TRUE}
cat('abc\bd')
```

```

^^^
")

# knit
out <- knitr::knit2html(tmp, fragment.only = TRUE)
# look at output
## Not run:
  browseURL(out)
  edit( file = out)

## End(Not run)
# cleanup
unlink(c(tmp, out))

#-----
# hook_toggle
#-----
knit_ex("

Declare chunk hook:
^^^{r, setup}
library(knitr)
knit_hooks$set(toggle = hook_toggle())
^^^

The R code of this chunk can be toggled on/off, and starts visible:
^^^{r, toggle=TRUE}
print(1:10)
^^^

The R code of this chunk can be toggled on/off, and starts hidden:
^^^{r, toggle=FALSE}
print(1:10)
^^^

This is a plain chunk that cannot be toggled on/off:
^^^{r}
print(1:10)
^^^

Now all chunks can be toggled and start visible:
^^^{r, toggle_all}
opts_chunk$set(toggle = TRUE)
^^^

^^^{r}
sample(5)
^^^

To disable the toggle link, one can pass anything except TRUE/FALSE:
^^^{r, toggle = NA}
sample(5)
^^^

```



```
”, open = TRUE)
```

latex_preamble

LaTeX Utilities for Vignettes

Description

latex_preamble outputs/returns command definition LaTeX commands to be put in the preamble of vignettes.

latex_bibliography prints or return a LaTeX command that includes a package bibliography file if it exists.

Usage

```
latex_preamble(PACKAGE, R = TRUE, CRAN = TRUE,
  Bioconductor = TRUE, GEO = TRUE, ArrayExpress = TRUE,
  biblatex = FALSE, only = FALSE, file = "")
```

```
latex_bibliography(PACKAGE, file = "")
```

Arguments

R	logical that indicate if general R commands should be added (e.g. package names, inline R code format commands)
CRAN	logical that indicate if general CRAN commands should be added (e.g. CRAN package citations)
Bioconductor	logical that indicate if general Bioconductor commands should be added (e.g. Bioc package citations)
GEO	logical that indicate if general GEOmnibus commands should be added (e.g. urls to GEO datasets)
ArrayExpress	logical that indicate if general ArrayExpress commands should be added (e.g. urls to ArrayExpress datasets)
biblatex	logical that indicates if a \bibliography command should be added to include references from the package’s REFERENCES.bib file.
only	a logical that indicates if the only the commands whose dedicated argument is not missing should be considered.
file	connection where to print. If NULL the result is returned silently.
PACKAGE	package name

Details

Argument PACKAGE is not required for latex_preamble, but must be correctly specified to ensure biblatex=TRUE generates the correct bibliography command.

Examples

```
latex_preamble()  
latex_preamble(R=TRUE, only=TRUE)  
latex_preamble(R=FALSE, CRAN=FALSE, GEO=FALSE)  
latex_preamble(GEO=TRUE, only=TRUE)
```

list.libs

Library Files Utilities

Description

Lists binary library files in a directory

libname extracts library names from a path, removing the directory part of the path, as well as the platform specific library extension.

Usage

```
list.libs(dir, ..., all.platforms = FALSE)
```

```
libname(x)
```

Arguments

dir	directory
all.platforms	a logical that indicates whether to list library files for the current platform only (default) or all platforms (Unix, Windows, Mac).
...	extra arguments passed to list.files .
x	a filename

Value

a character vector

Examples

```
libname('mylib.so')  
libname('/some/path/somewhere/mylib.dll')
```

makeFakeVignette	<i>Generate a Fake Vignette</i>
------------------	---------------------------------

Description

Generate a Fake Vignette

Usage

```
makeFakeVignette(src, out, PACKAGE = NULL)
```

Arguments

src	original Sweave file
out	output file
PACKAGE	package name where to look the source vignette

makeUnitVignette	<i>Make Vignette for Unit Tests</i>
------------------	-------------------------------------

Description

Builds a vignette for unit tests in a package using the `utest` and a template vignette file.

Usage

```
makeUnitVignette(pkg,
  file = paste(pkg, "-unitTests.pdf", sep = ""), ...,
  check = FALSE)
```

Arguments

pkg	Package name
file	Output file (.Rnw, .tex, or .pdf)
...	extra arguments passed to <code>utest</code> .
check	logical that indicates the call was made from R CMD check, in which case the vignette is updated only if results of unit tests can be found in the unit test output directory, where they would have been generated by <code>utest</code> .

Value

Result of running unit test suite

mkoptions

Quick Option-like Feature

Description

mkoptions is a function that returns a function that behaves like [options](#), with an attached internal/local list of key-value pairs.

.options is a low-level function that mimics the behaviour of the base function [options](#), given a set of key-value pairs. It is the workhorse function used in mkoptions and package-specific option sets (see [setupPackageOptions](#))

Usage

```
mkoptions(...)  
  
.options(..., .DATA)
```

Arguments

...	list of keys or key-value pairs. For mkoptions these define initial/default key-value pairs.
.DATA	a list or an environment with an element .options.

See Also

[setupPackageOptions](#)

Examples

```
f <- mkoptions(a=3, b=list(1,2,3))  
str(f())  
f('a')  
f('b')  
str(old <- f(a = 10))  
str(f())  
f(old)  
str(f())
```

 new2

Alternative S4 Constructor

Description

An alternative version of `new` to create objects based on a list of values.

Usage

```
new2(class, ...)
```

Arguments

<code>class</code>	Class name to instantiate
<code>...</code>	extra arguments from which slot values are extracted by exact matching of names.

Examples

```
setClass('A', contain='character', representation(x='numeric', y='character'))

# identical behaviour with standard calls
identical(new('A'), new2('A'))
identical(new('A', x=1), new2('A', x=1))

# but if passing that are names not slots
identical(new('A'), new2('A', b=1))
identical(new('A', x=1), new2('A', x=1, b=3))
identical(new('A', x=1), new2('A', x=1, b=3))

# standard `new` would coerce first unnamed argument into parent of 'A' (i.e. 'character')
new('A', list(x=1))
new('A', list(x=1, y='other'))
# `new2` rather use it to initialise the slots it can find in the list
identical(new('A', x=1), new2('A', list(x=1)))
identical(new('A', x=1, y='other'), new2('A', list(x=1, y='other')))
```

 oneoffVariable

One-off Global Variables

Description

Defines a function that allow to get/assign a global variable whose value is ensured to be reset after each access.

Usage

```
oneoffVariable(default = NULL)
```

Arguments

default default value to which the global variable is reset after each access. Default is NULL.

Value

a function with one argument (value) that provides get/set access to a global variable. If called with a value, it assigns this value to the global variable. If called with no argument, it returns the current value of the global variable and reset it to its default value – as defined at its creation.

Examples

```
x <- oneoffVariable(0)
# returns default value
x()
# assign a value
x(3)
# get the value
x()
# second call returns default value again
x()
```

onLoad

Default Load/Unload Functions

Description

Default Load/Unload Functions

Usage

```
onLoad(libname = NULL, pkgname, chname = packageName())
```

```
onUnload(libpath)
```

Arguments

libname a character string giving the library directory where the package defining the namespace was found.

pkgname a character string giving the name of the package.

libpath a character string giving the complete path to the package.

chname a character string naming a DLL (also known as a dynamic shared object or library) to load.

Examples

```

#-----
# onLoad
#-----
# in a package namespace:
.onLoad <- function(libname=NULL, pkgname){

  pkgmaker::onLoad(libname, pkgname)

}

#-----
# onUnload
#-----
# in a package namespace:
.onUnload <- function(libpath){

  pkgmaker::onUnload(libpath)

}

```

option_symlink

option_symlink *creates a symbolic link to option x.*

Description

option_symlink creates a symbolic link to option x.

is_option_symlink tests if x is a symbolic link option.

option_symlink_target returns the end target option of a symbolic link option x.

as.package_options creates an object such as the ones used to stores package specific options.

The method `[[` is equivalent to `options()` or `getOption(...)`: e.g. `obj[[[]]` returns the list of options defined in obj, and `obj[['abc']]` returns the value of option 'abc'.

packageOptions provides access to package specific options from a given package that were defined with `setupPackageOptions`, and behaves as the base function `options`.

listPackageOptions returns the names of all option currently defined with `setupPackageOptions`.

Usage

```
option_symlink(x)
```

```
is_option_symlink(x, opts)
```

```
option_symlink_target(x, opts)
```

```

as.package_options(..., defaults = NULL)

## S3 method for class 'package_options'
x[[]]

packageOptions(..., PACKAGE = packageName())

listPackageOptions()

```

Arguments

opts	a list of options
x	a character string, a list or an object of class package_options.
defaults	NULL or a list of default options with their values.
...	arguments passed to getOption (only first one is used).
PACKAGE	a package name

Value

a character vector (possibly empty).

Examples

```
listPackageOptions()
```

orderVersion	<i>Ordering Version Numbers</i>
--------------	---------------------------------

Description

Orders a vector of version numbers, in natural order.

Usage

```

orderVersion(x, decreasing = FALSE)

sortVersion(x, ...)

```

Arguments

x	a character vector of version numbers
decreasing	a logical that indicates if the ordering should be decreasing
...	extra parameters passed to orderVersion

Examples

```

#-----
# orderVersion
#-----
v <- c('1.0', '1.03', '1.2')
order(v)
orderVersion(v)

#-----
# sortVersion
#-----
sort(v)
sortVersion(v)

```

packageCLI

Package Specific Command Line Interface

Description

Package Specific Command Line Interface

Usage

```

packageCLI(package, altfile = NULL, local = TRUE,
  ARGS = commandArgs(TRUE), ...)

```

Arguments

package	package name
altfile	alternative file that defines the main CLI entry point. That is a function named CLI, which takes the list of parsed command line arguments as its first argument.
local	logical that indicates if the main CLI function should be defined and evaluated in a local environment, or in the user's Global environment.
ARGS	list of parsed arguments passed to the main CLI function.
...	extra arguments passed to the package's CLI function.

packageData

Loading Package Data

Description

Loads package data using `data`, but allows the user to avoid NOTEs for a ‘non visible binding variable’ to be thrown when checking a package. This is possible because this function returns the loaded data.

`ldata` loads a package data in the parent frame. It is a shortcut for `packageData(list, ..., envir=parent.frame())`.

Usage

```
packageData(list, envir = .GlobalEnv, ...)
```

```
ldata(list, ...)
```

Arguments

<code>list</code>	character vector containing the names of the data to load.
<code>...</code>	other arguments eventually passed to <code>data</code> .
<code>envir</code>	the environment where the data should be loaded.

Value

the loaded data.

Examples

```
#-----  
# packageData  
#-----  
## Not run: mydata <- packageData('mydata')  
  
#-----  
# ldata  
#-----  
## Not run:  
# in a package' source => won't issue a NOTE  
myfunction function(){  
  mydata <- ldata('mydata')  
}  
  
## End(Not run)
```

packageDependencies *List Package Dependencies*

Description

List Package Dependencies

Usage

```
packageDependencies(x, all = TRUE, as.list = FALSE,
  available = NULL)
```

Arguments

x	path to package source directory or file.
all	logical that indicates if all dependencies should be returned, or only the required ones.
as.list	logical that indicates if the result should be a list with one element per type of dependency.
available	a matrix of available packages (as returned by available.packages), from which the dependencies are retrieved. This means that there must be a row for the package x.

packageEnv *Package Development Utilities*

Description

packageEnv is a slight modification from [topenv](#), which returns the top environment, which in the case of development packages is the environment into which the source files are loaded by [load_all](#).

topns_name: the top namespace is not necessarily the namespace where topns_name is effectively called. This is useful for packages that define functions that need to access the calling namespace, even from calls nested into calls to another function from the same package – in which case topenv would not give the desired environment.

topns returns the runtime top namespace, i.e. the namespace of the top calling package, possibly skipping the namespace where topns is effectively called. This is useful for packages that define functions that need to access the calling namespace, even from calls nested into calls to another function from the same package – in which case topenv would not give the desired environment.

packageName returns the current package's name. It was made internal from version 0.16, since the package [utils](#) exported its own [packageName](#) function in R-3.0.0.

str_ns formats a package environment/namespace for log/info messages.

packagePath returns the current package's root directory, which is its installation/loading directory in the case of an installed package, or its source directory served by devtools.

isPackageInstalled checks if a package is installed.

as.package is enhanced version of `as.package`, that is not exported not to mask the original function. It could eventually be incorporated into devtools itself. Extra arguments in `...` are passed to `find.package`.

Usage

```
packageEnv(pkg, skip = FALSE, verbose = FALSE)

topns_name(n = 1L, strict = TRUE, unique = TRUE)

topns(strict = TRUE)

packageName(envir = packageEnv(), .Global = FALSE,
             rm.prefix = TRUE)

str_ns(envir = packageEnv())

packagePath(..., package = NULL, lib.loc = NULL)

isPackageInstalled(..., lib.loc = NULL)

as.package(x, ..., quiet = FALSE, extract = FALSE)
```

Arguments

pkg	package name. If missing the environment of the runtime caller package is returned.
skip	a logical that indicates if the calling namespace should be skipped.
verbose	logical that toggles verbosity
n	number of namespaces to return
strict	a logical that indicates if the global environment should be considered as a valid namespace.
unique	logical that indicates if the result should be reduced to contain only one occurrence of each namespace.
envir	environment where to start looking for a package name. The default is to use the runtime calling package environment.
.Global	a logical that indicates if calls from the global environment should throw an error (FALSE: default) or the string 'R_GlobalEnv'.
rm.prefix	logical that indicates if an eventual prefix 'package:' should be removed from the returned string.
package	optional name of an installed package
lib.loc	path to a library of R packages where to search the package

...	arguments passed to <code>file.path</code> .
x	package specified by its installation/development path or its name as 'package:*'.
quiet	a logical that indicate if an error should be thrown if a package is not found. It is also passed to <code>find.package</code> .
extract	logical that indicates if DESCRIPTION of package source files should be extracted. In this case there will be no valid path.

Value

packageEnv returns an environment
 a character string
 a character string

packageReference *Package References*

Description

Create a citation string from package specific BibTex entries, suitable to be used in Rd files. The entries are looked in a file named REFERNCES.bib in the package's root directory (i.e. inst/ in development mode).

Usage

```
packageReference(key, short = FALSE)
```

Arguments

key	character vector of BibTex keys
short	logical that indicates if the reference should be shorten as First Author et al. if it has more than one author.

Value

a character string containing the text formatted BibTex entries

packageReferenceFile *Bibtex Utilities*

Description

packageReferenceFile returns the path to a package REFERENCES.bib file.

Usage

```
packageReferenceFile(PACKAGE = NULL)
```

Arguments

PACKAGE	package name
---------	--------------

packageRegistry *Package Registry*

Description

packageRegistry provides ways to create query package specific registries.

packageRegistries lists registries from loaded packages.

hasPackageRegistry tells if a given package has a meta-registry or a given registry.

Each package sub-registry has its own set of fields. Sub-registries defined by passing a character string in argument regobj of setPackageRegistry have the following fields: 'key' and 'object'

setPackageRegistryEntry adds an entry in a package registry.

Usage

```
packageRegistry(regname = NULL, quiet = FALSE,
  entry = FALSE, update = !entry,
  package = toplevel(parent.frame()))
```

```
packageRegistries(regname = NULL, package = NULL,
  primary = FALSE)
```

```
hasPackageRegistry(regname = NULL, package)
```

```
setPackageRegistry(regname, regobj, description = "",
  entrydesc = NA, ..., package = toplevel(parent.frame()),
  overwrite = FALSE)
```

```
setPackageRegistryEntry(regname, key, ...,
  overwrite = FALSE, verbose = FALSE,
  where = toplevel(parent.frame()), msg = NULL)
```

Arguments

regname	Name of a sub-registry, used as its identifier.
quiet	a logical that indicates that one should return the (meta-)registry if it exists, or NULL otherwise, without throwing any error.
entry	logical that indicates if the corresponding meta registry entry should be directly returned, without any other processing.
update	logical that indicates if the package registry should be updated, by adding/removing entries from other loaded/unloaded packages.
package	package where to store or look for the registry.
primary	logical that indicates if only primary registries should be listed.
regobj	a registry object or a single character string that indicates the class of the objects that are stored in the sub-registry. See details for the list of the sub-registry's fields in this latter case.
description	short description line about the registry. It is recommended to provide such description as it makes clearer the purpose of the registry. This description is shown when the registry object is printed/formated/listed.
entrydesc	human readable description that is used in log messages when registering/removing entries.
...	named values used to set extra information about the new registry, that are stored in the corresponding fields of the meta-registry. Currently not used, as no extra field other than 'description' is defined.
overwrite	a logical that indicate if an existing registry with the same should be overwritten if it exists.
key	entry identifier.
where	package name or namespace that owns the registry.
verbose	a logical that indicates if verbosity should be toggle on.
msg	addon message to print at the end of the output log line, when verbose=TRUE.

Details

Package registries are organised in a meta-registry (a registry of registries) within a package's namespace. Each registry can be used to store sets of built-in or user-defined objects in an organised way, e.g. algorithms or datasets.

A package meta-registry is a [registry](#) object, whose entries are [registry](#) objects themselves. A sub-registry entry is defined by the following fields:

key The sub-registry's accession key/identifier (a character string).

regobj The sub-registry itself (a [registry](#) object)

description Human readable description of the purpose of the registry (a character string)

description Short human readable description of the type of entries (a character string)

package owner package, which is forced to be the package in which the meta registry is defined.

parent The name of the package that holds the parent registry, which we call the primary package. This field is non empty for cross-package registries, i.e. registries that derive from primary package's own registry. Their entries are defined when (lazy-)loading the dependent package's namespace.

Note that this function cannot be called from the global environment, but from a package namespace, e.g., when a package is lazy-loaded on installation or loaded via the function `load_all` from the **devtools** package.

Value

a `registry` object or NULL (see argument `quiet`).

<code>packageTestEnv</code>	<i>Returns the package internal environment where unit tests are stored.</i>
-----------------------------	--

Description

Returns the package internal environment where unit tests are stored.

Usage

```
packageTestEnv(pkg)
```

Arguments

`pkg` package name. If missing the caller's package is assumed.

<code>parsePackageCitation</code>	<i>Formatting Package Citations in Sweave/knitr Documents</i>
-----------------------------------	---

Description

Formatting Package Citations in Sweave/knitr Documents

Usage

```
parsePackageCitation(x)
```

Arguments

`x` output document, as a single string.

pkgmaker-defunct *Defunct Functions in pkgmaker*

Description

These functions have been defunct or superseded by other functions.

Usage

```
write.bib(...)
```

Arguments

... extra arguments

postponeAction *Postponing Actions*

Description

This function implement a mechanism to postpone actions, which can be executed at a later stage. This is useful when developing packages, where actions that need to be run in the `link{.onLoad}` function but can be defined close to their context.

Usage

```
postponeAction(expr, key = digest(tempfile()),
  group = NULL, envir = topns(strict = FALSE),
  verbose = getOption("verbose"))
```

```
runPostponedAction(group = NULL,
  verbose = getOption("verbose"))
```

Arguments

expr	expression that define the action to postpone. Currently only functions are supported.
key	identifier for this specific action. It should be unique across the postponed actions from the same group.
group	optional parent action group. This enables to define meaningful sets of actions that can be run all at once.
envir	environment in which the action should be executed. Currently not used.
verbose	logical that toggles verbose messages.

Examples

```
opt <- options(verbose=2)

# define actions
postponeAction(function(){print(10)}, "print")
postponeAction(function(){print(1:10)}, "more")
postponeAction()
# execute actions
runPostponedAction()
runPostponedAction()

# restore options
options(opt)
```

quickinstall

Quick Installation of a Source Package

Description

Builds and install a minimal version of a package from its source directory.

Usage

```
quickinstall(path, destdir = NULL, vignettes = FALSE,
             force = TRUE, ...,
             lib.loc = if (!is.null(destdir)) TRUE)
```

Arguments

path	path to the package source directory
destdir	installation directory. If NULL, the package is installed in the default installation library. If NA, the package is installed in a temporary directory, whose path is returned as a value.
vignettes	logical that indicates if the vignettes should be rebuilt and installed.
force	logical that indicates if the package should be installed even if a previous installation exists in the installation library.
...	extra arguments passed to R.CMD
lib.loc	library specification. If TRUE then the installation directory destdir is added to the default library paths. This can be usefull if dependencies are installed in this directory. If NULL, then the default library path is left unchanged.

Value

The path of the library where the package was installed.

R.exec *Executing R Commands*

Description

R.exec executes a single R command via `system2`.

R.CMD executes R CMD commands.

R.SHLIB executes R CMD SHLIB commands.

Usage

```
R.exec(..., lib.loc = NULL)
```

```
R.CMD(cmd, ...)
```

```
R.SHLIB(libname, ...)
```

Arguments

...	extra arguments that are concatenated and appended to the command.
lib.loc	logical that indicates if the current library locations should be used. If a character vector, then it is used as the library path specification.
cmd	command to run, e.g. 'check' or 'INSTALL'.
libname	name of the output compiled library

RdSection2latex *Format Rd Sections into LaTeX*

Description

This function extract sections from Rd files and convert them into LaTeX code. This can be useful to include Rd text into vignettes, hence keeping them up to date.

Usage

```
RdSection2latex(topic, package, i = 1L, notitle = TRUE)
```

Arguments

topic	Rd topic
package	package in which to search the topic
i	index of the section to format
notitle	logical that indicates if the section's title should be removed

Example section

This is a nice section, with a bullet list:

- tata
- toto

Examples

```
RdSection2latex('RdSection2latex', package = 'pkgmaker')
```

regfetch	<i>Finds an entry in a registry.</i>
----------	--------------------------------------

Description

This function provides extra control on how entries are queried from a [registry](#) object.

pkgreg_fetch loads the requested package registry and uses regfetch to retrieve data from it.

pkgreg_remove removes an entry from a package registry.

Usage

```
regfetch(regobj, ..., all = FALSE, error = TRUE,
         exact = FALSE, KEYS = NULL, verbose = FALSE,
         entry = FALSE, msg = NULL)
```

```
pkgreg_fetch(regname, ..., msg = NULL,
             where = topenv(parent.frame()))
```

```
pkgreg_remove(regname, ..., msg = NULL,
              where = topenv(parent.frame()), quiet = FALSE)
```

Arguments

regobj	a registry object
...	key value(s) to look up. If multiple indexes are used, then the primary key should come first.
all	logical to indicate if hidden keys (starting with a '.') should be returned and output in message.
error	a logical that indicates if an error should be thrown if the key has no match or multiple matches
exact	a logical that indicates if matching should be exact or partial. Note that if exact matches exist then they are returned, independently of the value of exact.

KEYS	alternative way of passing the key value(s). If not missing, then arguments in ... are discarded.
verbose	a logical that indicates if verbosity should be toggle on
entry	a logical that indicates if the
msg	a header to use in case of error.
quiet	a logical that indicates if the operation should be performed quietly, without throwing errors or warnings.
regname	Name of a sub-registry, used as its identifier.
where	package name or namespace that owns the registry.

require.quiet *Silent Require*

Description

Silently require a package.

Usage

```
require.quiet(package, character.only = FALSE, ...)
```

Arguments

...	extra arguments passed to require .
package	the name of a package, given as a name or literal character string, or a character string, depending on whether <code>character.only</code> is FALSE (default) or TRUE).
<code>character.only</code>	a logical indicating whether package or help can be assumed to be character strings.

requirePackage *Require a Package*

Description

Require a package with a custom error message

Usage

```
requirePackage(pkg, ...)
```

Arguments

pkg	package name as a character string
...	extra arguments concatenated to for the header of the error message

requireRUnit	<i>Load RUnit Compatible Package</i>
--------------	--------------------------------------

Description

Loads the package responsible for the implementation of the RUnit framework, choosing amongst 'RUnitX', 'svUnit' and 'RUnit'.

Usage

```
requireRUnit(...)
```

Arguments

... arguments passed to [requirePackage](#).

Value

nothing

Rversion	<i>Complete R version</i>
----------	---------------------------

Description

Returns the complete R version, e.g. 2.15.0

Usage

```
Rversion()
```

Examples

```
Rversion()
```

setBiocMirror	<i>Setting Mirrors and Repositories</i>
---------------	---

Description

setBiocMirror sets all Bioconductor repositories (software, data, annotation, etc.), so that they are directly available to `install.packages`. It differs from `chooseBioCmirror` in that it effectively enables the repositories.

getBiocMirror is a shortcut for `getOption('BioC_mirror')`, which returns the current Bioconductor mirror as used by `biocLite`.

getBiocRepos returns urls to all Bioconductor repositories on a given mirror.

setCRANMirror sets the preferred CRAN mirror.

CRAN simply contains the url of CRAN main mirror (<http://cran.r-project.org>), and aims at simplifying its use, e.g., in calls to `install.packages`.

Usage

```
setBiocMirror(url = "http://www.bioconductor.org",  
             version = NULL, unique = TRUE)
```

```
getBiocMirror()
```

```
getBiocRepos(url = "http://www.bioconductor.org",  
            version = NULL)
```

```
setCRANMirror(url = CRAN, unique = TRUE)
```

```
CRAN
```

Arguments

url	or Bioconductor mirror url
version	version number
unique	logical that indicate if duplicated urls or names should be removed.

Format

```
chr "http://cran.r-project.org"
```

Examples

```
## Not run:  
install.packages('pkgmaker', repos=CRAN)  
  
## End(Not run)
```

setClassRegistry	<i>Automatic S4 Class for Registry Entries</i>
------------------	--

Description

Automatic S4 Class for Registry Entries

Usage

```
setClassRegistry(registry, Class, ...)
```

Arguments

registry	a registry object
Class	name of the class to generate
...	extra arguments passed to setClass .

setPackageExtraHandler	<i>Install/Run Extra Things After Standard Package Installation</i>
------------------------	---

Description

These functions define a framework to register actions for which default sets of arguments can be defined when (lazy-)loading a package, and run later on, e.g., after the package is installed using dedicated commands.

setPackageExtraHandler defines main action handler functions, for which actions are defined as a set of arguments and registered using setPackageExtra.

packageExtraHandler retrieves a given handler from the registry.

For example, calling setPackageExtra('install', pkgs='non_CRAN_pkg', repos='http://non-standard-repo') in a source file of package 'myPkg' registers the call install.packages('non_CRAN_pkg', repos='http://non-standard-repo') in a registry internal to the package. All calls to setPackageExtra('install', ...) can then be run by the user, as a post installation step via install.extrapackages('myPkg', ...).

packageExtra retrieve a given extra action, either as its registry entry, or as a function that would perform the given action.

packageExtraRunner defines a function to run all or some of the actions registered for a given handler in a given package. For example, the function install.extrapackages is the runner defined for the extra handler 'install' via packageExtraRunner('install').

install.extrapackages runs all extra actions registered for a given package.

install.extrapackages is defined as the extra handler for the extra action handler 'install.packages'. All arguments in ... are passed to [install.packages](#). By default, packages that are already installed are not re-installed. An extra argument force allows to force their installation. The packages are loaded if their installation is successful.

Usage

```

setPackageExtraHandler(handler, fun, ...)

packageExtraHandler(handler = NULL, ...)

setPackageExtra(handler, extra, ...)

packageExtra(handler = NULL, extra = NULL,
  package = NULL, .wrap = FALSE)

packageExtraRunner(handler)

install.extras(package, extra = NULL, handler = NULL,
  ..., .verbose = getOption("verbose"))

install.extrapackages(package, extra = NULL,
  handler = NULL, ..., .verbose = getOption("verbose"))

```

Arguments

handler	name of a handler, e.g, 'install'. It must be unique across all handlers registered by any other packages.
fun	handler function that will be called with the arguments registered with packageExtra(name, ...)
package	package name where to store/look for the internal registries. End users should not need to use this argument.
...	extra arguments passed to internal function calls. In packageExtraHandler, these are passed to pkgreg_fetch . In setPackageExtra, these define default arguments for the handler function. These are overwritten by arguments in the call to runner function if any.
extra	name of the extra action.
.wrap	logical that indicates if a function that runs the extra action should be returned or only the default arguments
.verbose	logical that indicates if verbose messages about the extra actions being run should be displayed.

Value

the runner function associated with the newly registered handler, as built by packageExtraRunner.

Description

The following functions to access/set the options from the set are assigned in `envir`:

<subset>Options

<subset>GetOption

Usage

```
setupPackageOptions(..., NAME = NULL,
  ENVIR = toplevel(parent.frame()),
  RESET = isLoadingNamespace())
```

Arguments

...	a single named list or named arguments that provide the default options and their values.
NAME	name of the set of options. This is used as a prefix for the name of the associated global option: <code>package:<name></code> .
ENVIR	environment where the option wrapper functions will be defined. No function is defined if <code>ENVIR=NULL</code>
RESET	a logical that indicates whether the option set should overwrite one that already exists if necessary. The default is <code>FALSE</code> (i.e. no reset), except when loading a namespace, either from an installed package or a development package – with devtools. If <code>FALSE</code> , an error is thrown if trying to setup options with the same name.

simpleRegistry

Simple Package Registry

Description

Simple Package Registry

Usage

```
simpleRegistry(name, envir = toplevel(parent.frame()),
  verbose = FALSE)
```

Arguments

name	name of the registry object, with which it will be assigned in <code>envir</code> .
envir	environment where to store the registry object. Defaults to the caller's top environment.
verbose	logical that toggle a verbose message when the object is first created.

source_files	<i>Source Multiple Files</i>
--------------	------------------------------

Description

Vectorised version of source.

Usage

```
source_files(x, pattern = NULL, ...)
```

Arguments

x	character vector containing filenames
...	extra arguments passed to source .
pattern	an optional regular expression . Only file names which match the regular expression will be returned.

str_diff	<i>Finding Differences Between Strings</i>
----------	--

Description

Computes which characters differ between two strings.

Usage

```
str_diff(x, y)
```

Arguments

x	a single string
y	a single string

Value

an integer vector containing the index of all mis-matched characters in the first string.

Examples

```
# strings to compare
x <- "once upon a time"
y <- "once upon a time there was"
z <- "once upon two times"

# diff: x - y
d <- str_diff(x, y)
d
str(d)

# other comparisons
str_diff(y, x)
str_diff(x, x)
str_diff(x, z)
str_diff(y, z)
```

str_out

Formatting Utilities

Description

str_out formats character vectors for use in show methods or error/warning messages.

str_desc builds formatted string from a list of complex values.

str_fun extracts and formats a function signature. It typically formats the output capture `.output(args(object))`.

str_bs substitutes backspace characters (`\b`) to produce a character string as it would be displayed in the console.

Usage

```
str_out(x, max = 3L, quote = is.character(x),
        use.names = FALSE, sep = ", ", total = FALSE)
```

```
str_desc(object, exdent = 0L)
```

```
str_fun(object)
```

```
str_bs(x)
```

Arguments

x	character vector
max	maximum number of values to appear in the list. If x has more elements than max, a "... " suffix is appended.

quote	a logical indicating whether the values should be quoted with single quotes (defaults) or not.
use.names	a logical indicating whether names should be added to the list as NAME=VAL, ... or not (default).
sep	separator character
total	logical that indicates if the total number of elements should be appended to the formatted string as "'a', ..., 'z' (<N> total)".
object	an R object
exdent	extra indentation passed to str_wrap, and used if the output should spread over more than one lines.

Value

a single character string

Author(s)

Renaud Gaujoux

str_bs was adapted from a proposal from Yihui Xie.

Examples

```
#-----
# str_out
#-----
x <- letters[1:10]
str_out(x)
str_out(x, 8)
str_out(x, Inf)
str_out(x, quote=FALSE)
str_out(x, total = TRUE)

#-----
# str_fun
#-----
str_fun(install.packages)

#-----
# str_bs
#-----
# Backspace substitution
str_bs("abc")
str_bs("abc\b")
str_bs("abc\b\b")
str_bs("abc\bd")
str_bs("abc\b\bde\b")

# more complex example
```

```
x <- "\bab\nc\bd\n\babc\b\bd"
cat(x, "\n")
y <- str_bs(x)
y
cat(y, "\n")
```

sVariable

Global Static Variable

Description

sVariable defines a function that acts as a global static variable.

Usage

```
sVariable(default = NULL)
```

Arguments

default default value for the static variable.

Examples

```
# define variable
x <- sVariable(1)
# get value (default)
x()
# set new value: return old value
old <- x(3)
old
# get new value
x()
```

Sys.getenv_value

System Environment Variables

Description

System Environment Variables

Usage

```
Sys.getenv_value(name, raw = FALSE)
```

Arguments

name	variable name as a character string.
raw	logical that indicates if one should return the raw value or the conversion of any false value to FALSE.

Value

the value of the environment variable as a character string or NA if the variable is not defined **at all**.

Examples

```
# undefined returns FALSE
Sys.getenv_value('TOTO')
# raw undefined returns NA
Sys.getenv_value('TOTO', raw = TRUE)

Sys.setenv(TOTO='bla')
Sys.getenv_value('TOTO')

# anything false-like returns FALSE
Sys.setenv(TOTO='false'); Sys.getenv_value('TOTO')
Sys.setenv(TOTO=''); Sys.getenv_value('TOTO')

# cleanup
Sys.unsetenv('TOTO')
```

testRversion	<i>Testing R Version</i>
--------------	--------------------------

Description

Compares current R version with a given target version, which may be useful for implementing version dependent code.

Usage

```
testRversion(x, test = 1L)
```

Arguments

x	target version to compare with.
test	numeric value that indicates the comparison to be carried out. The comparison is based on the result from <code>utils::compareVersion(R.version, x)</code> : <ul style="list-style-type: none"> • 1: is R.version > x? • 0: is R.version = x? • -1: is R.version < x?

Value

a logical

Examples

```
testRversion("2.14")
testRversion("2.15")
testRversion("10")
testRversion("10", test = -1)
testRversion("< 10")
testRversion(Rversion())
testRversion(paste0('=', Rversion()))
```

unit.test

Embedded Unit Tests

Description

The function `unit.test` provides a way to write unit tests embedded within package source files. These tests are stored and organised in the package namespace, and can be run using the unified interface provided by the function `link{utest}`. Both Runit and testthat tests are supported – and automatically detected.

Usage

```
unit.test(x, expr, framework = NULL,
  envir = parent.frame())
```

Arguments

<code>x</code>	single character string used as test identifier/label
<code>expr</code>	expression containing the actual test commands. It is not evaluated, but only stored in the package namespace.
<code>framework</code>	Unit test framework
<code>envir</code>	the definition environment of object <code>x</code> .

Value

a test function with no arguments that wrapping around `expr`

userIs	<i>Checking R User</i>
--------	------------------------

Description

Tests if the current R user is amongst a given set of users.

Usage

```
userIs(user)
```

Arguments

user the usernames to check for, as a character vector.

utest	<i>Running Unit Tests</i>
-------	---------------------------

Description

Run unit tests in a variety of settings. This is still **very** experimental.

Usage

```
utest(x, ...)  
  
## S4 method for signature 'function'  
utest(x, run = TRUE)  
  
## S4 method for signature 'character'  
utest(x,  
  filter = "^runit.+\\.\\.\\.rR]$", fun = "^test\\.\\.\\.\"", ...,  
  testdir = "tests", framework = c("RUnit", "testthat"),  
  quiet = Sys.getenv("RCMDCHECK") != "FALSE",  
  lib.loc = NULL)  
  
## S4 method for signature 'RUnitTestSuite'  
utest(x, ..., quiet = FALSE,  
  outdir = NULL)
```

Arguments

x	object to which a unit test is attached
...	extra arguments to allow extensions and are passed to the unit framework running functions.
run	a logical that indicates if the unit test should be run
filter	pattern to match files that contain the definition of the unit tests functions to run.
fun	pattern to match the test functions to run.
testdir	directory where to look for the test files
framework	unit test framework
quiet	a logical that indicates if the tests should be run silently
lib.loc	path to a library where installed packages are searched for. Used is of the form x='package:*'.
outdir	output directory

Methods

- utest** signature(x = "function"): Run the unit test associated to a function.
- utest** signature(x = "character"): Run a package test suite
- utest** signature(x = "RUnitTestSuite"): Runs a RUnit test suite

 utestFramework

Inferring Unit Test Framework

Description

Inferring Unit Test Framework

Usage

```
utestFramework(x, eval = FALSE)
```

Arguments

x	an filename, a function or the body of a function
eval	a logical that indicates if the value of x should be used.

Value

the name of the framework as a character string or NULL if it could not be detected.

utestPath	<i>Unit Tests Result Directory</i>
-----------	------------------------------------

Description

Returns the path to the directory where the results of unit tests are stored. This path is used by `utest` to save unit test results, which are read by `makeUnitVignette` to update the unit test vignette when running R CMD check.

Usage

```
utestPath(...)
```

Arguments

... extra arguments passed to `packagePath`, e.g., `package`.

write.pkgbib	<i>Generate a Bibtex File from Package Citations</i>
--------------	--

Description

Generates a Bibtex file from a list of packages or all the installed packages. It is useful for adding relevant citations in Sweave documents.

Usage

```
write.pkgbib(entry = NULL, file = "Rpackages.bib",
             prefix = "", append = FALSE, verbose = TRUE)
```

Arguments

entry	a <code>bibentry</code> object or a character vector of package names. If <code>NULL</code> , then the list of all installed packages is used.
file	output Bibtex file. It can be specified as a filename (as a single character string), <code>NULL</code> for <code>stdout</code> , or a <code>link{connection}</code> object. If <code>file</code> is a character string, an extension <code>'.bib'</code> is appended if not already present.
prefix	character string to prepend to the generated packages' Bibtex key.
append	a logical that indicates that the Bibtex entries should be added to the file. If <code>FALSE</code> (default), the file is overwritten.
verbose	a logical to toggle verbosity. If <code>file=NULL</code> , verbosity is forced off.

Details

Multiple citations are handled by adding a numeric suffix to the Bibtex key (other than the first/main citation) as "<pkgname>%i" (e.g. pkg, pkg2, pkg3).

This function has now been integrated by Romain François in the bibtex package.

Value

the list of Bibtex objects – invisibly.

Author(s)

Renaud Gaujoux, based on the function Rpackages.bib from Achim Zeileis (see *References*).

References

[R] *Creating bibtex file of all installed packages?* Achim Zeileis. R-help mailing list. <https://stat.ethz.ch/pipermail/r-help/2009-December/222201.html>

See Also

link{connection}, link{bibentry}

Examples

```
write.pkgbib(c('bibtex', 'utils', 'tools'), file='references')
bibs <- bibtex::read.bib('references.bib')
write.pkgbib(bibs, 'references2.bib')
md5 <- tools::md5sum(c('references.bib', 'references2.bib'))
md5[1] == md5[2]

# write to stdout()
write.pkgbib(c('bibtex', 'utils', 'tools'), file=NULL)

# clean up
unlink(c('references.bib', 'references2.bib'))
```

writeUnitVignette *Writes Unit Tests Vignette*

Description

Writes a vignette that contains the results from running unit test suites.

Usage

```
writeUnitVignette(pkg, file, results = NULL,
  check = FALSE)
```

Arguments

pkg	Package name
file	Output Sweave (.Rnw) file
results	result file or output character vector
check	logical that indicates the call was made from R CMD check, in which case the vignette is updated only if results of unit tests can be found in the unit test output directory, where they would have been generated by <code>utest</code> .

write_PACKAGES_index *Generate CRAN-like Repository Index*

Description

Generate CRAN-like Repository Index

Usage

```
write_PACKAGES_index(path = ".", output = "index.html",
  pattern = NULL, title = "Packages", robots.file = TRUE)
```

Arguments

path	path to the repository's root directory
output	output filename – relative to the repository root path.
pattern	regular expression used to filter the names of the packages that will appear in the index.
title	title of the index page
robots.file	logical that indicates if a file robots.txt that hides the repository from search engine robots should be created.

Index

- *Topic **datasets**
 - setBiocMirror, 47
- *Topic **methods**
 - utest, 57
- .libPaths, 5
- .options (mkoptions), 28
- [[.package_options (option_symlink), 31
- \$, 12

- add_lib, 5
- addnames, 3
- addNamespaceExport
 - (getLoadingNamespace), 14
- addToLogger, 4
- allFormals (extractLocalFun), 13
- alphacol, 6
- ArgumentParser, 8
- as.package, 36
- as.package (packageEnv), 35
- as.package_options (option_symlink), 31
- as.rnw (isManualVignette), 19
- attr_mode (ExposeAttribute), 12
- attr_mode<- (ExposeAttribute), 12
- available.packages, 35

- bibentry, 59

- cgetAnywhere, 6
- checkWarning, 7
- chooseBioCmirror, 47
- citecmd, 7
- CLIArgumentParser, 8
- colors, 6
- compactVignettes (isManualVignette), 19
- compile_src, 9
- CRAN (setBiocMirror), 47

- data, 34

- environment, 34
- exitCheck, 9

- expand_dots (expand_list), 10
- expand_list, 10
- ExposeAttribute, 12
- extractLocalFun, 13

- file.path, 37
- file_extension, 13
- find.package, 36, 37
- formals, 13

- getAnywhere, 6
- getBiocMirror (setBiocMirror), 47
- getBiocRepos (setBiocMirror), 47
- getLoadingNamespace, 14
- graphics-utils, 15

- hasArg, 15
- hasArg2, 15
- hasEnvar, 16
- hasNames (is_something), 21
- hasPackageRegistry (packageRegistry), 38
- hook_backspace (knit_ex), 22
- hook_toggle (knit_ex), 22
- hook_try (knit_ex), 22

- install.dependencies, 16
- install.extrapackages
 - (setPackageExtraHandler), 48
- install.extras
 - (setPackageExtraHandler), 48
- install.packages, 17, 47, 48
- inSweave, 17
- is.dir (is_something), 21
- is.file (is_something), 21
- is_NA (is_something), 21
- is_option_symlink (option_symlink), 31
- is_something, 21
- isCHECK (isCRANcheck), 18
- isCRAN_timing (isCRANcheck), 18
- isCRANcheck, 18

- isDevNamespace (getLoadingNamespace), 14
- isFALSE (is_something), 21
- isInteger (is_something), 21
- isLoadingNamespace
 - (getLoadingNamespace), 14
- isManualVignette, 19
- isNamespace, 14
- isNamespaceLoaded
 - (getLoadingNamespace), 14
- isNumber (is_something), 21
- isPackageInstalled (packageEnv), 35
- isReal (is_something), 21
- isString (is_something), 21
- isTRUE, 22

- knit, 22
- knit2html, 22
- knit_ex, 22
- knitr, 19

- latex_bibliography (latex_preamble), 25
- latex_preamble, 25
- ldata (packageData), 34
- libname (list_libs), 26
- list.files, 26
- list_libs, 26
- listPackageOptions (option_symlink), 31
- load_all, 35, 40
- loadingNamespaceInfo, 14

- makeFakeVignette, 27
- makeUnitVignette, 27, 59
- mfrow (graphics-utils), 15
- mkoptions, 28

- name, 45
- new, 29
- new2, 29
- ns_get (getLoadingNamespace), 14

- on.exit, 9
- oneoffVariable, 29
- onLoad, 30
- onUnload (onLoad), 30
- option_symlink, 31
- option_symlink_target (option_symlink), 31
- options, 28, 31
- orderVersion, 32

- packageCLI, 33
- packageData, 34
- packageDependencies, 35
- packageEnv, 35
- packageExtra (setPackageExtraHandler), 48
- packageExtraHandler
 - (setPackageExtraHandler), 48
- packageExtraRunner
 - (setPackageExtraHandler), 48
- packageName, 35
- packageName (packageEnv), 35
- packageOptions (option_symlink), 31
- packagePath, 59
- packagePath (packageEnv), 35
- packageReference, 37
- packageReferenceFile, 38
- packageRegistries (packageRegistry), 38
- packageRegistry, 38
- packageTestEnv, 40
- palette, 6
- par, 15
- parseCMD (CLIArgumentParser), 8
- parsePackageCitation, 40
- pkgmaker-defunct, 41
- pkgreg_fetch, 49
- pkgreg_fetch (regfetch), 44
- pkgreg_remove (regfetch), 44
- postponeAction, 41

- quickinstall, 42

- R.CMD, 42
- R.CMD (R.exec), 43
- R.exec, 43
- R.SHLIB (R.exec), 43
- RdSection2latex, 43
- regfetch, 44
- registry, 39, 40, 44
- regular expression, 51
- require, 45
- require.quiet, 45
- requirePackage, 45, 46
- requireRUnit, 46
- rgb, 6
- rnw (isManualVignette), 19
- rnwChildren (isManualVignette), 19
- rnwCompiler (isManualVignette), 19
- rnwDriver (isManualVignette), 19

rnwIncludes (isManualVignette), 19
rnwWrapper (isManualVignette), 19
runPostponedAction (postponeAction), 41
Rversion, 46

setBiocMirror, 47
setClass, 48
setClassRegistry, 48
setCRANMirror (setBiocMirror), 47
setPackageExtra
 (setPackageExtraHandler), 48
setPackageExtraHandler, 48
setPackageRegistry (packageRegistry), 38
setPackageRegistryEntry
 (packageRegistry), 38
setupPackageOptions, 28, 49
simpleRegistry, 50
sortVersion (orderVersion), 32
source, 51
source_files, 51
str_bs (str_out), 52
str_desc (str_out), 52
str_diff, 51
str_fun (str_out), 52
str_ns (packageEnv), 35
str_out, 52
sVariable, 54
Sweave, 19
Sys.getenv_value, 54
system2, 43

testRversion, 55
topenv, 35
topns (packageEnv), 35
topns_name (packageEnv), 35
try, 22

unit.test, 56
userIs, 57
utest, 18, 27, 57, 59, 61
utest, character-method (utest), 57
utest, function-method (utest), 57
utest, RUnitTestSuite-method (utest), 57
utest-methods (utest), 57
utestFramework, 58
utestPath, 59

vignetteMakefile (isManualVignette), 19
write.bib (pkgmaker-defunct), 41
write.pkgbib, 59
write_PACKAGES_index, 61
writeUnitVignette, 60