

Package ‘sss’

July 2, 2014

License GPL-2 | GPL-3

Title Tools for importing files in the triple-s (Standard Survey Structure) format

LazyData true

Description sss is a set of tools to import survey files in the .sss (triple-s) format. It provides the function read.sss that reads the .asc and .sss files of a triple-s survey data file. The package is experimental - feedback, issues and bug reports are welcome.

Version 0.0-11

URL <https://github.com/andrie/sss>

Date 2013-10-22

Depends R (>= 2.11.0)

Imports methods, plyr, XML

Collate 'sss-package.R' 'internal-csv.R' 'internal-xml.R' 'read-fwf.R' 'read-sss.R'

Author Andrie de Vries [aut, cre]

Maintainer Andrie de Vries <apdevries@gmail.com>

NeedsCompilation no

Repository CRAN

Date/Publication 2013-10-22 16:50:38

R topics documented:

sss-package	2
fast.read.fwf	2
parseSSSmetadata	3
read.sss	3
readSSSdata	4
readSSSmetadata	4
Index	6

sss-package	<i>Tools for importing files in the triple-s (.Standard Survey Structure) format.</i>
-------------	---

Description

sss is a set of tools to import survey files in the .sss (triple-s) format. triple-s is a standard to transfer survey data between applications.

References

<http://www.triple-s.org/>

The most important exported function is: [read.sss](#)

fast.read.fwf	<i>Read in fixed-width files quickly.</i>
---------------	---

Description

Experimental replacement for read.fwf that runs much faster. However, it is much less flexible than read.fwf.

Usage

```
fast.read.fwf(file, widths, col.names = NULL,
              colClasses = NA, tz = "", dec = ".", ...)
```

Arguments

file	Character vector: name of file
widths	Numeric vector: column widths. Negative numbers mean "skip this many columns". Use an NA as the final element if there are likely to be extra characters at the end of each row after the last one that you're interested in.
col.names	names for the columns that are NOT skipped
colClasses	can be used to control type conversion; see read.table . It is an optional vector whose names must be part of col.names. There is one extension of the read.table rules: a colClasses string starting POSIXct . will trigger automatic conversion to POSIXct , using the rest of the string as the format specifier.
tz	used in auto-conversion to POSIXct when colClasses is set
dec	the character to be assumed for decimal points. Passed to type.convert
...	ignored

parseSSSmetadata	<i>Parses a triple-s XML (sss) metadata file, as specified by the triple-s XML standard.</i>
------------------	--

Description

This function reads and parses a .sss XML metadata file as well as its associated .asc data file. The .sss standard defines a standard survey structure

Usage

```
parseSSSmetadata(XMLdoc)
```

Arguments

XMLdoc	An XML document - as returned by xml , or readSSSmetadata
--------	---

See Also

[readSSSmetadata](#), [read.sss](#), [readSSSdata](#)

read.sss	<i>Reads a triple-s XML (asc) data file, as specified by the triple-s XML standard.</i>
----------	---

Description

This function reads and parses a .sss XML metadata file as well as its associated .asc data file. The .sss standard defines a standard survey structure

Usage

```
read.sss(sssFilename, ascFilename, sep = "_")
```

Arguments

sssFilename	Character string: name of .sss file containing the survey metadata
ascFilename	Character string: name of .asc file containing survey data
sep	Character vector defining the string that separates question and subquestion labels, e.g. c("Q_1", "Q_2")

Value

A data frame with one element (column) for each variable in the data set. The data.frame contains several attributes:

variable.labels a named list of value labels with one element per variable, either NULL or a names character vector

References

<http://www.triple-s.org/>

Examples

```
# Not executed
# read.sss("sample.sss, sample.asc")
```

readSSSdata	<i>Reads a triple-s XML (asc) data file, as specified by the triple-s XML standard.</i>
-------------	---

Description

This function reads and parses a .sss XML metadata file as well as its associated .asc data file. The .sss standard defines a standard survey structure

Usage

```
readSSSdata(ascFilename)
```

Arguments

ascFilename Name of .asc file containing the survey metadata

See Also

[read.sss](#), [readSSSmetadata](#)

Examples

```
# Not executed
# readSSSdata("sample.asc")
```

readSSSmetadata	<i>Reads a triple-s XML (sss) metadata file, as specified by the triple-s XML standard.</i>
-----------------	---

Description

This function reads a .sss XML metadata file. The .sss standard defines a standard survey structure

Usage

```
readSSSmetadata(SSSfilename)
```

Arguments

SSSfilename Name of .sss file containing the survey metadata

See Also

[parseSSSmetadata](#), [read.sss](#), [readSSSdata](#)

Examples

```
# Not executed  
# readSSSmetadata("sample.sss")
```

Index

- *Topic **package**
 - sss-package, 2
- *Topic **parse**
 - parseSSSmetadata, 3
 - readSSSdata, 4
- *Topic **read**
 - read.sss, 3
 - readSSSmetadata, 4

- fast.read.fwf, 2

- parseSSSmetadata, 3, 5
- POSIXct, 2

- read.sss, 2, 3, 4, 5
- read.table, 2
- readSSSdata, 4, 5
- readSSSmetadata, 3, 4, 4

- sss (sss-package), 2
- sss-package, 2

- type.convert, 2

- xml, 3