

# Package ‘elasticnet’

February 19, 2015

**Version** 1.1

**Date** 2012-06-25

**Title** Elastic-Net for Sparse Estimation and Sparse PCA

**Author** Hui Zou <hzou@stat.umn.edu> and Trevor Hastie  
<hastie@stanford.edu>

**Maintainer** Hui Zou <hzou@stat.umn.edu>

**Depends** R (>= 2.10), lars

**Description** This package provides functions for fitting the entire solution path of the Elastic-Net and also provides functions for estimating sparse Principal Components. The Lasso solution paths can be computed by the same function. First version: 2005-10.

**License** GPL (>= 2)

**URL** <http://www.stat.umn.edu/~hzou>

**Repository** CRAN

**Date/Publication** 2012-06-28 08:57:54

**NeedsCompilation** no

## R topics documented:

arrayspc . . . . .	2
cv.enet . . . . .	3
diabetes . . . . .	4
enet . . . . .	5
pitprops . . . . .	6
plot.enet . . . . .	7
predict.enet . . . . .	8
print.arrayspc . . . . .	9
print.enet . . . . .	10
print.spc . . . . .	11
spca . . . . .	11

<b>Index</b>	<b>14</b>
--------------	-----------

---

`arrayspc`*Sparse PCs of Microarrays*

---

**Description**

Sparse PC by iterative SVD and soft-thresholding

**Usage**

```
arrayspc(x,K=1,para,use.corr=FALSE, max.iter=100,trace=FALSE,eps=1e-3)
```

**Arguments**

<code>x</code>	The microarray matrix.
<code>K</code>	Number of components. Default is 1.
<code>para</code>	The thresholding parameters. A vector of length K.
<code>use.corr</code>	Perform PCA on the correlation matrix? This option is only effective when the argument type is set "data".
<code>max.iter</code>	Maximum number of iterations.
<code>trace</code>	If TRUE, prints out its progress.
<code>eps</code>	Convergence criterion.

**Details**

The function is equivalent to a special case of `spca()` with the quadratic penalty=infinity. It is specifically designed for the case  $p \gg n$ , like microarrays.

**Value**

A "arrayspc" object is returned.

**Author(s)**

Hui Zou, Trevor Hastie and Robert Tibshirani

**References**

Zou, H., Hastie, T. and Tibshirani, R. (2004) "Sparse principal component analysis" *Technical report, Statistics Dept. Stanford University*

**See Also**

`spca`, `princomp`

---

 cv.enet

---

*Computes K-fold cross-validated error curve for elastic net*


---

**Description**

Computes the K-fold cross-validated mean squared prediction error for elastic net.

**Usage**

```
cv.enet(x, y, K = 10, lambda, s, mode, trace = FALSE, plot.it = TRUE, se = TRUE, ...)
```

**Arguments**

x	Input to lars
y	Input to lars
K	Number of folds
lambda	Quadratic penalty parameter
s	Abscissa values at which CV curve should be computed. A value, or vector of values, indexing the path. Its values depends on the mode= argument
mode	Mode="step" means the s= argument indexes the LARS-EN step number. If mode="fraction", then s should be a number between 0 and 1, and it refers to the ratio of the L1 norm of the coefficient vector, relative to the norm at the full LS solution. Mode="norm" means s refers to the L1 norm of the coefficient vector. Abbreviations allowed. If mode="norm", then s should be the L1 norm of the coefficient vector. If mode="penalty", then s should be the 1-norm penalty parameter.
trace	Show computations?
plot.it	Plot it?
se	Include standard error bands?
...	Additional arguments to enet

**Value**

Invisibly returns a list with components (which can be plotted using plotCVLars)

fraction	Values of s
cv	The CV curve at each value of fraction
cv.error	The standard error of the CV curve

**Author(s)**

Hui Zou and Trevor Hastie

## References

Zou and Hastie (2005) "Regularization and Variable Selection via the Elastic Net" *Journal of the Royal Statistical Society, Series B*, 76, 301-320.

## Examples

```
data(diabetes)
attach(diabetes)
## use the L1 fraction norm as the tuning parameter
cv.enet(x2,y,lambda=0.05,s=seq(0,1,length=100),mode="fraction",trace=TRUE,max.steps=80)
## use the number of steps as the tuning parameter
cv.enet(x2,y,lambda=0.05,s=1:50,mode="step")
detach(diabetes)
```

---

diabetes

*Blood and other measurements in diabetics*

---

## Description

The diabetes data frame has 442 rows and 3 columns. These are the data used in the Efron et al "Least Angle Regression" paper.

## Format

This data frame contains the following columns:

**x** a matrix with 10 columns

**y** a numeric vector

**x2** a matrix with 64 columns

## Details

The x matrix has been standardized to have unit L2 norm in each column and zero mean. The matrix x2 consists of x plus certain interactions.

## Source

[http://www-stat.stanford.edu/~hastie/Papers/LARS/LeastAngle\\_2002.ps](http://www-stat.stanford.edu/~hastie/Papers/LARS/LeastAngle_2002.ps)

## References

Efron, Hastie, Johnstone and Tibshirani (2003) "Least Angle Regression" (with discussion) *Annals of Statistics*

---

enet *Fits Elastic Net regression models*

---

### Description

Starting from zero, the LARS-EN algorithm provides the entire sequence of coefficients and fits.

### Usage

```
enet(x, y, lambda, max.steps, normalize=TRUE, intercept=TRUE, trace = FALSE, eps = .Machine$double.eps)
```

### Arguments

x	matrix of predictors
y	response
lambda	Quadratic penalty parameter. lambda=0 performs the Lasso fit.
max.steps	Limit the number of steps taken; the default is $50 * \min(m, n-1)$ , with m the number of variables, and n the number of samples. One can use this option to perform early stopping.
trace	If TRUE, prints out its progress
normalize	Standardize the predictors?
intercept	Center the predictors?
eps	An effective zero

### Details

The Elastic Net methodology is described in detail in Zou and Hastie (2004). The LARS-EN algorithm computes the complete elastic net solution simultaneously for ALL values of the shrinkage parameter in the same computational cost as a least squares fit. The structure of enet() is based on lars() coded by Efron and Hastie. Some internal functions from the lars package are called. The user should install lars before using elasticnet functions.

### Value

An "enet" object is returned, for which print, plot and predict methods exist.

### Author(s)

Hui Zou and Trevor Hastie

### References

Zou and Hastie (2005) "Regularization and Variable Selection via the Elastic Net" *Journal of the Royal Statistical Society, Series B*, 67, 301-320.

**See Also**

print, plot, and predict methods for enet

**Examples**

```
data(diabetes)
attach(diabetes)
##fit the lasso model (treated as a special case of the elastic net)
object1 <- enet(x,y,lambda=0)
plot(object1)
##fit the elastic net model with lambda=1.
object2 <- enet(x,y,lambda=1)
plot(object2)
##early stopping after 50 LARS-EN steps
object4 <- enet(x2,y,lambda=0.5,max.steps=50)
plot(object4)
detach(diabetes)
```

---

pitprops

*Pitprops correlation data*

---

**Description**

The pitprops data is a correlation matrix that was calculated from 180 observations. There are 13 explanatory variables.

**Usage**

```
data(pitprops)
```

**Details**

Jeffers (1967) tried to interpret the first six PCs. This is a classical example showing the difficulty of interpreting principal components.

**References**

Jeffers, J. (1967) "Two case studies in the application of principal component", *Applied Statistics*, 16, 225-236.

---

`plot.enet`*Plot method for enet objects*

---

**Description**

Produce a plot of an enet fit. The default is a complete coefficient path.

**Usage**

```
## S3 method for class 'enet'  
plot(x, xvar = c("fraction", "penalty", "L1norm", "step"),  
     use.color = FALSE, ...)
```

**Arguments**

<code>x</code>	enet object
<code>xvar</code>	The type of x variable against which to plot. <code>xvar=fraction</code> plots against the fraction of the L1 norm of the coefficient vector (default). <code>xvar=penalty</code> plots against the 1-norm penalty parameter. <code>xvar=L1norm</code> plots against the L1 norm of the coefficient vector. <code>xvar=step</code> plots against the LARS-EN step number.
<code>use.color</code>	a colorful plot?
<code>...</code>	Additional arguments for generic plot.

**Value**

NULL

**Author(s)**

Hui Zou and Trevor Hastie

**References**

Zou and Hastie (2005) "Regularization and Variable Selection via the Elastic Net" *Journal of the Royal Statistical Society, Series B*,67,301-320.

**Examples**

```
data(diabetes)  
attach(diabetes)  
object <- enet(x,y,lambda=1)  
par(mfrow=c(2,2))  
plot(object)  
plot(object,xvar="step")  
detach(diabetes)
```

---

predict.enet	<i>Make predictions or extract coefficients from a fitted elastic net model</i>
--------------	---

---

### Description

While `enet()` produces the entire path of solutions, `predict.enet` allows one to extract a prediction at a particular point along the path.

### Usage

```
## S3 method for class 'enet'
predict(object, newx, s, type = c("fit", "coefficients"), mode =
c("step", "fraction", "norm", "penalty"), naive=FALSE, ...)
```

### Arguments

<code>object</code>	A fitted <code>enet</code> object
<code>newx</code>	If <code>type="fit"</code> , then <code>newx</code> should be the <code>x</code> values at which the fit is required. If <code>type="coefficients"</code> , then <code>newx</code> can be omitted.
<code>s</code>	a value, or vector of values, indexing the path. Its values depends on the <code>mode=</code> argument. By default ( <code>mode="step"</code> ).
<code>type</code>	If <code>type="fit"</code> , <code>predict</code> returns the fitted values. If <code>type="coefficients"</code> , <code>predict</code> returns the coefficients. Abbreviations allowed.
<code>mode</code>	<code>Mode="step"</code> means the <code>s=</code> argument indexes the LARS-EN step number, and the coefficients will be returned corresponding to the values corresponding to step <code>s</code> . If <code>mode="fraction"</code> , then <code>s</code> should be a number between 0 and 1, and it refers to the ratio of the L1 norm of the coefficient vector, relative to the norm at the full LS solution. <code>Mode="norm"</code> means <code>s</code> refers to the L1 norm of the coefficient vector. Abbreviations allowed. If <code>mode="norm"</code> , then <code>s</code> should be the L1 norm of the coefficient vector. If <code>mode="penalty"</code> , then <code>s</code> should be the 1-norm penalty parameter.
<code>naive</code>	IF <code>naive</code> is <code>True</code> , then the naive elastic net fit is returned.
<code>...</code>	Additional arguments for generic <code>print</code> .

### Details

Starting from zero, the LARS-EN algorithm provides the entire sequence of coefficients and fits.

### Value

Either a vector/matrix of fitted values, or a vector/matrix of coefficients.

### Author(s)

Hui Zou and Trevor Hastie



## References

Zou and Hastie (2005) "Regularization and Variable Selection via the Elastic Net" *Journal of the Royal Statistical Society, Series B*, 67, 301-320.

## See Also

print, plot, enet

## Examples

```
data(diabetes)
attach(diabetes)
object <- enet(x,y,lambda=0.1)
### make predictions at the values in x, at each of the
### steps produced in object
fits <- predict.enet(object, x, type="fit")
### extract the coefficient vector with L1 norm=2000
coef2000 <- predict(object, s=2000, type="coef", mode="norm")
### extract the coefficient vector with L1 norm fraction=0.45
coef.45 <- predict(object, s=0.45, type="coef", mode="fraction")
detach(diabetes)
```

---

print.arrayspc	<i>Print method for arrayspc objects</i>
----------------	--

---

## Description

Print out an arrayspc fit.

## Usage

```
## S3 method for class 'arrayspc'
print(x, ...)
```

## Arguments

x	arrayspc object
...	Additional arguments for generic print.

## Value

NULL

## Author(s)

Hui Zou and Trevor Hastie

**References**

Zou, H., Hastie, T. and Tibshirani, R. (2004) "Sparse principal component analysis" *Technical report, Statistics Dept. Stanford University.*

---

print.enet	<i>Print method for enet objects</i>
------------	--------------------------------------

---

**Description**

Print out an enet fit.

**Usage**

```
## S3 method for class 'enet'  
print(x, ...)
```

**Arguments**

x	enet object
...	Additional arguments for generic print.

**Value**

NULL

**Author(s)**

Hui Zou and Trevor Hastie

**References**

Zou and Hastie (2005) "Regularization and Variable Selection via the Elastic Net" *Journal of the Royal Statistical Society, Series B, 67, 301-320.*

---

print.spca	<i>Print method for spca objects</i>
------------	--------------------------------------

---

**Description**

Print out a spca fit.

**Usage**

```
## S3 method for class 'spca'
print(x, ...)
```

**Arguments**

x	spca object
...	Additonal arguments for generic print.

**Value**

NULL

**Author(s)**

Hui Zou and Trevor Hastie

**References**

Zou, H., Hastie, T. and Tibshirani, R. (2004) "Sparse principal component analysis" *Technical report, Statistics Dept. Stanford University*.

---

spca	<i>Sparse Principal Components Analysis</i>
------	---

---

**Description**

Using an alternating minimization algorithm to minimize the SPCA criterion.

**Usage**

```
spca(x,K,para,type=c("predictor","Gram"),sparse=c("penalty","varnum"),use.corr=FALSE,lambda=1e-6,ma
```

**Arguments**

x	A matrix. It can be the predictor matrix or the sample covariance/correlation matrix.
K	Number of components
para	A vector of length K. All elements should be positive. If sparse="varnum", the elements integers.
type	If type="predictor", x is the predictor matrix. If type="Gram", the function asks the user to provide the sample covariance or correlation matrix.
sparse	If sparse="penalty", para is a vector of 1-norm penalty parameters. If sparse="varnum", para defines the number of sparse loadings to be obtained. This option is not discussed in the paper given below, but it is convenient in practice.
lambda	Quadratic penalty parameter. Default value is 1e-6.
use.corr	Perform PCA on the correlation matrix? This option is only effective when the argument type is set "data".
max.iter	Maximum number of iterations.
trace	If TRUE, prints out its progress.
eps.conv	Convergence criterion.

**Details**

PCA is shown to be equivalent to a regression-type optimization problem, then sparse loadings are obtained by imposing the 1-norm constraint on the regression coefficients. If x is a microarray matrix, use `arrayspc()`.

**Value**

A "spca" object is returned. The below are some quantities which the user may be interested in:

loadings	The loadings of the sparse PCs
pev	Percentage of explained variance
var.all	Total variance of the predictors

**Author(s)**

Hui Zou, Trevor Hastie and Robert Tibshirani

**References**

Zou, H., Hastie, T. and Tibshirani, R. (2004) "Sparse principal component analysis" *Technical report, Statistics Dept. Stanford University*.

**See Also**

`princomp`, `arrayspc`

**Examples**

```
data(pitprops)
out1<-spca(pitprops,K=6,type="Gram",sparse="penalty",trace=TRUE,para=c(0.06,0.16,0.1,0.5,0.5,0.5))
## print the object out1
out1
out2<-spca(pitprops,K=6,type="Gram",sparse="varnum",trace=TRUE,para=c(7,4,4,1,1,1))
out2
## to see the contents of out2
names(out2)
## to get the loadings
out2$loadings
```

# Index

- \*Topic **datasets**
  - diabetes, 4
  - pitprops, 6
- \*Topic **hplot**
  - plot.enet, 7
- \*Topic **methods**
  - plot.enet, 7
  - predict.enet, 8
  - print.arrayspc, 9
  - print.enet, 10
  - print.spca, 11
- \*Topic **multivariate**
  - arrayspc, 2
  - spca, 11
- \*Topic **regression**
  - cv.enet, 3
  - enet, 5
  - predict.enet, 8

arrayspc, 2

cv.enet, 3

diabetes, 4

enet, 5

pitprops, 6

plot.enet, 7

predict.enet, 8

print.arrayspc, 9

print.enet, 10

print.spca, 11

spca, 11