

# Package ‘RVideoPoker’

February 19, 2015

**Type** Package

**Title** Play Video Poker with R

**Version** 0.3

**Date** 2012-06-20

**Author** Roland Rau Cards were created by Byron Knoll and released into the public domain. They were downloaded from <http://code.google.com/p/vector-playing-cards/downloads/detail?name=PNG-cards-1.2.zip> on 2012-06-08. Byron Knoll stated in his blog that the cards were released by him into the public domain: <http://byronknoll.blogspot.de/2011/03/vector-playing-cards.html> The backside of the cards were created by Roland Rau using the R-Logo.

**Maintainer** Roland Rau <roland.rau@gmail.com>

**Depends** pixmap, tkrplot, rpanel

**Description** Play Video Poker with R, complete with a graphical user interface. So far, only ``Jacks or Better'' is implemented.

**License** GPL-2

**Repository** CRAN

**Date/Publication** 2012-06-20 14:53:39

**NeedsCompilation** no

## R topics documented:

RVideoPoker-package . . . . .	2
rvideopoker . . . . .	2

<b>Index</b>	<b>4</b>
--------------	----------

---

RVideoPoker-package     *Play Video Poker within R*

---

### Description

Play Video Poker with R, complete with a graphical user interface. So far, only "Jacks or Better" is implemented.

### Details

Package: RVideoPoker  
Type: Package  
Version: 1.0  
Date: 2012-06-04  
License: GPL-2

### Author(s)

Roland Rau

Maintainer: Roland Rau <roland.rau@gmail.com>

### See Also

See also my other game package: Miney

### Examples

```
cat("All meaningful examples would require a GUI. Hence this nonsense  
example.\n Typically, you would enter\n rvideopoker()\n to start a  
standard session.\n Most importantly: Have fun!\n")
```

---

rvideopoker     *Play Video Poker within R*

---

### Description

Play Video Poker within R, complete with a graphical user interface. So far, only "Jacks or Better" is implemented.

### Usage

```
rvideopoker(initbet = 1, blnce = 1000)
```

### **Arguments**

<code>initbet</code>	Argument <code>initbet</code> specifies the initial bet. The default value is 1 (like 1 cent)
<code>blnce</code>	Argument <code>blnce</code> specifies the initial balance, i.e. the initial amount of "money" you put into the game. The default value is 1000 (like 1000 cents)

### **Details**

This is just a game. Don't take it serious.

### **Value**

No value returned. Function is used for its side effects.

### **Note**

No further notes. Have fun, enjoy, and improve.

### **Author(s)**

Roland Rau

### **See Also**

Another game package of mine: `Miney`.

### **Examples**

```
cat("All meaningful examples would require a GUI. Hence this nonsense
example.\n Typically, you would enter\n rvideopoker()\n to start a
standard session.\n Most importantly: Have fun!\n")
```

# Index

\*Topic **games**

    rvideopoker, [2](#)

\*Topic **package**

    RVideoPoker-package, [2](#)

\*Topic **poker**

    rvideopoker, [2](#)

RVideoPoker (RVideoPoker-package), [2](#)

rvideopoker, [2](#)

RVideoPoker-package, [2](#)