

Package ‘mdatools’

October 22, 2020

Title Multivariate Data Analysis for Chemometrics

Version 0.11.2

Date 2020-10-22

Author Sergey Kucheryavskiy

Maintainer Sergey Kucheryavskiy <svkucheryavski@gmail.com>

Description Projection based methods for preprocessing,
exploring and analysis of multivariate data used in chemometrics.
S. Kucheryavskiy (2020) <doi: 10.1016/j.chemolab.2020.103937>.

Encoding UTF-8

License MIT + file LICENSE

Imports methods, graphics, grDevices, stats, Matrix

RoxygenNote 7.1.1

Suggests testthat

NeedsCompilation no

Depends R (>= 3.5.0)

Repository CRAN

Date/Publication 2020-10-22 21:00:02 UTC

R topics documented:

as.matrix.classres	9
as.matrix.ldecomp	10
as.matrix.plsdares	10
as.matrix.plsres	11
as.matrix.regcoeffs	11
as.matrix.regres	12
as.matrix.simcamres	12
as.matrix.simcares	13
capitalize	13
carbs	14
categorize	14

categorize.pca	15
categorize.pls	16
chisq.crit	17
chisq.prob	17
classify.plsda	18
classify.simca	18
classmodel.processRefValues	19
classres	19
classres.getPerformance	20
confint.regcoeffs	21
constraint	22
constraintAngle	22
constraintClosure	23
constraintNonNegativity	23
constraintNorm	24
constraints.list	24
constraintUnimod	24
crossval	25
crossval.getParams	25
crossval.regmodel	26
crossval.simca	26
crossval.str	27
dd.crit	27
ddmoments.param	28
ddrobust.param	28
ellipse	29
employ	29
employ.constraint	30
fprintf	30
getCalibrationData	31
getCalibrationData.pca	31
getCalibrationData.simcam	32
getConfidenceEllipse	32
getConfusionMatrix	33
getConfusionMatrix.classres	33
getConvexHull	34
getDataLabels	34
getImplementedConstraints	34
getLabelsAsIndices	35
getLabelsAsValues	35
getMainTitle	35
getPlotColors	36
getProbabilities	36
getProbabilities.pca	37
getProbabilities.simca	37
getPureVariables	38
getRegcoeffs	38
getRegcoeffs.regmodel	39

getRes	40
getSelectedComponents	40
getSelectivityRatio	41
getSelectivityRatio.pls	41
getVariance.mcr	42
getVIPScores	42
getVIPScores.pls	43
hotelling.crit	43
hotelling.prob	44
imshow	44
ipls	45
ipls.backward	47
ipls.forward	48
jm.crit	48
jm.prob	49
ldecomp	49
ldecomp.getDistances	50
ldecomp.getLimitsCoordinates	51
ldecomp.getLimParams	51
ldecomp.getQLimits	52
ldecomp.getT2Limits	52
ldecomp.getVariances	53
ldecomp.plotResiduals	53
mcr	55
mcrals	55
mcrals.cal	59
mcrals.fcnnls	60
mcrals.nnls	61
mcrals.ols	62
mcrpure	62
mda.cbind	65
mda.data2im	66
mda.df2mat	66
mda.exclcols	67
mda.exclrows	67
mda.getattr	68
mda.getexclind	68
mda.im2data	69
mda.inclcols	69
mda.inclrows	70
mda.purge	70
mda.purgeCols	71
mda.purgeRows	71
mda.rbind	71
mda.setattr	72
mda.setimbg	72
mda.show	73
mda.subset	73

mda.t	74
mdaplot	74
mdaplot.areColors	77
mdaplot.formatValues	78
mdaplot.getColors	78
mdaplot.getXAxisLim	79
mdaplot.getXTickLabels	80
mdaplot.getXTicks	80
mdaplot.getYAxisLim	81
mdaplot.getYTickLabels	81
mdaplot.getYTicks	82
mdaplot.plotAxes	82
mdaplot.prepareColors	83
mdaplot.showColorbar	84
mdaplot.showLines	84
mdaplotg	85
mdaplotg.getLegend	87
mdaplotg.getXLim	88
mdaplotg.getYLim	88
mdaplotg.prepareData	89
mdaplotg.processParam	90
mdaplotg.showLegend	90
mdaplotyy	91
mdatools	93
pca	94
pca.cal	98
pca.getB	99
pca.mvreplace	99
pca.nipals	101
pca.run	101
pca.svd	102
pcares	102
pellets	104
people	105
pinv	105
plot.classres	106
plot.ipls	106
plot.mcr	107
plot.pca	107
plot.pcares	108
plot.pls	108
plot.plsda	109
plot.plsdares	109
plot.plsres	110
plot.randtest	111
plot.regcoeffs	111
plot.regres	112
plot.simca	113

plot.simcam	113
plot.simcamres	114
plotBars	114
plotBiplot	115
plotBiplot.pca	115
plotConfidenceEllipse	116
plotContributions	117
plotContributions.mcr	117
plotConvexHull	118
plotCooman	119
plotCooman.simcam	119
plotCooman.simcamres	120
plotCorr	121
plotCorr.randtest	122
plotCumVariance	122
plotCumVariance.ldecomp	123
plotCumVariance.mcr	123
plotCumVariance.pca	124
plotDensity	124
plotDiscriminationPower	125
plotDiscriminationPower.simcam	125
plotDistDoF	126
plotErrorbars	127
plotExtreme	127
plotExtreme.pca	128
plotHist	129
plotHist.randtest	129
plotHotellingEllipse	130
plotLines	131
plotLoadings	132
plotLoadings.pca	132
plotMisclassified	133
plotMisclassified.classmodel	134
plotMisclassified.classres	134
plotModelDistance	135
plotModelDistance.simcam	135
plotModellingPower	137
plotPerformance	137
plotPerformance.classmodel	138
plotPerformance.classres	139
plotPointsShape	140
plotPredictions	140
plotPredictions.classmodel	141
plotPredictions.classres	141
plotPredictions.regmodel	142
plotPredictions.regres	143
plotPredictions.simcam	144
plotPredictions.simcamres	145

plotProbabilities	145
plotProbabilities.classres	146
plotPurity	146
plotPurity.mcrpure	147
plotPuritySpectra	147
plotPuritySpectra.mcrpure	148
plotQDoF	149
plotRegcoeffs	149
plotRegcoeffs.regmodel	150
plotRegressionLine	150
plotResiduals	151
plotResiduals.ldecomp	151
plotResiduals.pca	152
plotResiduals.regres	153
plotRMSE	154
plotRMSE.ipls	155
plotRMSE.regmodel	156
plotRMSE.regres	156
plotScatter	157
plotScores	158
plotScores.ldecomp	159
plotScores.pca	159
plotSelection	160
plotSelection.ipls	161
plotSelectivityRatio	162
plotSelectivityRatio.pls	162
plotSensitivity	163
plotSensitivity.classmodel	163
plotSensitivity.classres	164
plotseries	164
plotSpecificity	165
plotSpecificity.classmodel	166
plotSpecificity.classres	166
plotSpectra	167
plotSpectra.mcr	167
plotT2DoF	168
plotVariance	168
plotVariance.ldecomp	169
plotVariance.mcr	169
plotVariance.pca	170
plotVariance.pls	171
plotVariance.plsres	172
plotVIPScores	172
plotVIPScores.pls	173
plotWeights	173
plotWeights.pls	174
plotXCumVariance	174
plotXCumVariance.pls	175

plotXCumVariance.plsres	175
plotXLoadings	176
plotXLoadings.pls	176
plotXResiduals	177
plotXResiduals.pls	178
plotXResiduals.plsres	179
plotXScores	180
plotXScores.pls	180
plotXScores.plsres	181
plotXVariance	181
plotXVariance.pls	182
plotXVariance.plsres	182
plotXYLoadings	183
plotXYLoadings.pls	183
plotXYResiduals	184
plotXYResiduals.pls	184
plotXYResiduals.plsres	186
plotXYScores	186
plotXYScores.pls	187
plotXYScores.plsres	187
plotYCumVariance	188
plotYCumVariance.pls	188
plotYCumVariance.plsres	189
plotYResiduals	190
plotYResiduals.plsres	190
plotYResiduals.regmodel	191
plotYVariance	191
plotYVariance.pls	192
plotYVariance.plsres	192
pls	193
pls.cal	198
pls.getLimitsCoordinates	199
pls.getZLimits	199
pls.run	200
pls.simpls	200
plsda	201
plsdares	204
plsres	207
predict.mcrals	210
predict.mcrpure	210
predict.pca	211
predict.pls	211
predict.plsda	212
predict.simca	213
predict.simcam	213
prep.alsbasecorr	214
prep.autoscale	215
prep.msc	215

prep.norm	216
prep.savgol	217
prep.snv	217
preparePlotData	218
prepCalData	218
print.classres	219
print.ipls	219
print.ldecomp	220
print.mcrals	220
print.mcrpure	221
print.pca	221
print.pcares	222
print.pls	222
print.plsda	223
print.plsdares	223
print.plsres	224
print.randtest	224
print.regcoeffs	225
print.regmodel	225
print.regres	226
print.simca	226
print.simcam	227
print.simcamres	227
print.simcares	228
randtest	228
regcoeffs	230
regcoeffs.getStats	231
regres	232
regres.bias	232
regres.err	233
regres.r2	233
regres.rmse	234
regres.slope	234
regress.addattrs	234
repmat	235
selectCompNum	235
selectCompNum.pca	236
selectCompNum.pls	236
selratio	237
setDistanceLimits	238
setDistanceLimits.pca	238
setDistanceLimits.pls	239
showDistanceLimits	240
showLabels	240
showPredictions	241
showPredictions.classres	241
simca	242
simcam	246

simcam.getPerformanceStats	248
simcamres	248
simcares	250
simdata	252
splitExcludedData	252
splitPlotData	253
summary.classres	253
summary.ipls	254
summary.ldecomp	254
summary.mcrals	255
summary.mcrpure	255
summary.pca	256
summary.pcares	256
summary.pls	257
summary.plsda	257
summary.plsdares	258
summary.plsres	258
summary.randtest	259
summary.regcoeffs	259
summary.regmodel	260
summary.regres	260
summary.simca	261
summary.simcam	261
summary.simcamres	262
summary.simcares	262
unmix.mcrpure	263
vipscores	263

Index**265**

as.matrix.classres	<i>as.matrix method for classification results</i>
--------------------	--

Description

Generic as.matrix function for classification results. Returns matrix with performance values for specific class.

Usage

```
## S3 method for class 'classres'
as.matrix(x, ncomp = NULL, nc = 1, ...)
```

Arguments

x	classification results (object of class plsdares, simcamres, etc.).
ncomp	model complexity (number of components) to show the parameters for.
nc	if there are several classes, which class to show the parameters for.
...	other arguments

as.matrix.ldecomp *as.matrix method for ldecomp object*

Description

Generic as.matrix function for linear decomposition. Returns a matrix with information about the decomposition.

Usage

```
## S3 method for class 'ldecomp'
as.matrix(x, ncomp = NULL, ...)
```

Arguments

x	object of class ldecomp
ncomp	number of components to get the result for (if NULL will return for each available)
...	other arguments

as.matrix.plsdares *as.matrix method for PLS-DA results*

Description

Returns a matrix with model performance statistics for PLS-DA results

Usage

```
## S3 method for class 'plsdares'
as.matrix(x, ncomp = NULL, nc = 1, ...)
```

Arguments

x	PLS-DA results (object of class plsdares)
ncomp	number of components to calculate the statistics for (if NULL gets for all components)
nc	for which class to calculate the statistics for
...	other arguments

as.matrix.plsres *as.matrix method for PLS results*

Description

Returns a matrix with model performance statistics for PLS results

Usage

```
## S3 method for class 'plsres'  
as.matrix(x, ncomp = NULL, ny = 1, ...)
```

Arguments

x	PLS results (object of class plsres)
ncomp	number of components to calculate the statistics for
ny	for which response variable calculate the statistics for
...	other arguments

as.matrix.regcoeffs *as.matrix method for regression coefficients class*

Description

returns matrix with regression coefficients for given response number and amount of components

Usage

```
## S3 method for class 'regcoeffs'  
as.matrix(x, ncomp = 1, ny = 1, ...)
```

Arguments

x	regression coefficients object (class regcoeffs)
ncomp	number of components to return the coefficients for
ny	number of response variable to return the coefficients for
...	other arguments

as.matrix.regres *as.matrix method for regression results*

Description

Returns a matrix with model performance statistics for regression results

Usage

```
## S3 method for class 'regres'
as.matrix(x, ncomp = NULL, ny = 1, ...)
```

Arguments

x	regression results (object of class regres)
ncomp	model complexity (number of components) to calculate the statistics for (can be a vector)
ny	for which response variable calculate the statistics for
...	other arguments

as.matrix.simcamres *as.matrix method for SIMCAM results*

Description

Generic as.matrix function for SIMCAM results. Returns matrix with performance values for specific class.

Usage

```
## S3 method for class 'simcamres'
as.matrix(x, nc = seq_len(x$nclasses), ...)
```

Arguments

x	classification results (object of class plsdares, simcamres, etc.).
nc	vector with classes to use.
...	other arguments

as.matrix.simcares	<i>as.matrix method for SIMCA classification results</i>
--------------------	--

Description

Generic as.matrix function for classification results. Returns matrix with performance values for specific class.

Usage

```
## S3 method for class 'simcares'  
as.matrix(x, ncomp = NULL, ...)
```

Arguments

x	classification results (object of class plsdares, simcamres, etc.).
ncomp	model complexity (number of components) to show the parameters for.
...	other arguments

capitalize	<i>Capitalize text or vector with text values</i>
------------	---

Description

Capitalize text or vector with text values

Usage

```
capitalize(str)
```

Arguments

str	text of vector with text values
-----	---------------------------------

carbs	<i>Raman spectra of carbohydrates</i>
-------	---------------------------------------

Description

The dataset consists of Raman spectra of fructose, lactose, and ribose as well as spectra of their mixtures.

Usage

```
data(simdata)
```

Format

The data is a list (carbs) with the following fields:

\$D a matrix (21x1401) with spectral values for the mixtures.
\$S a matrix (1401x3) with spectral values for the pure components.
\$C a matrix (21x3) with concentration of the pure components.

Details

The dataset consists of Raman spectra of fructose, lactose, and ribose as well as spectra of their mixtures. The original spectra were downloaded from publicly available SPECARB library [1], created by S.B. Engelsen. The spectra were truncated to the range from 200 to 1600 cm⁻¹.

The spectra of mixtures were created by linear combinations of the original spectra:

$$D = CS' + E$$

Concentrations of the components, C, follow a simplex lattice design with four levels. Some noise calculated as a random number uniformly distributed between 0% and 3% of maximum initial intensity (E) was added to each spectrum of the dataset, D, individually.

References

1. Engelsen S.B., Database on Raman spectra of carbohydrates. Available at: <http://www.models.life.ku.dk/~specarb/specarb> [visited 31.05.2020]

categorize	<i>Categorize PCA results</i>
------------	-------------------------------

Description

Categorize PCA results

Usage

```
categorize(obj, ...)
```

Arguments

obj	object with PCA model
...	other parameters

categorize.pca	<i>Categorize PCA results based on orthogonal and score distances.</i>
----------------	--

Description

The method compares score and orthogonal distances of PCA results from `res` with critical limits computed for the PCA model and categorizes the corresponding objects as "regular", "extreme" or "outlier".

Usage

```
## S3 method for class 'pca'  
categorize(obj, res = obj$res$cal, ncomp = obj$ncomp.selected, ...)
```

Arguments

obj	object with PCA model
res	object with PCA results
ncomp	number of components to use for the categorization
...	other parameters

Details

The method does not categorize hidden values if any.

Value

vector (factor) with results of categorization.

categorize.pls	<i>Categorize data rows based on PLS results and critical limits for total distance.</i>
----------------	--

Description

The method uses full distance for decomposition of X-data and squared Y-residuals of PLS results from res with critical limits computed for the PLS model and categorizes the corresponding objects as "regular", "extreme" or "outlier".

Usage

```
## S3 method for class 'pls'  
categorize(obj, res = obj$res$cal, ncomp = obj$ncomp.selected, ...)
```

Arguments

obj	object with PCA model
res	object with PCA results
ncomp	number of components to use for the categorization
...	other parameters

Details

The method does not categorize hidden values if any. It is based on the approach described in [1] and works only if data driven approach is used for computing critical limits.

Value

vector (factor) with results of categorization.

References

1. Rodionova O. Ye., Pomerantsev A. L. Detection of Outliers in Projection-Based Modeling. Analytical Chemistry (2020, in publish). doi: 10.1021/acs.analchem.9b04611

chisq.crit	<i>Calculates critical limits for distance values using Chi-square distribution</i>
------------	---

Description

The method is based on Chi-squared distribution with $DF = 2 * (m(u)/s(u)^2)$

Usage

```
chisq.crit(param, alpha = 0.05, gamma = 0.01)
```

Arguments

param	matrix with distribution parameters
alpha	significance level for extreme objects
gamma	significance level for outliers

chisq.prob	<i>Calculate probabilities for distance values using Chi-square distribution</i>
------------	--

Description

Calculate probabilities for distance values using Chi-square distribution

Usage

```
chisq.prob(u, param)
```

Arguments

u	vector with distances
param	vector with distribution parameters

classify.plsda	<i>PLS-DA classification</i>
----------------	------------------------------

Description

Converts PLS predictions of y values to predictions of classes

Usage

```
classify.plsda(model, y)
```

Arguments

model	a PLS-DA model (object of class plsda)
y	a matrix with predicted y values

Details

This is a service function for PLS-DA class, do not use it manually.

Value

Classification results (an object of class classes)

classify.simca	<i>SIMCA classification</i>
----------------	-----------------------------

Description

Make classification based on calculated T2 and Q values and corresponding limits

Usage

```
classify.simca(obj, pca.res, c.ref = NULL)
```

Arguments

obj	a SIMCA model (object of class simca)
pca.res	results of projection data to PCA space
c.ref	vector with class reference values

Details

This is a service function for SIMCA class, do not use it manually.

Value

vector with predicted class values (c.pred)

```
classmodel.processRefValues
```

Check reference class values and convert it to a factor if necessary

Description

Check reference class values and convert it to a factor if necessary

Usage

```
classmodel.processRefValues(c.ref, classnames = NULL)
```

Arguments

c.ref	class reference values provided by user
classnames	text with class name in case of logical reference values

classes	<i>Results of classification</i>
---------	----------------------------------

Description

classes is used to store results classification for one or multiple classes.

Usage

```
classes(c.pred, c.ref = NULL, p.pred = NULL, ncomp.selected = 1)
```

Arguments

c.pred	matrix with predicted values (+1 or -1) for each class.
c.ref	matrix with reference values for each class.
p.pred	matrix with probability values for each class.
ncomp.selected	vector with selected number of components for each class.

Details

There is no need to create a classes object manually, it is created automatically when build a classification model (e.g. using [simca](#) or [plsda](#)) or apply the model to new data. For any classification method from `mdatools`, a class using to represent results of classification (e.g. [simcares](#)) inherits fields and methods of `classes`.

Value

c.pred	predicted class values (+1 or -1).
p.pred	predicted class probabilities.
c.ref	reference (true) class values if provided.
The following fields are available only if reference values were provided.	
tp	number of true positives.
tn	number of true negatives.
fp	number of false positives.
fn	number of false negatives.
specificity	specificity of predictions.
sensitivity	sensitivity of predictions.
misclassified	ratio of misclassified objects.

See Also

Methods classes class:

showPredictions.classes	shows table with predicted values.
plotPredictions.classes	makes plot with predicted values.
plotSensitivity.classes	makes sn plot.
plotSpecificity.classes	makes specificity plot.
plotMisclassified.classes	makes ms ratio plot.
plotPerformance.classes	makes plot with misclassified ratio, specificity and sensitivity values.

classes.getPerformance

Calculation of classification performance parameters

Description

Calculates and returns performance parameters for classification result (e.g. number of false negatives, false positives, sn, specificity, etc.).

Usage

```
classes.getPerformance(c.ref, c.pred)
```

Arguments

c.ref	reference class values for objects (vector with numeric or text values)
c.pred	predicted class values for objects (array nobj x ncomponents x nclasses)

Details

The function is called automatically when a classification result with reference values is created, for example when applying a plsda or simca models.

Value

Returns a list with following fields:

\$fn	number of false negatives (nclasses x ncomponents)
\$fp	number of false positives (nclasses x ncomponents)
\$tp	number of true positives (nclasses x ncomponents)
\$sensitivity	sn values (nclasses x ncomponents)
\$specificity	specificity values (nclasses x ncomponents)
\$specificity	ms ratio values (nclasses x ncomponents)

confint.regcoeffs	<i>Confidence intervals for regression coefficients</i>
-------------------	---

Description

returns matrix with confidence intervals for regression coefficients for given response number and number of components.

Usage

```
## S3 method for class 'regcoeffs'
confint(object, parm = NULL, level = 0.95, ncomp = 1, ny = 1, ...)
```

Arguments

object	regression coefficients object (class regcoeffs)
parm	not used, needed for compatibility with general method
level	confidence level
ncomp	number of components (one value)
ny	index of response variable (one value)
...	other arguments

constraint	<i>Class for MCR-ALS constraint</i>
------------	-------------------------------------

Description

Class for MCR-ALS constraint

Usage

```
constraint(name, params = NULL, method = NULL)
```

Arguments

name	short text with name for the constraint
params	a list with parameters for the constraint method (if NULL - default parameters will be used)
method	method to call when applying the constraint, provide it only for user defined constraints

Details

Use this class to create constraints and add them to a list for MCR-ALS curve resolution (see [mcraals](#)). Either provide name and parameters to one of the existing constraint implementations or make your own. See the list of implemented constraints by running `constraints()`

For your own constraint you need to create a method, which takes matrix with values (either spectra or contributions being resolved) as the first argument, does something and then return a matrix with the same dimension as the result. The method can have any number of optional parameters.

See help for [mcraals](#) or Bookdown tutorial for details.

constraintAngle	<i>Method for angle constraint</i>
-----------------	------------------------------------

Description

Adds a small portion of mean to contributions or spectra to increase contrast

Usage

```
constraintAngle(x, d, weight = 0.05)
```

Arguments

x	data matrix (spectra or contributions)
d	matrix with the original spectral values
weight	how many percent of mean to add (between 0 and 1)

constraintClosure *Method for closure constraint*

Description

Force rows of data sum up to given value

Usage

```
constraintClosure(x, d, sum = 1)
```

Arguments

x	data matrix (spectra or contributions)
d	matrix with the original spectral values
sum	which value the spectra or contributions should sum up to

constraintNonNegativity
Method for non-negativity constraint

Description

Set all negative values in the matrix to 0

Usage

```
constraintNonNegativity(x, d)
```

Arguments

x	data matrix (spectra or contributions)
d	matrix with the original spectral values

constraintNorm	<i>Method for normalization constraint</i>
----------------	--

Description

Normalize rows of matrix to unit length or area

Usage

```
constraintNorm(x, d, type = "length")
```

Arguments

x	data matrix (spectra or contributions)
d	matrix with the original spectral values
type	type of normalization ("area", "length" or "sum")

constraints.list	<i>Shows information about all implemented constraints</i>
------------------	--

Description

Shows information about all implemented constraints

Usage

```
constraints.list()
```

constraintUnimod	<i>Method for unimodality constraint</i>
------------------	--

Description

forces column of matrix to have one maximum each

Usage

```
constraintUnimod(x, d, tol = 0)
```

Arguments

x	data matrix (spectra or contributions)
d	matrix with the original spectral values
tol	tolerance (value between 0 and 1) to take make method stable to small fluctuations

crossval	<i>Generate sequence of indices for cross-validation</i>
----------	--

Description

Generates and returns sequence of object indices for each segment in random segmented cross-validation

Usage

```
crossval(cv = 1, nobj = NULL, resp = NULL)
```

Arguments

cv	cross-validation settings, can be a number or a list. If cv is a number, it will be used as a number of segments for random cross-validation (if cv = 1, full cross-validation will be performed), if it is a list, the following syntax can be used: cv = list('rand', nseg, nrep) for random repeated cross-validation with nseg segments and nrep repetitions or cv = list('ven', nseg) for systematic splits to nseg segments ('venetian blinds').
nobj	number of objects in a dataset
resp	vector with response values to use in case of venetian blinds

Value

matrix with object indices for each segment

crossval.getParams	<i>Define parameters based on 'cv' value</i>
--------------------	--

Description

Define parameters based on 'cv' value

Usage

```
crossval.getParams(cv, nobj)
```

Arguments

cv	settings for cross-validation provided by user
nobj	number of objects in calibration set

crossval.regmodel *Cross-validation of a regression model*

Description

Does cross-validation of a regression model

Usage

```
crossval.regmodel(obj, x, y, cv, cal.fun)
```

Arguments

obj	a regression model (object of class regmodel)
x	a matrix with x values (predictors from calibration set)
y	a matrix with y values (responses from calibration set)
cv	number of segments (if cv = 1, full cross-validation will be used)
cal.fun	reference to function for model calibration

Value

object of class plsres with results of cross-validation

crossval.simca *Cross-validation of a SIMCA model*

Description

Does the cross-validation of a SIMCA model

Usage

```
crossval.simca(obj, x, cv)
```

Arguments

obj	a SIMCA model (object of class simca)
x	a matrix with x values (predictors from calibration set)
cv	number of segments (if cv = 1, full cross-validation will be used)

Value

object of class simcares with results of cross-validation

crossval.str	<i>String with description of cross-validation method</i>
--------------	---

Description

String with description of cross-validation method

Usage

```
crossval.str(cv)
```

Arguments

cv	a list with cross-validation settings
----	---------------------------------------

Value

a string with the description text

dd.crit	<i>Calculates critical limits for distance values using Data Driven moments approach</i>
---------	--

Description

Calculates critical limits for distance values using Data Driven moments approach

Usage

```
dd.crit(paramQ, paramT2, alpha = 0.05, gamma = 0.01)
```

Arguments

paramQ	matrix with parameters for distribution of Q distances
paramT2	matrix with parameters for distribution of T2 distances
alpha	significance level for extreme objects
gamma	significance level for outliers

ddmoments.param	<i>Calculates critical limits for distance values using Data Driven moments approach</i>
-----------------	--

Description

Calculates critical limits for distance values using Data Driven moments approach

Usage

ddmoments.param(U)

Arguments

U matrix or vector with distance values

ddrobust.param	<i>Calculates critical limits for distance values using Data Driven robust approach</i>
----------------	---

Description

Calculates critical limits for distance values using Data Driven robust approach

Usage

ddrobust.param(U, ncomp, alpha, gamma)

Arguments

U matrix or vector with distance values
ncomp number of components
alpha significance level for extreme objects
gamma significance level for outliers

ellipse *Create ellipse on the current plot*

Description

Create ellipse on the current plot

Usage

```
ellipse(xc = 0, yc = 0, a, b, col = "black", lty = 1, ...)
```

Arguments

xc	coordinate of center (x)
yc	coordinate of center (y)
a	major axis
b	minor axis
col	color of the ellipse line
lty	type of the ellipse line
...	any argument suitable for lines function

employ *Generic function to apply a method (e.g. constraint)*

Description

Generic function to apply a method (e.g. constraint)

Usage

```
employ(obj, x, d)
```

Arguments

obj	constraint object
x	data in question (e.g. resolved spectra)
d	matrix with original data

employ.constraint	<i>Applies constraint to a dataset</i>
-------------------	--

Description

Applies constraint to a dataset

Usage

```
## S3 method for class 'constraint'  
employ(obj, x, d)
```

Arguments

obj	object with constraint
x	matrix with pure spectra or contributions
d	matrix with original spectral values

fprintf	<i>Imitation of fprintf() function</i>
---------	--

Description

Imitation of fprintf() function

Usage

```
fprintf(...)
```

Arguments

...	arguments for sprintf function
-----	--------------------------------

`getCalibrationData` *Calibration data*

Description

Calibration data

Usage

```
getCalibrationData(obj, ...)
```

Arguments

<code>obj</code>	a model object
<code>...</code>	other arguments

Details

Generic function getting calibration data from a linear decomposition model (e.g. PCA)

`getCalibrationData.pca`
Returns matrix with original calibration data

Description

Returns matrix with original calibration data

Usage

```
## S3 method for class 'pca'  
getCalibrationData(obj)
```

Arguments

<code>obj</code>	object with PCA model
------------------	-----------------------

```
getCalibrationData.simcam
```

Get calibration data

Description

Get data, used for calibration of the SIMCAM individual models and combine to one dataset.

Usage

```
## S3 method for class 'simcam'  
getCalibrationData(obj, ...)
```

Arguments

obj	SIMCAM model (object of class simcam)
...	other arguments

Details

See examples in help for [simcam](#) function.

```
getConfidenceEllipse
```

Compute confidence ellipse for a set of points

Description

Compute confidence ellipse for a set of points

Usage

```
getConfidenceEllipse(points, conf.level = 0.95, n = 100)
```

Arguments

points	matrix of data frame with coordinates of the points
conf.level	confidence level for the ellipse
n	number of points in the ellipse coordinates

Value

matrix with coordinates of the ellipse points (x and y)

```
getConfusionMatrix
```

Confusion matrix for classification results

Description

Confusion matrix for classification results

Usage

```
getConfusionMatrix(obj, ...)
```

Arguments

obj	classification results (object of class simcares, simcamres, etc)
...	other parameters.

Details

Returns confusion matrix for classification results represented by the object.

```
getConfusionMatrix.classres
```

Confusion matrix for classification results

Description

The columns of the matrix correspond to classification results, rows - to the real classes. In case of soft classification with multiple classes (e.g. SIMCAM) sum of values for every row will not correspond to the total number of class members as the same object can be classified as a member of several classes or non of them.

Usage

```
## S3 method for class 'classres'
getConfusionMatrix(obj, ncomp = obj$ncomp.selected, ...)
```

Arguments

obj	classification results (object of class simcares, simcamres, etc)
ncomp	number of components to make the matrix for (NULL - use selected for a model).
...	other arguments

Details

Returns confusion matrix for classification results represented by the object.

<code>getConvexHull</code>	<i>Compute coordinates of a closed convex hull for data points</i>
----------------------------	--

Description

Compute coordinates of a closed convex hull for data points

Usage

```
getConvexHull(points)
```

Arguments

<code>points</code>	matrix of data frame with coordinates of the points
---------------------	---

<code>getDataLabels</code>	<i>Create a vector with labels for plot series</i>
----------------------------	--

Description

For scatter plots labels correspond to rows of the data (names, values, indices, etc.). For non-scatter plots labels correspond to the columns (names, indices or max value for each column)

Usage

```
getDataLabels(ps, labels = NULL)
```

Arguments

<code>ps</code>	'plotseries' object
<code>labels</code>	vector with user defined labels or type of labels to show ("values", "names", "indices")

<code>getImplementedConstraints</code>	<i>Shows a list with implemented constraints</i>
--	--

Description

Shows a list with implemented constraints

Usage

```
getImplementedConstraints()
```

`getLabelsAsIndices` *Create labels as column or row indices*

Description

Create labels as column or row indices

Usage

`getLabelsAsIndices(ps)`

Arguments

`ps` 'plotseries' object

`getLabelsAsValues` *Create labels from data values*

Description

Create labels from data values

Usage

`getLabelsAsValues(ps)`

Arguments

`ps` 'plotseries' object

`getMainTitle` *Get main title*

Description

returns main title for a plot depending on a user choice

Usage

`getMainTitle(main, ncomp, default)`

Arguments

main	main title of a plot, provided by user
ncomp	number of components to select, provided by user
default	default title for the plot

Details

Depedning on a user choice it returns main title for a plot

<code>getPlotColors</code>	<i>Define colors for plot series</i>
----------------------------	--------------------------------------

Description

Define colors for plot series

Usage

```
getPlotColors(ps, col, opacity, cgroup, colormap)
```

Arguments

ps	'plotseries' object
col	color specified by user (if any)
opacity	opacity for the color
cgroup	vector for color grouping (if any)
colmap	name or values for colormap

<code>getProbabilities</code>	<i>Get class belonging probability</i>
-------------------------------	--

Description

Compute class belonging probabilities for classification results.

Usage

```
getProbabilities(obj, ...)
```

Arguments

obj	an object with classification results (e.g. SIMCA)
...	other parameters

getProbabilities.pca *Probabilities for residual distances*

Description

Probabilities for residual distances

Usage

```
## S3 method for class 'pca'  
getProbabilities(obj, ncomp, q, h, ...)
```

Arguments

obj	object with PCA model
ncomp	number of components to compute the probability for
q	vector with squared orthogonal distances for given number of components
h	vector with score distances for given number of components
...	other parameters

Details

Computes p-value for every object being from the same populaion as calibration set based on its orthogonal and score distances.

getProbabilities.simca
Probabilities of class belonging for PCA/SIMCA results

Description

Probabilities of class belonging for PCA/SIMCA results

Usage

```
## S3 method for class 'simca'  
getProbabilities(obj, ncomp, q, h, ...)
```

Arguments

obj	object with PCA model
ncomp	number of components to compute the probability for
q	vector with squared orthogonal distances for given number of components
h	vector with score distances for given number of components
...	other parameters

Details

Computes p-value for every object being from the same populaion as calibration set based on its orthogonal and score distances.

getPureVariables *Identifies pure variables*

Description

The method identifies indices of pure variables using the SIMPLISMA algorithm.

Usage

```
getPureVariables(D, ncomp, purevars, offset)
```

Arguments

D	matrix with the spectra
ncomp	number of pure components
purevars	user provided values gor pure variables (no calculation will be run in this case)
offset	offset (between 0 and 1) for calculation of parameter alpha

Value

The function returns a list with with following fields:

ncomp	number of pure components.
purvars	vector with indices for pure variables.
purityspec	matrix with purity values for each resolved components.
purity	vector with purity values for resolved components.

getRegcoeffs *Get regression coefficients*

Description

Generic function for getting regression coefficients from PLS model

Usage

```
getRegcoeffs(obj, ...)
```

Arguments

obj	a PLS model
...	other parameters

getRegcoeffs.regmodel *Regression coefficients for PLS model'*

Description

Returns a matrix with regression coefficients for the PLS model which can be applied to a data directly

Usage

```
## S3 method for class 'regmodel'  
getRegcoeffs(  
  obj,  
  ncomp = obj$ncomp.selected,  
  ny = 1,  
  full = FALSE,  
  alpha = 0.05,  
  ...  
)
```

Arguments

obj	a PLS model (object of class pls)
ncomp	number of components to return the coefficients for
ny	if y is multivariate which variables you want to see the coefficients for
full	if TRUE the method also shows p-values and t-values as well as confidence intervals for the coefficients (if available)
alpha	significance level for confidence intervals (a number between 0 and 1, e.g. 0.05)
...	other parameters

Details

The method recalculates the regression coefficients found by the PLS algorithm taking into account centering and scaling of predictors and responses, so the matrix with coefficients can be applied directly to original data ($yp = Xb$).

If number of components is not specified, the optimal number, selected by user or identified by a model will be used.

If Jack-knifing method was used to get statistics for the coefficient the method returns all statistics as well (p-value, t-value, confidence interval). In this case user has to specified a number of y-variable (if there are many) to get the statistics and the coefficients for. The confidence interval is computed for unstandardized coefficients.

Value

A matrix with regression coefficients and (optionally) statistics.

getRes	<i>Return list with valid results</i>
--------	---------------------------------------

Description

Return list with valid results

Usage

```
getRes(res, classname = "ldecomp")
```

Arguments

res	list with results
classname	name of class (for result object) to look for

getSelectedComponents	<i>Get selected components</i>
-----------------------	--------------------------------

Description

returns number of components depending on a user choice

Usage

```
getSelectedComponents(obj, ncomp = NULL)
```

Arguments

obj	an MDA model or result object (e.g. pca, pls, simca, etc)
ncomp	number of components to select, provided by user

Details

Depedning on a user choice it returns optimal number of component for the model (if use did not provide any value) or check the user choice for correctness and returns it back

getSelectivityRatio *Selectivity ratio*

Description

Generic function for returning selectivity ratio values for regression model (PCR, PLS, etc)

Usage

```
getSelectivityRatio(obj, ...)
```

Arguments

obj	a regression model
...	other parameters

getSelectivityRatio.pls
Selectivity ratio for PLS model

Description

Returns vector with Selectivity ratio values. This function is a proxy for [selratio](#) and will be removed in future releases.

Usage

```
## S3 method for class 'pls'  
getSelectivityRatio(obj, ncomp = obj$ncomp.selected, ...)
```

Arguments

obj	a PLS model (object of class pls)
ncomp	number of components to get the values for (if NULL user selected as optimal will be used)
...	other parameters

Value

vector with selectivity ratio values

References

[1] Tarja Rajalahti et al. Chemometrics and Laboratory Systems, 95 (2009), pp. 35-48.

getVariance.mcr	<i>Compute explained variance for MCR case</i>
-----------------	--

Description

Compute explained variance for MCR case

Usage

```
getVariance.mcr(obj, x)
```

Arguments

obj	object of class mcr
x	original spectral data

getVIPScores	<i>VIP scores</i>
--------------	-------------------

Description

Generic function for returning VIP scores values for regression model (PCR, PLS, etc)

Usage

```
getVIPScores(obj, ...)
```

Arguments

obj	a regression model
...	other parameters

getVIPScores.pls	<i>VIP scores for PLS model</i>
------------------	---------------------------------

Description

Returns vector with VIP scores values. This function is a proxy for `vipscores` and will be removed in future releases.

Usage

```
## S3 method for class 'pls'
getVIPScores(obj, ncomp = obj$ncomp.selected, ...)
```

Arguments

<code>obj</code>	a PLS model (object of class <code>pls</code>)
<code>ncomp</code>	number of components to count
<code>...</code>	other parameters

Value

matrix `nvar` x 1 with VIP score values

<code>hotelling.crit</code>	<i>Calculate critical limits for distance values using Hotelling T2 distribution</i>
-----------------------------	--

Description

Calculate critical limits for distance values using Hotelling T2 distribution

Usage

```
hotelling.crit(nobj, ncomp, alpha = 0.05, gamma = 0.01)
```

Arguments

<code>nobj</code>	number of objects in calibration set
<code>ncomp</code>	number of components
<code>alpha</code>	significance level for extreme objects
<code>gamma</code>	significance level for outliers

Value

vector with four values: critical limits for given `alpha` and `gamma`, mean distance and DoF.

hotelling.prob	<i>Calculate probabilities for distance values and given parameters using Hotelling T2 distribution</i>
----------------	---

Description

Calculate probabilities for distance values and given parameters using Hotelling T2 distribution

Usage

```
hotelling.prob(u, ncomp, nobj)
```

Arguments

u	vector with distances
ncomp	number of components
nobj	number of objects in calibration set

imshow	<i>show image data as an image</i>
--------	------------------------------------

Description

show image data as an image

Usage

```
imshow(
    data,
    channels = 1,
    show.excluded = FALSE,
    main = paste0(" ", colnames(data)[channels]),
    colmap = "jet"
)
```

Arguments

data	data with image
channels	indices for one or three columns to show as image channels
show.excluded	logical, if TRUE the method also shows the excluded (hidden) pixels
main	main title for the image
colmap	colormap using to show the intensity levels

 ipls

Variable selection with interval PLS

Description

Applies iPLS algorithm to find variable intervals most important for prediction

Usage

```

ipls(
  x,
  y,
  glob.ncomp = 10,
  center = TRUE,
  scale = FALSE,
  cv = list("ven", 10),
  exclcols = NULL,
  exclrows = NULL,
  int.ncomp = glob.ncomp,
  int.num = NULL,
  int.width = NULL,
  int.limits = NULL,
  int.niter = NULL,
  ncomp.selcrit = "min",
  method = "forward",
  silent = FALSE
)

```

Arguments

x	a matrix with predictor values
y	a vector with response values
glob.ncomp	maximum number of components for a global PLS model
center	logical, center or not the data values
scale	logical, standardize or not the data values
cv	cross-validation settings (see details)
exclcols	columns of x to be excluded from calculations (numbers, names or vector with logical values)
exclrows	rows to be excluded from calculations (numbers, names or vector with logical values)
int.ncomp	maximum number of components for interval PLS models
int.num	number of intervals
int.width	width of intervals
int.limits	a two column matrix with manual intervals specification

<code>int.niter</code>	maximum number of iterations (if NULL it will be the same as number of intervals)
<code>ncomp.selcrit</code>	criterion for selecting optimal number of components ('min' for minimum of RMSECV)
<code>method</code>	iPLS method ('forward' or 'backward')
<code>silent</code>	logical, show or not information about selection process

Details

The algorithm splits the predictors into several intervals and tries to find a combination of the intervals, which gives best prediction performance. There are two selection methods: "forward" when the intervals are successively included, and "backward" when the intervals are successively excluded from a model. On the first step the algorithm finds the best (forward) or the worst (backward) individual interval. Then it tests the others to find the one which gives the best model in a combination with the already selected/excluded one. The procedure continues until the maximum number of iteration is reached.

There are several ways to specify the intervals. First of all either number of intervals (`int.num`) or width of the intervals (`int.width`) can be provided. Alternatively one can specify the limits (first and last variable number) of the intervals manually with `int.limits`.

Cross-validation settings, `cv`, can be a number or a list. If `cv` is a number, it will be used as a number of segments for random cross-validation (if `cv = 1`, full cross-validation will be preformed). If it is a list, the following syntax can be used: `cv = list('rand', nseg, nrep)` for random repeated cross-validation with `nseg` segments and `nrep` repetitions or `cv = list('ven', nseg)` for systematic splits to `nseg` segments ('venetian blinds').

Value

object of 'ipls' class with several fields, including:

<code>var.selected</code>	a vector with indices of selected variables
<code>int.selected</code>	a vector with indices of selected intervals
<code>int.num</code>	total number of intervals
<code>int.width</code>	width of the intervals
<code>int.limits</code>	a matrix with limits for each interval
<code>int.stat</code>	a data frame with statistics for the selection algorithm
<code>glob.stat</code>	a data frame with statistics for the first step (individual intervals)
<code>gm</code>	global PLS model with all variables included
<code>om</code>	optimized PLS model with selected variables

References

[1] Lars Noergaard et al. Interval partial least-squares regression (iPLS): a comparative chemometric study with an example from near-infrared spectroscopy. *Appl.Spec.* 2000; 54: 413-419

Examples

```
library(mdatools)

## forward selection for simdata

data(simdata)
Xc = simdata$spectra.c
yc = simdata$conc.c[, 3, drop = FALSE]

# run iPLS and show results
im = ipls(Xc, yc, int.ncomp = 5, int.num = 10, cv = 4, method = "forward")
summary(im)
plot(im)

# show "developing" of RMSECV during the algorithm execution
plotRMSE(im)

# plot predictions before and after selection
par(mfrow = c(1, 2))
plotPredictions(im$gm)
plotPredictions(im$om)

# show selected intervals on spectral plot
ind = im$var.selected
mspectrum = apply(Xc, 2, mean)
plot(simdata$wavelength, mspectrum, type = 'l', col = 'lightblue')
points(simdata$wavelength[ind], mspectrum[ind], pch = 16, col = 'blue')
```

ipls.backward

Runs the backward iPLS algorithm

Description

Runs the backward iPLS algorithm

Usage

```
ipls.backward(x, y, obj)
```

Arguments

x	a matrix with predictor values
y	a vector with response values
obj	object with initial settings for iPLS algorithm

<code>ipls.forward</code>	<i>Runs the forward iPLS algorithm</i>
---------------------------	--

Description

Runs the forward iPLS algorithm

Usage

```
ipls.forward(x, y, obj)
```

Arguments

<code>x</code>	a matrix with predictor values
<code>y</code>	a vector with response values
<code>obj</code>	object with initial settings for iPLS algorithm

<code>jm.crit</code>	<i>Calculate critical limits for distance values using Jackson-Mudholkar approach</i>
----------------------	---

Description

Calculate critical limits for distance values using Jackson-Mudholkar approach

Usage

```
jm.crit(residuals, eigenvals, alpha = 0.05, gamma = 0.01)
```

Arguments

<code>residuals</code>	matrix with PCA residuals
<code>eigenvals</code>	vector with eigenvalues for PCA components
<code>alpha</code>	significance level for extreme objects
<code>gamma</code>	significance level for outliers

Value

vector with four values: critical limits for given alpha and gamma, mean distance and DoF.

jm.prob	<i>Calculate probabilities for distance values and given parameters using Hotelling T2 distribution</i>
---------	---

Description

Calculate probabilities for distance values and given parameters using Hotelling T2 distribution

Usage

```
jm.prob(u, eigenvals, ncomp)
```

Arguments

u	vector with distances
eigenvals	vector with eigenvalues for PCA components
ncomp	number of components

ldecomp	<i>Class for storing and visualising linear decomposition of dataset ($X = TP' + E$)</i>
---------	---

Description

Creates an object of ldecomp class.

Usage

```
ldecomp(scores, loadings, residuals, eigenvals, ncomp.selected = ncol(scores))
```

Arguments

scores	matrix with score values (I x A).
loadings	matrix with loading values (J x A).
residuals	matrix with data residuals (I x J)
eigenvals	vector with eigenvalues for the loadings
ncomp.selected	number of selected components

Details

ldecomp is a general class for storing results of decomposition of dataset in form $X = TP' + E$. Here, X is a data matrix, T - matrix with scores, P - matrix with loadings and E - matrix with residuals. It is used, for example, for PCA results ([pcares](#)), in PLS and other methods. The class also includes methods for calculation of residual distances and explained variance.

There is no need to use the ldecomp manually. For example, when build PCA model with [pca](#) or apply it to a new data, the results will automatically inherit all methods of ldecomp.

Value

Returns an object (list) of ldecomp class with following fields:

scores	matrix with score values (I x A).
residuals	matrix with data residuals (I x J).
T2	matrix with score distances (I x A).
Q	matrix with orthogonal distances (I x A).
ncomp.selected	selected number of components.
expvar	explained variance for each component.
cumexpvar	cumulative explained variance.

`ldecomp.getDistances` *Compute score and residual distances*

Description

Compute orthogonal Euclidean distance from object to PC space (Q, q) and Mahalanobis squared distance between projection of the object to the space and its origin (T2, h).

Usage

```
ldecomp.getDistances(scores, loadings, residuals, eigenvals)
```

Arguments

scores	matrix with scores (T).
loadings	matrix with loadings (P).
residuals	matrix with residuals (E).
eigenvals	vector with eigenvalues for the components

Details

The distances are calculated for every 1:n components, where n goes from 1 to ncomp (number of columns in scores and loadings).

Value

Returns a list with Q, T2 and tnorm values for each component.

ldecomp.getLimitsCoordinates

Compute coordinates of lines or curves with critical limits

Description

Compute coordinates of lines or curves with critical limits

Usage

```
ldecomp.getLimitsCoordinates(
  Qlim,
  T2lim,
  ncomp,
  norm,
  log,
  show.limits = c(TRUE, TRUE)
)
```

Arguments

Qlim	matrix with critical limits for orthogonal distances
T2lim	matrix with critical limits for score distances
ncomp	number of components for computing the coordinates
norm	logical, shall distance values be normalized or not
log	logical, shall log transformation be applied or not
show.limits	vector with two logical values defining if limits for extreme and/or outliers must be shown

Value

list with two matrices (x and y coordinates of corresponding limits)

ldecomp.getLimParams *Compute parameters for critical limits based on calibration results*

Description

Compute parameters for critical limits based on calibration results

Usage

```
ldecomp.getLimParams(U)
```

Arguments

U	matrix with residual distances
---	--------------------------------

ldecomp.getQLimits *Compute critical limits for orthogonal distances (Q)*

Description

Compute critical limits for orthogonal distances (Q)

Usage

```
ldecomp.getQLimits(lim.type, alpha, gamma, params, residuals, eigenvals)
```

Arguments

lim.type	which method to use for calculation of critical limits for residuals
alpha	significance level for extreme limits.
gamma	significance level for outlier limits.
params	distribution parameters returned by ldecomp.getLimParams
residuals	matrix with residuals (E)
eigenvals	eigenvalues for the components used to decompose the data

ldecomp.getT2Limits *Compute critical limits for score distances (T2)*

Description

Compute critical limits for score distances (T2)

Usage

```
ldecomp.getT2Limits(lim.type, alpha, gamma, params)
```

Arguments

lim.type	which method to use for calculation ("chisq", "ddmoments", "ddrobust")
alpha	significance level for extreme limits.
gamma	significance level for outlier limits.
params	distribution parameters returned by ldecomp.getLimParams

ldecomp.getVariances *Compute explained variance*

Description

Computes explained variance and cumulative explained variance for data decomposition.

Usage

```
ldecomp.getVariances(scores, loadings, residuals, Q)
```

Arguments

scores	matrix with scores (T).
loadings	matrix with loadings (P).
residuals	matrix with residuals (E).
Q	matrix with squared orthogonal distances.

Value

Returns a list with two vectors.

ldecomp.plotResiduals *Residuals distance plot for a set of ldecomp objects*

Description

Shows a plot with score (T2, h) vs orthogonal (Q, q) distances and corresponding critical limits for given number of components.

Usage

```
ldecomp.plotResiduals(
  res,
  Qlim,
  T2lim,
  ncomp,
  log = FALSE,
  norm = FALSE,
  cgroup = NULL,
  xlim = NULL,
  ylim = NULL,
  show.limits = c(TRUE, TRUE),
  lim.col = c("darkgray", "darkgray"),
  lim.lwd = c(1, 1),
```

```

    lim.lty = c(2, 3),
    show.legend = TRUE,
    legend.position = "topright",
    ...
)

```

Arguments

<code>res</code>	list with result objects to show the plot for
<code>Qlim</code>	matrix with critical limits for orthogonal distance
<code>T2lim</code>	matrix with critical limits for score distance
<code>ncomp</code>	how many components to use (by default optimal value selected for the model will be used)
<code>log</code>	logical, apply log transformation to the distances or not (see details)
<code>norm</code>	logical, normalize distance values or not (see details)
<code>cgroup</code>	color grouping of plot points (works only if one result object is available)
<code>xlim</code>	limits for x-axis (if NULL will be computed automatically)
<code>ylim</code>	limits for y-axis (if NULL will be computed automatically)
<code>show.limits</code>	vector with two logical values defining if limits for extreme and/or outliers must be shown
<code>lim.col</code>	vector with two values - line color for extreme and outlier limits
<code>lim.lwd</code>	vector with two values - line width for extreme and outlier limits
<code>lim.lty</code>	vector with two values - line type for extreme and outlier limits
<code>show.legend</code>	logical, show or not legend on the plot (if more than one result object)
<code>legend.position</code>	if legend must be shown, where it should be
<code>...</code>	other plot parameters (see <code>mdaplotg</code> for details)

Details

The function is a bit more advanced version of `plotResiduals.ldecomp`. It allows to show distance values for several result objects (e.g. calibration and test set or calibration and new prediction set) as well as display the corresponding critical limits in form of lines or curves.

Depending on how many result objects your model has or how many you specified manually, using the `res` parameter, the plot behaves in a bit different way.

If only one result object is provided, then it allows to colorise the points using `cgroup` parameter. If two or more result objects are provided, then the function show distances in groups, and adds corresponding legend.

The function can show distance values normalised (h/h_0 and q/q_0) as well as with log transformation ($\log(1 + h/h_0)$, $\log(1 + q/q_0)$). The latter is useful if distribution of the points is skewed and most of them are densely located around bottom left corner.

mcr	<i>General class for Multivariate Curve Resolution model</i>
-----	--

Description

mcr is used to store and visualise general MCR data and results.

Usage

```
mcr(x, ncomp, method, exclrows = NULL, exclcols = NULL, info = "", ...)
```

Arguments

x	spectra of mixtures (as matrix or data frame)
ncomp	number of pure components to resolve
method	function for computing spectra of pure components
exclrows	rows to be excluded from calculations (numbers, names or vector with logical values)
exclcols	columns to be excluded from calculations (numbers, names or vector with logical values)
info	text with information about the MCR model
...	other parameters related to specific method

mcrals	<i>Multivariate curve resolution using Alternating Least Squares</i>
--------	--

Description

mcrals allows to resolve spectroscopic data to linear combination of individual spectra and contributions using the alternating least squares (ALS) algorithm with constraints.

Usage

```
mcrals(
  x,
  ncomp,
  cont.constraints = list(),
  spec.constraints = list(),
  spec.ini = matrix(runif(ncol(x) * ncomp), ncol(x), ncomp),
  cont.solver = mcrals.nnls,
  spec.solver = mcrals.nnls,
  exclrows = NULL,
  exclcols = NULL,
```

```

    verbose = FALSE,
    max.niter = 100,
    tol = 10^-6,
    info = ""
)

```

Arguments

<code>x</code>	spectra of mixtures (matrix or data frame).
<code>ncomp</code>	number of components to calculate.
<code>cont.constraints</code>	a list with constraints to be applied to contributions (see details).
<code>spec.constraints</code>	a list with constraints to be applied to spectra (see details).
<code>spec.ini</code>	a matrix with initial estimation of the pure components spectra.
<code>cont.solver</code>	which function to use as a solver for resolving of pure components contributions (see details).
<code>spec.solver</code>	which function to use as a solver for resolving of pure components spectra (see details).
<code>exclrows</code>	rows to be excluded from calculations (numbers, names or vector with logical values).
<code>exclcols</code>	columns to be excluded from calculations (numbers, names or vector with logical values).
<code>verbose</code>	logical, if TRUE information about every iteration will be shown.
<code>max.niter</code>	maximum number of iterations.
<code>tol</code>	tolerance, when explained variance change is smaller than this value, iterations stop.
<code>info</code>	a short text with description of the case (optional).

Details

The method implements the iterative ALS algorithm, where, at each iteration, spectra and contributions of each chemical component are estimated and then a set of constraints is applied to each. The method is well described in [1, 2].

The method assumes that the spectra (D) is a linear combination of pure components spectra (S) and pure component concentrations (C):

$$D = CS' + E$$

So the task is to get C and S by knowing D . In order to do that you need to provide:

1. Constraints for spectra and contributions. The constraints should be provided as a list with name of the constraint and all necessary parameters. You can see which constraints and parameters are currently supported by running `constraintList()`. See the code examples below or a Bookdown tutorial for more details.
2. Initial estimation of the pure components spectra, S . By default method uses a matrix with random numbers but you can provide a better guess (for example by running `mcrpure`) as a first step.

3. Which solver to use for resolving spectra and concentrations. There are two built in solvers: `mcrals.nls` (default) and `mcrals.ols`. The first implements non-negative least squares method which gives non-negative (thus physically meaningful) solutions. The second is ordinary least squares and if you want to get non-negative spectra and/or contributions in this case you need to provide a non-negativity constraint.

The algorithm iteratively resolves C and S and checks how well CS' is to D. The iterations stop either when number exceeds value in `max.niter` or when improvements (difference between explained variance on current and previous steps) is smaller than `tol` value.

Value

Returns an object of `mcrpure` class with the following fields:

<code>resspec</code>	matrix with resolved spectra.
<code>rescont</code>	matrix with resolved contributions.
<code>cont.constraints</code>	list with contribution constraints provided by user.
<code>spec.constraints</code>	list with spectra constraints provided by user.
<code>expvar</code>	vector with explained variance for each component (in percent).
<code>cumexpvar</code>	vector with cumulative explained variance for each component (in percent).
<code>ncomp</code>	number of resolved components
<code>max.niter</code>	maximum number of iterations
<code>info</code>	information about the model, provided by user when build the model.

More details and examples can be found in the Bookdown tutorial.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

References

1. J. Jaumot, R. Gargallo, A. de Juan, and R. Tauler, "A graphical user-friendly interface for MCR-ALS: a new tool for multivariate curve resolution in MATLAB", *Chemometrics and Intelligent # Laboratory Systems* 76, 101-110 (2005).

2.

See Also

Methods for `mcrals` objects:

`summary.mcrals` shows some statistics for the case.
[predict.mcrals](#) computes contributions by projection of new spectra to the resolved ones.

Plotting methods for `mcrals` objects:

<code>plotSpectra.mcr</code>	shows plot with resolved spectra.
<code>plotContributions.mcr</code>	shows plot with resolved contributions.
<code>plotVariance.mcr</code>	shows plot with explained variance.
<code>plotCumVariance.mcr</code>	shows plot with cumulative explained variance.

Examples

```
library(mdatools)

# resolve mixture of carbohydrates Raman spectra

data(carbs)

# define constraints for contributions
cc <- list(
  constraint("nonneg")
)

# define constraints for spectra
cs <- list(
  constraint("nonneg"),
  constraint("norm", params = list(type = "area"))
)

# because by default initial approximation is made by using random numbers
# we need to seed the generator in order to get reproducible results
set.seed(6)

# run ALS
m <- mcrals(carbs$D, ncomp = 3, cont.constraints = cc, spec.constraints = cs)
summary(m)

# plot cumulative and individual explained variance
par(mfrow = c(1, 2))
plotVariance(m)
plotCumVariance(m)

# plot resolved spectra (all of them or individually)
par(mfrow = c(2, 1))
plotSpectra(m)
plotSpectra(m, comp = 2:3)

# plot resolved contributions (all of them or individually)
par(mfrow = c(2, 1))
plotContributions(m)
plotContributions(m, comp = 2:3)

# of course you can do this manually as well, e.g. show original
# and resolved spectra
par(mfrow = c(1, 1))
mdaplotg(
```

```

list(
  "original" = prep.norm(carbs$D, "area"),
  "resolved" = prep.norm(mda.subset(mda.t(m$respec), 1), "area")
), col = c("gray", "red"), type = "l"
)

# in case if you have reference spectra of components you can compare them with
# the resolved ones:
par(mfrow = c(3, 1))
for (i in 1:3) {
  mdaplotg(
    list(
      "pure" = prep.norm(mda.subset(mda.t(carbs$S), 1), "area"),
      "resolved" = prep.norm(mda.subset(mda.t(m$respec), 1), "area")
    ), col = c("gray", "red"), type = "l", lwd = c(3, 1)
  )
}

# See bookdown tutorial for more details.

```

mcrals.cal

Identifies pure variables

Description

The method identifies indices of pure variables using the SIMPLISMA algorithm.

Usage

```

mcrals.cal(
  D,
  ncomp,
  cont.constraints,
  spec.constraints,
  spec.ini,
  cont.solver,
  spec.solver,
  max.niter,
  tol,
  verbose
)

```

Arguments

D	matrix with the spectra
ncomp	number of pure components
cont.constraints	a list with constraints to be applied to contributions (see details).

spec.constraints	a list with constraints to be applied to spectra (see details).
spec.ini	a matrix with initial estimation of the pure components spectra.
cont.solver	which function to use as a solver for resolving of pure components contributions (see details).
spec.solver	which function to use as a solver for resolving of pure components spectra (see details).
max.niter	maximum number of iterations.
tol	tolerance, when explained variance change is smaller than this value, iterations stop.
verbose	logical, if TRUE information about every iteration will be shown.

Value

The function returns a list with with following fields:

ncomp	number of pure components.
resspec	matrix with resolved spectra.
rescont	matrix with resolved contributions.
cont.constraints	list with contribution constraints provided by user.
spec.constraints	list with spectra constraints provided by user.
max.niter	maximum number of iterations

mcrals.fcnnls	<i>Fast combinatorial non-negative least squares</i>
---------------	--

Description

Fast combinatorial non-negative least squares

Usage

```
mcrals.fcnnls(
  D,
  A,
  tol = 10 * .Machine$double.eps * as.numeric(sqrt(crossprod(A[, 1]))) * nrow(A)
)
```

Arguments

D	a matrix
A	a matrix
tol	tolerance parameter for algorithm convergence

Details

Computes Fast combinatorial NNLS solution for $B: D = AB'$ subject to $B \geq 0$. Implements the method described in [1].

References

1. Van Benthem, M.H. and Keenan, M.R. (2004), Fast algorithm for the solution of large scale non-negativity-constrained least squares problems. *J. Chemometrics*, 18: 441-450. doi:10.1002/cem.889

mcrals.nls

Non-negative least squares

Description

Non-negative least squares

Usage

```
mcrals.nls(
  D,
  A,
  tol = 10 * .Machine$double.eps * as.numeric(sqrt(crossprod(A[, 1]))) * nrow(A)
)
```

Arguments

D	a matrix
A	a matrix
tol	tolerance parameter for algorithm convergence

Details

Computes NNLS solution for $B: D = AB'$ subject to $B \geq 0$. Implements the active-set based algorithm proposed by Lawson and Hanson [1].

References

1. Lawson, Charles L.; Hanson, Richard J. (1995). *Solving Least Squares Problems*. SIAM.

mcrals.ols

Ordinary least squares

Description

Ordinary least squares

Usage

```
mcrals.ols(D, A)
```

Arguments

D	a matrix
A	a matrix

Details

Computes OLS solution for $D = AB'$ (or $D' = AB'$), where D, A are known

mcrpure*Multivariate curve resolution based on pure variables*

Description

mcrpure allows to resolve spectroscopic data to linear combination of individual spectra and contributions using the pure variables approach.

Usage

```
mcrpure(  
  x,  
  ncomp,  
  purevars = NULL,  
  offset = 0.05,  
  exclrows = NULL,  
  exclcols = NULL,  
  info = ""  
)
```

Arguments

x	spectra of mixtures (matrix or data frame).
ncomp	maximum number of components to calculate.
purevars	vector with indices for pure variables (optional, if you want to provide the variables directly).
offset	offset for correcting noise in computing maximum angles (should be value within [0, 1)).
exclrows	rows to be excluded from calculations (numbers, names or vector with logical values).
exclcols	columns to be excluded from calculations (numbers, names or vector with logical values).
info	a short text with description of the case (optional).

Details

The method estimates purity of each variable and then uses the purest ones to decompose the spectral data into spectra ('resspec') and contributions ('rescont') of individual chemical components by ordinary least squares.

The pure variables are identified using stepwise maximum angle calculations and described in detail in [1]. So the purity of a spectral variable (wavelength, wavenumber) is actually an angle (measured in degrees) between the variable and vector of ones for the first component; and between the variable and space formed by previously found pure variables for the other components.

Value

Returns an object of `mcrpure` class with the following fields:

resspec	matrix with resolved spectra.
rescont	matrix with resolved contributions.
purevars	indices of the selected pure variables.
purevals	purity values for the selected pure variables.
purityspec	purity spectra (matrix with purity values for each variable and component).
expvar	vector with explained variance for each component (in percent).
cumexpvar	vector with cumulative explained variance for each component (in percent).
offset	offset value used to compute the purity
ncomp	number of resolved components
info	information about the model, provided by user when build the model.

More details and examples can be found in the Bookdown tutorial.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

References

1. Willem Windig, Neal B. Gallagher, Jeremy M. Shaver, Barry M. Wise. A new approach for interactive self-modeling mixture analysis. *Chemometrics and Intelligent Laboratory Systems*, 77 (2005) 85–96. DOI: 10.1016/j.chemolab.2004.06.009

See Also

Methods for mcrpure objects:

`summary.mcrpure` shows some statistics for the case.
[unmix.mcrpure](#) makes unmixing of new set of spectra.
[predict.mcrpure](#) computes contributions by projection of new spectra to the resolved ones.

Plotting methods for mcrpure objects:

[plotPurity.mcrpure](#) shows plot with maximum purity of each component.
[plotPuritySpectra.mcrpure](#) shows plot with purity spectra.
[plotSpectra.mcr](#) shows plot with resolved spectra.
[plotContributions.mcr](#) shows plot with resolved contributions.
[plotVariance.mcr](#) shows plot with explained variance.
[plotCumVariance.mcr](#) shows plot with cumulative explained variance.

Examples

```
library(mdatools)

# resolve mixture of carbohydrates Raman spectra

data(carbs)
m = mcrpure(carbs$D, ncomp = 3)

# examples for purity spectra plot (you can select which components to show)
par(mfrow = c(2, 1))
plotPuritySpectra(m)
plotPuritySpectra(m, comp = 2:3)

# you can do it manually and combine e.g. with original spectra
par(mfrow = c(1, 1))
mdaplotg(
  list(
    "spectra" = prep.norm(carbs$D, "area"),
    "purity" = prep.norm(mda.t(m$respec), 1, "area")
  ), col = c("gray", "red"), type = "l"
)

# show the maximum purity for each component
par(mfrow = c(1, 1))
plotPurity(m)
```



```

# plot cumulative and individual explained variance
par(mfrow = c(1, 2))
plotVariance(m)
plotCumVariance(m)

# plot resolved spectra (all of them or individually)
par(mfrow = c(2, 1))
plotSpectra(m)
plotSpectra(m, comp = 2:3)

# plot resolved contributions (all of them or individually)
par(mfrow = c(2, 1))
plotContributions(m)
plotContributions(m, comp = 2:3)

# of course you can do this manually as well, e.g. show original
# and resolved spectra
par(mfrow = c(1, 1))
mdaplotg(
  list(
    "original" = prep.norm(carbs$D, "area"),
    "resolved" = prep.norm(mda.subset(mda.t(m$respec), 1), "area")
  ), col = c("gray", "red"), type = "l"
)

# in case if you have reference spectra of components you can compare them with
# the resolved ones:
par(mfrow = c(3, 1))
for (i in 1:3) {
  mdaplotg(
    list(
      "pure" = prep.norm(mda.subset(mda.t(carbs$$), 1), "area"),
      "resolved" = prep.norm(mda.subset(mda.t(m$respec), 1), "area")
    ), col = c("gray", "red"), type = "l", lwd = c(3, 1)
  )
}

# See bookdown tutorial for more details.

```

mda.cbind

A wrapper for cbind() method with proper set of attributes

Description

A wrapper for cbind() method with proper set of attributes

Usage

```
mda.cbind(...)
```

Arguments

... datasets (data frames or matrices) to bind

Value

the merged datasets

mda.data2im *Convert data matrix to an image*

Description

Convert data matrix to an image

Usage

```
mda.data2im(data)
```

Arguments

data data matrix

mda.df2mat *Convert data frame to a matrix*

Description

The function converts data frame to a numeric matrix.

Usage

```
mda.df2mat(x, full = FALSE)
```

Arguments

x a data frame
 full logical, if TRUE number of dummy variables for a factor will be the same as number of levels, otherwise by one smaller

Details

If one or several columns of the data frame are factors they will be converted to a set of dummy variables. If any columns/rows were hidden in the data frame they will remain hidden in the matrix. If there are factors among the hidden columns, the corresponding dummy variables will be hidden as well.

All other attributes (names, axis names, etc.) will be inherited.

Value

a numeric matrix

mda.exclcols	<i>Exclude/hide columns in a dataset</i>
--------------	--

Description

Exclude/hide columns in a dataset

Usage

```
mda.exclcols(x, ind)
```

Arguments

x	dataset (data frame or matrix).
ind	indices of columns to exclude (numbers, names or logical values)

Details

The method assign attribute 'exclcols', which contains number of columns, which should be excluded/hidden from calculations and plots (without removing them physically). The argument ind should contain column numbers (excluding already hidden), names or logical values.

Value

dataset with excluded columns

mda.exclrows	<i>Exclude/hide rows in a dataset</i>
--------------	---------------------------------------

Description

Exclude/hide rows in a dataset

Usage

```
mda.exclrows(x, ind)
```

Arguments

x	dataset (data frame or matrix).
ind	indices of rows to exclude (numbers, names or logical values)

Details

The method assign attribute 'exclrows', which contains number of rows, which should be excluded/hidden from calculations and plots (without removing them physically). The argument `ind` should contain rows numbers (excluding already hidden), names or logical values.

Value

dataset with excluded rows

<code>mda.getattr</code>	<i>Get data attributes</i>
--------------------------	----------------------------

Description

Returns a list with important data attributes (name, xvalues, excluded rows and columns, etc.)

Usage

```
mda.getattr(x)
```

Arguments

<code>x</code>	a dataset
----------------	-----------

<code>mda.getexclind</code>	<i>Get indices of excluded rows or columns</i>
-----------------------------	--

Description

Get indices of excluded rows or columns

Usage

```
mda.getexclind(excl, names, n)
```

Arguments

<code>excl</code>	vector with excluded values (logical, text or numbers)
<code>names</code>	vector with names for rows or columns
<code>n</code>	number of rows or columns

mda.im2data	<i>Convert image to data matrix</i>
-------------	-------------------------------------

Description

Convert image to data matrix

Usage

```
mda.im2data(img)
```

Arguments

img an image (3-way array)

mda.inclcols	<i>Include/unhide the excluded columns</i>
--------------	--

Description

include columns specified by user (earlier excluded using mda.exclcols)

Usage

```
mda.inclcols(x, ind)
```

Arguments

x dataset (data frame or matrix).
ind number of excluded columns to include

Value

dataset with included columns.

mda.inclrows	<i>include/unhide the excluded rows</i>
--------------	---

Description

include rows specified by user (earlier excluded using mda.exclrows)

Usage

```
mda.inclrows(x, ind)
```

Arguments

x	dataset (data frame or matrix).
ind	number of excluded rows to include

Value

dataset with included rows

mda.purge	<i>Removes excluded (hidden) rows and colmns from data</i>
-----------	--

Description

Removes excluded (hidden) rows and colmns from data

Usage

```
mda.purge(data)
```

Arguments

data	data frame or matrix with data
------	--------------------------------

mda.purgeCols	<i>Removes excluded (hidden) columns from data</i>
---------------	--

Description

Removes excluded (hidden) columns from data

Usage

```
mda.purgeCols(data)
```

Arguments

data	data frame or matrix with data
------	--------------------------------

mda.purgeRows	<i>Removes excluded (hidden) rows from data</i>
---------------	---

Description

Removes excluded (hidden) rows from data

Usage

```
mda.purgeRows(data)
```

Arguments

data	data frame or matrix with data
------	--------------------------------

mda.rbind	<i>A wrapper for rbind() method with proper set of attributes</i>
-----------	---

Description

A wrapper for rbind() method with proper set of attributes

Usage

```
mda.rbind(...)
```

Arguments

...	datasets (data frames or matrices) to bind
-----	--

Value

the merged datasets

mda.setattr	<i>Set data attributes</i>
-------------	----------------------------

Description

Set most important data attributes (name, xvalues, excluded rows and columns, etc.) to a dataset

Usage

```
mda.setattr(x, attrs, type = "all")
```

Arguments

x	a dataset
attrs	list with attributes
type	a text variable telling which attributes to set ('all', 'row', 'col')

mda.setimbg	<i>Remove background pixels from image data</i>
-------------	---

Description

Remove background pixels from image data

Usage

```
mda.setimbg(data, bgpixels)
```

Arguments

data	a matrix with image data
bgpixels	vector with indices or logical values corresponding to background pixels

mda.show	<i>Wrapper for show() method</i>
----------	----------------------------------

Description

Wrapper for show() method

Usage

```
mda.show(x, n = 50)
```

Arguments

x	data set
n	number of rows to show

mda.subset	<i>A wrapper for subset() method with proper set of attributed</i>
------------	--

Description

A wrapper for subset() method with proper set of attributed

Usage

```
mda.subset(x, subset = NULL, select = NULL)
```

Arguments

x	dataset (data frame or matrix)
subset	which rows to keep (indices, names or logical values)
select	which columns to select (indices, names or logical values)

Details

The method works similar to the standard subset() method, with minor differences. First of all it keeps (and correct, if necessary) all important attributes. If only columns are selected, it keeps all excluded rows as excluded. If only rows are selected, it keeps all excluded columns. If both rows and columns are selected it removed all excluded elements first and then makes the subset.

The parameters subset and select may each be a vector with numbers or nanes without excluded elements, or a logical expression.

Value

a data with the subset

mda.t	<i>A wrapper for t() method with proper set of attributes</i>
-------	---

Description

A wrapper for t() method with proper set of attributes

Usage

```
mda.t(x)
```

Arguments

x dataset (data frames or matrices) to transpose

Value

the transposed dataset

mdaplot	<i>Plotting function for a single set of objects</i>
---------	--

Description

mdaplot is used to make different kinds of plot for one set of data objects.

Usage

```
mdaplot(  
  data = NULL,  
  ps = NULL,  
  type = "p",  
  pch = 16,  
  col = NULL,  
  bg = par("bg"),  
  bwd = 0.8,  
  border = NA,  
  lty = 1,  
  lwd = 1,  
  cex = 1,  
  cgroup = NULL,  
  xlim = NULL,  
  ylim = NULL,  
  colmap = "default",  
  labels = NULL,  
  main = NULL,
```

```

xlab = NULL,
ylab = NULL,
show.labels = FALSE,
show.colorbar = !is.null(cgroup),
show.lines = FALSE,
show.grid = TRUE,
grid.lwd = 0.5,
grid.col = "lightgray",
show.axes = TRUE,
xticks = NULL,
yticks = NULL,
xticklabels = NULL,
yticklabels = NULL,
xlas = 0,
ylas = 0,
lab.col = "darkgray",
lab.cex = 0.65,
show.excluded = FALSE,
col.excluded = "#C0C0C0",
nbins = 60,
force.x.values = NA,
opacity = 1,
pch.colinv = FALSE,
...
)

```

Arguments

data	a vector, matrix or a data.frame with data values.
ps	'plotseries' object, if NULL will be created based on the provided data values
type	type of the plot ("p", "d", "l", "b", "h", "e").
pch	a character for markers (same as plot parameter).
col	a color for markers or lines (same as plot parameter).
bg	background color for scatter plots with 'pch=21:25'.
bwd	a width of a bar as a percent of a maximum space available for each bar.
border	color for border of bars (if barplot is used)
lty	line type
lwd	line width
cex	scale factor for the marker
cgroup	a vector with values to use for make color groups.
xlim	limits for the x axis (if NULL, will be calculated automatically).
ylim	limits for the y axis (if NULL, will be calculated automatically).
colmap	a colormap to use for coloring the plot items.
labels	a vector with text labels for data points or one of the following: "names", "indices", "values".

<code>main</code>	an overall title for the plot (same as <code>plot</code> parameter).
<code>xlab</code>	a title for the x axis (same as <code>plot</code> parameter).
<code>ylab</code>	a title for the y axis (same as <code>plot</code> parameter).
<code>show.labels</code>	logical, show or not labels for the data objects.
<code>show.colorbar</code>	logical, show or not colorbar legend if color grouping is on.
<code>show.lines</code>	vector with two coordinates (x, y) to show horizontal and vertical line cross the point.
<code>show.grid</code>	logical, show or not a grid for the plot.
<code>grid.lwd</code>	line thinckness (width) for the grid.
<code>grid.col</code>	line color for the grid.
<code>show.axes</code>	logical, make a normal plot or show only elements (markers, lines, bars) without axes.
<code>xticks</code>	values for x ticks.
<code>yticks</code>	values for y ticks.
<code>xticklabels</code>	labels for x ticks.
<code>yticklabels</code>	labels for y ticks.
<code>xlas</code>	orientation of <code>xticklabels</code> .
<code>ylas</code>	orientation of <code>yticklabels</code> .
<code>lab.col</code>	color for data point labels.
<code>lab.cex</code>	size for data point labels.
<code>show.excluded</code>	logical, show or hide rows marked as excluded (attribute <code>'exclrows'</code>).
<code>col.excluded</code>	color for the excluded objects (rows).
<code>nbins</code>	if scatter density plot is shown, number of segments to split the plot area into. (see also <code>?smoothScatter</code>)
<code>force.x.values</code>	vector with corrected x-values for a bar plot (do not specify this manually).
<code>opacity</code>	opacity for plot colors (value between 0 and 1).
<code>pch.colinv</code>	allows to swap values for <code>'col'</code> and <code>'bg'</code> for scatter plots with <code>'pch'</code> valyes from 21 to 25.
<code>...</code>	other plotting arguments.

Details

Most of the parameters are similar to what are used with standard `plot` function. The differences are described below.

The function makes a plot of one set of objects. It can be a set of points (scatter plot), bars, lines, scatter-lines, errorbars og an image. The data is organized as a data frame, matrix or vector. For scatter and only first two columns will be used, for bar plot only values from the first row. It is recommended to use `mda.subset` method if plot should be made only for a subset of the data, especially if you have any excluded rows or columns or other special attributed, described in the Bookdown tutorial.

If data is a data frame and contains one or more factors, they will be converted to a dummy variables (using function `mda.df2mat`) and appears at the end (last columns) if line or bar plot is selected.

The function allows to colorize lines and points according to values of a parameter `cgroup`. The parameter must be a vector with the same elements as number of objects (rows) in the data. The values are divided into up to eight intervals and for each interval a particular color from a selected color scheme is assigned. Parameter `show.colorbar` allows to turn off and on a color bar legend for this option.

The used color scheme is defined by the `colmap` parameter. The default scheme is based on color brewer (colorbrewer2.org) diverging scheme with eight colors. There is also a gray scheme (`colmap = "gray"`) and user can define its own just by specifying the needed sequence of colors (e.g. `colmap = c("red", "yellow", "green")`, two colors is minimum). The scheme will then be generated automatically as a gradient among the colors.

Besides that the function allows to change tick values and corresponding tick labels for x and y axis, see Bookdown tutorial for more details.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

See Also

[mdaplotg](#) - to make plots for several sets of data objects (groups of objects).

Examples

```
# See all examples in the tutorial.
```

`mdaplot.areColors` *Check color values*

Description

Checks if elements of argument are valid color values

Usage

```
mdaplot.areColors(palette)
```

Arguments

`palette` vector with possibly color values (names, RGB, etc.)

`mdaplot.formatValues` *Format vector with numeric values*

Description

Format vector with values, so only significant decimal numbers are left.

Usage

```
mdaplot.formatValues(data, round.only = F, digits = 3)
```

Arguments

<code>data</code>	vector or matrix with values
<code>round.only</code>	logical, do formatting or only round the values
<code>digits</code>	how many significant digits take into account

Details

Function takes into account difference between values and the values themselves.

Value

matrix with formatted values

`mdaplot.getColors` *Color values for plot elements*

Description

Generate vector with color values for plot objects (lines, points, bars), depending on number of groups for the objects.

Usage

```
mdaplot.getColors(  
  ngroups = NULL,  
  cgroup = NULL,  
  colmap = "default",  
  opacity = 1,  
  maxsplits = 64  
)
```

Arguments

ngroups	number of colors to create.
cgroup	vector of values, used for color grouping of plot points or lines.
colmap	which colormap to use ('default', 'gray', 'old', or user defined in form c('col1', 'col2', ...)).
opacity	opacity for colors (between 0 and 1)
maxsplits	if continuous values are used for color grouping - how many groups to create?

Value

Returns vector with generated color values

mdaplot.getXAxisLim *Calculate limits for x-axis.*

Description

Calculates limits for x-axis depending on data values that have to be plotted, extra plot elements that have to be shown and margins.

Usage

```
mdaplot.getXAxisLim(
  ps,
  xlim,
  show.labels = FALSE,
  show.lines = FALSE,
  show.excluded = FALSE,
  bwd = 0.8
)
```

Arguments

ps	'plotseries' object.
xlim	limits provided by user
show.labels	logical, will data labels be shown on the plot
show.lines	logical or numeric with line coordinates to be shown on the plot.
show.excluded	logical, will excluded values be shown on the plot
bwd	if limits are computed for bar plot, this is a bar width (otherwise NULL)

Value

Returns a vector with two limits.

`mdaplot.getXTickLabels`*Prepare xticklabels for plot*

Description

Prepare xticklabels for plot

Usage

```
mdaplot.getXTickLabels(xticklabels, xticks, excluded_cols)
```

Arguments

<code>xticklabels</code>	xticklables provided by user (if any)
<code>xticks</code>	xticks (provided or computed)
<code>excluded_cols</code>	columns excluded from plot data (if any)

`mdaplot.getXTicks`*Prepare xticks for plot*

Description

Prepare xticks for plot

Usage

```
mdaplot.getXTicks(xticks, xlim, x_values = NULL, type = NULL)
```

Arguments

<code>xticks</code>	xticks provided by user (if any)
<code>xlim</code>	limits for x axis
<code>x_values</code>	x values for the plot data object
<code>type</code>	type of the plot

mdaplot.getYAxisLim *Calculate limits for y-axis.*

Description

Calculates limits for y-axis depending on data values that have to be plotted, extra plot elements that have to be shown and margins.

Usage

```
mdaplot.getYAxisLim(  
  ps,  
  ylim,  
  show.lines = FALSE,  
  show.excluded = FALSE,  
  show.labels = FALSE,  
  show.colorbar = FALSE  
)
```

Arguments

ps	'plotseries' object.
ylim	limits provided by user
show.lines	logical or numeric with line coordinates to be shown on the plot.
show.excluded	logical, will excluded values be shown on the plot
show.labels	logical, will data labels be shown on the plot
show.colorbar	logical, will colorbar be shown on the plot

Value

Returns a vector with two limits.

mdaplot.getYTickLabels
 Prepare yticklabels for plot

Description

Prepare yticklabels for plot

Usage

```
mdaplot.getYTickLabels(yticklabels, yticks, excluded_rows)
```

Arguments

yticklabels	yticklables provided by user (if any)
yticks	yticks (provided or computed)
excluded_rows	rows excluded from plot data (if any)

mdaplot.getYTicks *Prepare yticks for plot*

Description

Prepare yticks for plot

Usage

```
mdaplot.getYTicks(yticks, ylim, y_values = NULL, type = NULL)
```

Arguments

yticks	yticks provided by user (if any)
ylim	limits for y axis
y_values	y values for the plot data object
type	type of the plot

mdaplot.plotAxes *Create axes plane*

Description

Creates an empty axes plane for given parameters

Usage

```
mdaplot.plotAxes(
  xticklabels = NULL,
  yticklabels = NULL,
  xlim = xlim,
  ylim = ylim,
  xticks = NULL,
  yticks = NULL,
  main = NULL,
  xlab = NULL,
  ylab = NULL,
  xlas = 0,
```

```

    ylas = 0,
    show.grid = TRUE,
    grid.lwd = 0.5,
    grid.col = "lightgray"
  )

```

Arguments

xticklabels	labels for x ticks
yticklabels	labels for y ticks
xlim	vector with limits for x axis
ylim	vector with limits for y axis
xticks	values for x ticks
yticks	values for y ticks
main	main title for the plot
xlab	label for x axis
ylab	label for y axis
xlas	orientation of xticklabels
ylas	orientation of yticklabels
show.grid	logical, show or not axes grid
grid.lwd	line thickness (width) for the grid
grid.col	line color for the grid

mdaplot.prepareColors *Prepare colors based on palette and opacity value*

Description

Prepare colors based on palette and opacity value

Usage

```
mdaplot.prepareColors(palette, ncolors, opacity)
```

Arguments

palette	vector with main colors for current palette
ncolors	number of colors to generate
opacity	opacity for the colors (one value or individual for each color)

Value

vector with colors

mdaplot.showColorbar *Plot colorbar*

Description

Shows a colorbar if plot has color grouping of elements (points or lines).

Usage

```
mdaplot.showColorbar(  
  cgroup,  
  colmap = "default",  
  lab.col = "darkgray",  
  lab.cex = 0.65  
)
```

Arguments

cgroup	a vector with values used to make color grouping of the elements
colmap	a colormap to be used for color generation
lab.col	color for legend labels
lab.cex	size for legend labels

mdaplot.showLines *Plot lines*

Description

Shows horisontal and vertical lines on a plot.

Usage

```
mdaplot.showLines(point, lty = 2, lwd = 0.75, col = rgb(0.2, 0.2, 0.2))
```

Arguments

point	vector with two values: x coordinate for vertical point y for horizontal
lty	line type
lwd	line width
col	color of lines

Details

If it is needed to show only one line, the other coordinate shall be set to NA.

`mdaplotg`*Plotting function for several plot series*

Description

`mdaplotg` is used to make different kinds of plots or their combination for several sets of objects.

Usage

```
mdaplotg(  
  data,  
  groupby = NULL,  
  type = "p",  
  pch = 16,  
  lty = 1,  
  lwd = 1,  
  cex = 1,  
  col = NULL,  
  bwd = 0.8,  
  legend = NULL,  
  xlab = NULL,  
  ylab = NULL,  
  main = NULL,  
  labels = NULL,  
  ylim = NULL,  
  xlim = NULL,  
  colmap = "default",  
  legend.position = "topright",  
  show.legend = TRUE,  
  show.labels = FALSE,  
  show.lines = FALSE,  
  show.grid = TRUE,  
  grid.lwd = 0.5,  
  grid.col = "lightgray",  
  xticks = NULL,  
  xticklabels = NULL,  
  yticks = NULL,  
  yticklabels = NULL,  
  show.excluded = FALSE,  
  lab.col = "darkgray",  
  lab.cex = 0.65,  
  xlas = 1,  
  ylas = 1,  
  opacity = 1,  
  ...  
)
```

Arguments

<code>data</code>	a matrix, data frame or a list with data values (see details below).
<code>groupby</code>	one or several factors used to create groups of data matrix rows (works if data is a matrix)
<code>type</code>	type of the plot ('p', 'l', 'b', 'h', 'e').
<code>pch</code>	a character for markers (same as plot parameter).
<code>lty</code>	the line type (same as plot parameter).
<code>lwd</code>	the line width (thickness) (same as plot parameter).
<code>cex</code>	the cex factor for the markers (same as plot parameter).
<code>col</code>	colors for the plot series
<code>bwd</code>	a width of a bar as a percent of a maximum space available for each bar.
<code>legend</code>	a vector with legend elements (if NULL, no legend will be shown).
<code>xlab</code>	a title for the x axis (same as plot parameter).
<code>ylab</code>	a title for the y axis (same as plot parameter).
<code>main</code>	an overall title for the plot (same as plot parameter).
<code>labels</code>	what to use as labels ('names' - row names, 'indices' - row indices, 'values' - values).
<code>ylim</code>	limits for the y axis (if NULL, will be calculated automatically).
<code>xlim</code>	limits for the x axis (if NULL, will be calculated automatically).
<code>colmap</code>	a colormap to generate colors if col is not provided
<code>legend.position</code>	position of the legend ('topleft', 'topright', 'top', 'bottomleft', 'bottomright', 'bottom').
<code>show.legend</code>	logical, show or not legend for the data objects.
<code>show.labels</code>	logical, show or not labels for the data objects.
<code>show.lines</code>	vector with two coordinates (x, y) to show horizontal and vertical line cross the point.
<code>show.grid</code>	logical, show or not a grid for the plot.
<code>grid.lwd</code>	line thinckness (width) for the grid
<code>grid.col</code>	line color for the grid
<code>xticks</code>	tick values for x axis.
<code>xticklabels</code>	labels for x ticks.
<code>yticks</code>	tick values for y axis.
<code>yticklabels</code>	labels for y ticks.
<code>show.excluded</code>	logical, show or hide rows marked as excluded (attribute 'exclrows')
<code>lab.col</code>	color for data point labels.
<code>lab.cex</code>	size for data point labels.
<code>xlas</code>	orientation of xticklabels
<code>ylas</code>	orientation of yticklabels
<code>opacity</code>	opacity for plot colors (value between 0 and 1)
<code>...</code>	other plotting arguments.

Details

The `mdaplotg` function is used to make a plot with several sets of objects. Simply speaking, use it when you need a plot with legend. For example to show line plot with spectra from calibration and test set, scatter plot with height and weight values for women and men, and so on.

Most of the parameters are similar to `mdaplot`, the difference is described below.

The data should be organized as a list, every item is a matrix (or data frame) with data for one set of objects. Alternatively you can provide data as a matrix and use parameter `groupby` to create the groups. See tutorial for more details.

There is no color grouping option, because color is used to separate the sets. Marker symbol, line style and type, etc. can be defined as a single value (one for all sets) and as a vector with one value for each set.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

`mdaplotg.getLegend` *Create and return vector with legend values*

Description

Create and return vector with legend values

Usage

```
mdaplotg.getLegend(ps, data.names, legend = NULL)
```

Arguments

<code>ps</code>	list with plot series
<code>data.names</code>	names of the data sets
<code>legend</code>	legend values provided by user

Value

vector of text values for the legend

mdaplotg.getXLim *Compute x-axis limits for mdaplotg*

Description

Compute x-axis limits for mdaplotg

Usage

```
mdaplotg.getXLim(  
  ps,  
  xlim,  
  show.excluded,  
  show.legend,  
  show.labels,  
  legend.position,  
  bwd = NULL  
)
```

Arguments

ps	list with plotseries
xlim	limits provided by user
show.excluded	logical, will excluded values also be shown
show.legend	will legend be shown on the plot
show.labels	will labels be shown on the plot
legend.position	position of legend on the plot (if shown)
bwd	size of bar for bar plot

Value

vector with two values

mdaplotg.getYLim *Compute y-axis limits for mdaplotg*

Description

Compute y-axis limits for mdaplotg

Usage

```
mdaplotg.getYLim(
  ps,
  ylim,
  show.excluded,
  show.legend,
  legend.position,
  show.labels
)
```

Arguments

ps	list with plotseries
ylim	limits provided by user
show.excluded	logical, will excluded values also be shown
show.legend	will legend be shown on the plot
legend.position	position of legend on the plot (if shown)
show.labels	logical, will data point labels also be shown

Value

vector with two values

mdaplotg.prepareData *Prepare data for mdaplotg*

Description

Prepare data for mdaplotg

Usage

```
mdaplotg.prepareData(data, type, groupby)
```

Arguments

data	datasets (in form of list, matrix or data frame)
type	vector with type for dataset
groupby	factor or data frame with factors - used to split data matrix into groups

Value

list of datasets

The method should prepare data as a list of datasets (matrices or data frames). One list element will be used to create one plot series.

If 'data' is matrix or data frame and not 'groupby' parameter is provided, then every row will be taken as separate set. This option is available only for line or bar plots.

mdaplotg.processParam *Check mdaplotg parameters and replicate them if necessary*

Description

Check mdaplotg parameters and replicate them if necessary

Usage

```
mdaplotg.processParam(param, name, is.type, ngroups)
```

Arguments

param	A parameter to check
name	name of the parameter (needed for error message)
is.type	function to use for checking parameter type
ngroups	number of groups (plot series)

mdaplotg.showLegend *Show legend for mdaplotg*

Description

Shows a legend for plot elements or their groups.

Usage

```
mdaplotg.showLegend(
  legend,
  col,
  pt.bg = NA,
  pch = NULL,
  lty = NULL,
  lwd = NULL,
  cex = 1,
  bty = "o",
  position = "topright",
  plot = TRUE,
  ...
)
```

Arguments

legend	vector with text elements for the legend items
col	vector with color values for the legend items
pt.bg	vector with background colors for the legend items (e.g. for pch = 21:25)
pch	vector with marker symbols for the legend items
lty	vector with line types for the legend items
lwd	vector with line width values for the legend items
cex	vector with cex factor for the points
bty	border type for the legend
position	legend position ("topright", "topleft", "bottomright", "bottomleft", "top", "bottom")
plot	logical, show legend or just calculate and return its size
...	other parameters

mdaplotyy

Create line plot with double y-axis

Description

mdaplotyy create line plot for two plot series and uses separate y-axis for each.

Usage

```
mdaplotyy(
  data,
  type = "l",
  col = mdaplot.getColors(2),
  lty = c(1, 1),
  lwd = c(1, 1),
  pch = (if (type == "b") c(16, 16) else c(NA, NA)),
  cex = 1,
  xlim = NULL,
  ylim = NULL,
  main = attr(data, "name"),
  xlab = attr(data, "xaxis.name"),
  ylab = rownames(data),
  labels = "values",
  show.labels = FALSE,
  lab.cex = 0.65,
  lab.col = "darkgray",
  show.grid = TRUE,
  grid.lwd = 0.5,
  grid.col = "lightgray",
```

```

xticks = NULL,
xticklabels = NULL,
xlas = 0,
ylas = 0,
show.legend = TRUE,
legend.position = "topright",
legend = ylab,
...
)

```

Arguments

<code>data</code>	a matrix or a data.frame with two rows of values.
<code>type</code>	type of the plot ("l" or "b").
<code>col</code>	a color for markers or lines (same as plot parameter) for each series.
<code>lty</code>	line type for each series (two values)
<code>lwd</code>	line width for each series (two values)
<code>pch</code>	a character for markers (same as plot parameter) for each series (two values).
<code>cex</code>	scale factor for the markers
<code>xlim</code>	limits for the x axis (if NULL, will be calculated automatically).
<code>ylim</code>	limits for the y axis, either list with two vectors (one for each series) or NULL.
<code>main</code>	an overall title for the plot (same as plot parameter).
<code>xlab</code>	a title for the x axis (same as plot parameter).
<code>ylab</code>	a title for each of the two y axis (as a vector of two text values).
<code>labels</code>	a vector with text labels for data points or one of the following: "names", "indices", "values".
<code>show.labels</code>	logical, show or not labels for the data objects.
<code>lab.cex</code>	size for data point labels.
<code>lab.col</code>	color for data point labels.
<code>show.grid</code>	logical, show or not a grid for the plot.
<code>grid.lwd</code>	line thickness (width) for the grid.
<code>grid.col</code>	line color for the grid.
<code>xticks</code>	values for x ticks.
<code>xticklabels</code>	labels for x ticks.
<code>xlas</code>	orientation of xticklabels.
<code>ylas</code>	orientation of yticklabels (will be applied to both y axes).
<code>show.legend</code>	logical show legend with name of each plot series or not
<code>legend.position</code>	position of legend if it must be shown
<code>legend</code>	values for the legend
<code>...</code>	other plotting arguments.

Details

This plot has properties both `mdaplot` and `mdaplotg`, so when you specify color, line properties etc. you have to do it for both plot series.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

See Also

[mdaplotg](#) - to make plots for several sets of data objects (groups of objects).

Examples

```
# See all examples in the tutorial.
```

mdatools

Package for Multivariate Data Analysis (Chemometrics)

Description

This package contains classes and functions for most common methods used in Chemometrics. For a complete list of functions, use `library(help = 'mdatools')`.

Details

The project is hosted on GitHub, there you can also find a Bookdown user tutorial (<https://svkucheryavski.github.io/mdatools/>) explaining most important features of the package.

Every method is represented by two classes: a model class for keeping all parameters and information about the model, and a class for keeping and visualising results of applying the model to particular data values.

Every model class, e.g. `pls`, has all needed functionality implemented as class methods, including model calibration, validation (test set and cross-validation), visualisation of the calibration and validation results with various plots and summary statistics.

So far the following modelling methods are implemented:

<code>pca, pcares</code>	Principal Component Analysis (PCA).
<code>pls, plsres</code>	Partial Least Squares regression (PLS).
<code>simca, simcares</code>	Soft Independent Modelling of Class Analogues (SIMCA)
<code>simcam, simcamres</code>	SIMCA for multiple classes case (SIMCA)
<code>plsda, plsdares</code>	Partial Least Squares Discriminant Analysis (PLS-DA).
<code>randtest</code>	Randomization test for PLS-regression.
<code>ipls</code>	Interval PLS variable.

Methods for data preprocessing:

<code>prep.autoscale</code>	data mean centering and/or standardization.
<code>prep.savgol</code>	Savitzky-Golay transformation.
<code>prep.snv</code>	Standard normal variate.
<code>prep.msc</code>	Multiplicative scatter correction.
<code>prep.norm</code>	Spectra normalization.

All plotting methods are based on two functions, `mdaplot` and `mdaplotg`. The functions extend the basic functionality of R plots and allow to make automatic legend and color grouping of data points or lines with colorbar legend, automatically adjust axes limits when several data groups are plotted and so on.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

pca

Principal Component Analysis

Description

pca is used to build and explore a principal component analysis (PCA) model.

Usage

```
pca(  
  x,  
  ncomp = min(nrow(x) - 1, ncol(x), 20),  
  center = TRUE,  
  scale = FALSE,  
  exclrows = NULL,  
  exclcols = NULL,  
  x.test = NULL,  
  method = "svd",  
  rand = NULL,  
  lim.type = "ddmoments",  
  alpha = 0.05,  
  gamma = 0.01,  
  info = ""  
)
```

Arguments

<code>x</code>	calibration data (matrix or data frame).
<code>ncomp</code>	maximum number of components to calculate.
<code>center</code>	logical, do mean centering of data or not.
<code>scale</code>	logical, do standardization of data or not.
<code>exclrows</code>	rows to be excluded from calculations (numbers, names or vector with logical values)
<code>exclcols</code>	columns to be excluded from calculations (numbers, names or vector with logical values)
<code>x.test</code>	test data (matrix or data frame).
<code>method</code>	method to compute principal components ("svd", "nipals").
<code>rand</code>	vector with parameters for randomized PCA methods (if NULL, conventional PCA is used instead)
<code>lim.type</code>	which method to use for calculation of critical limits for residual distances (see details)
<code>alpha</code>	significance level for extreme limits for T2 and Q distances.
<code>gamma</code>	significance level for outlier limits for T2 and Q distances.
<code>info</code>	a short text with model description.

Details

Note, that from v. 0.10.0 cross-validation is no more supported in PCA.

If number of components is not specified, a minimum of number of objects - 1 and number of variables in calibration set is used. One can also specified an optimal number of component, once model is calibrated (`ncomp.selected`). The optimal number of components is used to build a residuals distance plot, as well as for SIMCA classification.

If some of rows of calibration set should be excluded from calculations (e.g. because they are outliers) you can provide row numbers, names, or logical values as parameter `exclrows`. In this case they will be completely ignored we model is calibrated. However, score and residuls distances will be computed for these rows as well and then hidden. You can show them on corresponding plots by using parameter `show.excluded = TRUE`.

It is also possible to exclude selected columns from calculations by provideing parameter `exclcols` in form of column numbers, names or logical values. In this case loading matrix will have zeros for these columns. This allows to compute PCA models for selected variables without removing them physically from a dataset.

Take into account that if you see other packages to make plots (e.g. `ggplot2`) you will not be able to distinguish between hidden and normal objects.

By default loadings are computed for the original dataset using either SVD or NIPALS algorithm. However, for datasets with large number of rows (e.g. hyperspectral images), there is a possibility to run algorithms based on random permutations [1, 2]. In this case you have to define parameter `rand` as a vector with two values: `p` - oversampling parameter and `k` - number of iterations. Usually `rand = c(15, 0)` or `rand = c(5, 1)` are good options, which give quite almost precise solution but much faster.

There are several ways to calculate critical limits for orthogonal (Q, q) and score (T2, h) distances. In `mdatools` you can specify one of the following methods via parameter `lim.type`: "jm" Jackson-Mudholkar approach [3], "chisq" - method based on chi-square distribution [4], "ddmoments" and "ddrobust" - related to data driven method proposed in [5]. The "ddmoments" is based on method of moments for estimation of distribution parameters (also known as "classical" approach) while "ddrobust" is based in robust estimation.

If `lim.type="chisq"` or `lim.type="jm"` is used, only limits for Q-distances are computed based on corresponding approach, limits for T2-distances are computed using Hotelling's T-squared distribution. The methods utilizing the data driven approach calculate limits for combination of the distances bases on chi-square distribution and parameters estimated from the calibration data.

The critical limits are calculated for a significance level defined by parameter 'alpha'. You can also specify another parameter, 'gamma', which is used to calculate acceptance limit for outliers (shown as dashed line on residual distance plot).

You can also recalculate the limits for existent model by using different values for alpha and gamma, without recomputing the model itself. In this case use the following code (it is assumed that you current PCA/SIMCA model is stored in variable `m`): `m = setDistanceLimits(m, lim.type, alpha, gamma)`.

In case of PCA the critical limits are just shown on residual plot as lines and can be used for detection of extreme objects (solid line) and outliers (dashed line). When PCA model is used for classification in SIMCA (see [simca](#)) the limits are also employed for classification of objects.

Value

Returns an object of `pca` class with following fields:

<code>ncomp</code>	number of components included to the model.
<code>ncomp.selected</code>	selected (optimal) number of components.
<code>loadings</code>	matrix with loading values (<code>nvar</code> x <code>ncomp</code>).
<code>eigenvals</code>	vector with eigenvalues for all existent components.
<code>expvar</code>	vector with explained variance for each component (in percent).
<code>cumexpvar</code>	vector with cumulative explained variance for each component (in percent).
<code>T2lim</code>	statistical limit for T2 distance.
<code>Qlim</code>	statistical limit for Q residuals.
<code>info</code>	information about the model, provided by user when build the model.
<code>calres</code>	an object of class <code>pcares</code> with PCA results for a calibration data.
<code>testres</code>	an object of class <code>pcares</code> with PCA results for a test data, if it was provided.

More details and examples can be found in the Bookdown tutorial.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

References

1. N. Halko, P.G. Martinsson, J.A. Tropp. Finding structure with randomness: probabilistic algorithms for constructing approximate matrix decompositions. *SIAM Review*, 53 (2010) pp. 217-288.
2. S. Kucheryavskiy, Blessing of randomness against the curse of dimensionality, *Journal of Chemometrics*, 32 (2018).
3. J.E. Jackson, *A User's Guide to Principal Components*, John Wiley & Sons, New York, NY (1991).
4. A.L. Pomerantsev, Acceptance areas for multivariate classification derived by projection methods, *Journal of Chemometrics*, 22 (2008) pp. 601-609.
5. A.L. Pomerantsev, O.Ye. Rodionova, Concept and role of extreme objects in PCA/SIMCA, *Journal of Chemometrics*, 28 (2014) pp. 429-438.

See Also

Methods for `pca` objects:

<code>plot.pca</code>	makes an overview of PCA model with four plots.
<code>summary.pca</code>	shows some statistics for the model.
<code>categorize.pca</code>	categorize data rows as "normal", "extreme" or "outliers".
<code>selectCompNum.pca</code>	set number of optimal components in the model
<code>setDistanceLimits.pca</code>	set critical limits for residuals
<code>predict.pca</code>	applies PCA model to a new data.

Plotting methods for `pca` objects:

<code>plotScores.pca</code>	shows scores plot.
<code>plotLoadings.pca</code>	shows loadings plot.
<code>plotVariance.pca</code>	shows explained variance plot.
<code>plotCumVariance.pca</code>	shows cumulative explained variance plot.
<code>plotResiduals.pca</code>	shows plot for residual distances (Q vs. T2).
<code>plotBiplot.pca</code>	shows bi-plot.
<code>plotExtreme.pca</code>	shows extreme plot.
<code>plotT2DoF</code>	plot with degrees of freedom for score distance.
<code>plotQDoF</code>	plot with degrees of freedom for orthogonal distance.
<code>plotDistDoF</code>	plot with degrees of freedom for both distances.

Most of the methods for plotting data are also available for PCA results (`pcare`s) objects. Also check `pca.mvreplace`, which replaces missing values in a data matrix with approximated using iterative PCA decomposition.

Examples

```
library(mdatools)
### Examples for PCA class
```

```

## 1. Make PCA model for People data with autoscaling

data(people)
model = pca(people, scale = TRUE, info = "Simple PCA model")
model = selectCompNum(model, 4)
summary(model)
plot(model, show.labels = TRUE)

## 2. Show scores and loadings plots for the model

par(mfrow = c(2, 2))
plotScores(model, comp = c(1, 3), show.labels = TRUE)
plotScores(model, comp = 2, type = "h", show.labels = TRUE)
plotLoadings(model, comp = c(1, 3), show.labels = TRUE)
plotLoadings(model, comp = c(1, 2), type = "h", show.labels = TRUE)
par(mfrow = c(1, 1))

## 3. Show residual distance and variance plots for the model
par(mfrow = c(2, 2))
plotVariance(model, type = "h")
plotCumVariance(model, show.labels = TRUE, legend.position = "bottomright")
plotResiduals(model, show.labels = TRUE)
plotResiduals(model, ncomp = 2, show.labels = TRUE)
par(mfrow = c(1, 1))

```

pca.cal

PCA model calibration

Description

Calibrates (builds) a PCA model for given data and parameters

Usage

```
pca.cal(x, ncomp, center, scale, method, rand = NULL)
```

Arguments

x	matrix with data values
ncomp	number of principal components to calculate
center	logical, do mean centering or not
scale	logical, do standardization or not
method	algorithm for computing PC space (only 'svd' and 'nipals' are supported so far)
rand	vector with parameters for randomized PCA methods (if NULL, conventional PCA is used instead)

Value

an object with calibrated PCA model

pca.getB	<i>Low-dimensional approximation of data matrix X</i>
----------	---

Description

Low-dimensional approximation of data matrix X

Usage

```
pca.getB(X, k = NULL, rand = NULL, dist = "unif")
```

Arguments

X	data matrix
k	rank of X (number of components)
rand	a vector with two values - number of iterations (q) and oversampling parameter (p)
dist	distribution for generating random numbers, 'unif' or 'norm'

pca.mvreplace	<i>Replace missing values in data</i>
---------------	---------------------------------------

Description

pca.mvreplace is used to replace missing values in a data matrix with approximated by iterative PCA decomposition.

Usage

```
pca.mvreplace(  
  x,  
  center = TRUE,  
  scale = FALSE,  
  maxncomp = 10,  
  expvarlim = 0.95,  
  covlim = 10^-6,  
  maxiter = 100  
)
```

Arguments

x	a matrix with data, containing missing values.
center	logical, do centering of data values or not.
scale	logical, do standardization of data values or not.
maxncomp	maximum number of components in PCA model.
expvarlim	minimum amount of variance, explained by chosen components (used for selection of optimal number of components in PCA models).
covlim	convergence criterion.
maxiter	maximum number of iterations if convergence criterion is not met.

Details

The function uses iterative PCA modeling of the data to approximate and impute missing values. The result is most optimal for data sets with low or moderate level of noise and with number of missing values less than 10% for small dataset and up to 20% for large data.

Value

Returns the same matrix x where missing values are replaced with approximated.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

References

Philip R.C. Nelson, Paul A. Taylor, John F. MacGregor. Missing data methods in PCA and PLS: Score calculations with incomplete observations. *Chemometrics and Intelligent Laboratory Systems*, 35 (1), 1996.

Examples

```
library(mdatools)

## A very simple example of imputing missing values in a data with no noise

# generate a matrix with values
s = 1:6
odata = cbind(s, 2*s, 4*s)

# make a matrix with missing values
mdata = odata
mdata[5, 2] = mdata[2, 3] = NA

# replace missing values with approximated
rdata = pca.mvreplace(mdata, scale = TRUE)

# show all matrices together
show(cbind(odata, mdata, round(rdata, 2)))
```

pca.nipals *NIPALS based PCA algorithm*

Description

Calculates principal component space using non-linear iterative partial least squares algorithm (NIPALS)

Usage

```
pca.nipals(x, ncomp = min(ncol(x), nrow(x) - 1), tol = 10^-10)
```

Arguments

x	a matrix with data values (preprocessed)
ncomp	number of components to calculate
tol	tolerance (if difference in eigenvalues is smaller - convergence achieved)

Value

a list with scores, loadings and eigenvalues for the components

References

Geladi, Paul; Kowalski, Bruce (1986), "Partial Least Squares Regression:A Tutorial", *Analytica Chimica Acta* 185: 1-17

pca.run *Runs one of the selected PCA methods*

Description

Runs one of the selected PCA methods

Usage

```
pca.run(x, ncomp, method, rand = NULL)
```

Arguments

x	data matrix
ncomp	number of components
method	name of PCA methods ('svd', 'nipals')
rand	parameters for randomized algorithm (if not NULL)

pca.svd

Singular Values Decomposition based PCA algorithm

Description

Computes principal component space using Singular Values Decomposition

Usage

```
pca.svd(x, ncomp = min(ncol(x), nrow(x) - 1))
```

Arguments

x a matrix with data values (preprocessed)
ncomp number of components to calculate

Value

a list with scores, loadings and eigenvalues for the components

pcares

Results of PCA decomposition

Description

pcares is used to store and visualise results for PCA decomposition.

Usage

```
pcares(...)
```

Arguments

... all arguments supported by ldecomp.

Details

In fact pcares is a wrapper for [ldecomp](#) - general class for storing results for linear decomposition $X = TP' + E$. So, most of the methods, arguments and returned values are inherited from ldecomp.

There is no need to create a pcares object manually, it is created automatically when build a PCA model (see [pca](#)) or apply the model to a new data (see [predict.pca](#)). The object can be used to show summary and plots for the results.

It is assumed that data is a matrix or data frame with I rows and J columns.

Value

Returns an object (list) of class `pcares` and `ldecomp` with following fields:

<code>scores</code>	matrix with score values (I x A).
<code>residuals</code>	matrix with data residuals (I x J).
<code>T2</code>	matrix with score distances (I x A).
<code>Q</code>	matrix with orthogonal distances (I x A).
<code>ncomp.selected</code>	selected number of components.
<code>expvar</code>	explained variance for each component.
<code>cumexpvar</code>	cumulative explained variance.

See Also

Methods for `pcares` objects:

<code>print.pcares</code>	shows information about the object.
<code>summary.pcares</code>	shows statistics for the PCA results.

Methods, inherited from `ldecomp` class:

<code>plotScores.ldecomp</code>	makes scores plot.
<code>plotVariance.ldecomp</code>	makes explained variance plot.
<code>plotCumVariance.ldecomp</code>	makes cumulative explained variance plot.
<code>plotResiduals.ldecomp</code>	makes Q vs. T2 distance plot.

Check also [pca](#) and [ldecomp](#).

Examples

```
### Examples for PCA results class

library(mdatools)

## 1. Make a model for every odd row of People data
## and apply it to the objects from every even row

data(people)
x = people[seq(1, 32, 2), ]
x.new = people[seq(1, 32, 2), ]

model = pca(people, scale = TRUE, info = "Simple PCA model")
model = selectCompNum(model, 4)

res = predict(model, x.new)
summary(res)
```

```

plot(res)

## 1. Make PCA model for People data with autoscaling
## and full cross-validation and get calibration results

data(people)
model = pca(people, scale = TRUE, info = "Simple PCA model")
model = selectCompNum(model, 4)

res = model$calres
summary(res)
plot(res)

## 2. Show scores plots for the results
par(mfrow = c(2, 2))
plotScores(res)
plotScores(res, cgroup = people[, "Beer"], show.labels = TRUE)
plotScores(res, comp = c(1, 3), show.labels = TRUE)
plotScores(res, comp = 2, type = "h", show.labels = TRUE)
par(mfrow = c(1, 1))

## 3. Show residuals and variance plots for the results
par(mfrow = c(2, 2))
plotVariance(res, type = "h")
plotCumVariance(res, show.labels = TRUE)
plotResiduals(res, show.labels = TRUE, cgroup = people[, "Sex"])
plotResiduals(res, ncomp = 2, show.labels = TRUE)
par(mfrow = c(1, 1))

```

pellets

Image data

Description

Dataset for showing how mdatools works with images. It is an RGB image represented as 3-way array.

Usage

```
data(people)
```

Format

a 3-way array (height x width x channels).

Details

This is an image with pellets of four different colours mixed in a glas volume.

people

People data

Description

Dataset for exploratory analysis with 32 objects (male and female persons) and 12 variables.

Usage

```
data(people)
```

Format

a matrix with 32 observations (persons) and 12 variables.

- [, 1] Height in cm.
- [, 2] Weight in kg.
- [, 3] Hair length (-1 for short, +1 for long).
- [, 4] Shoe size (EU standard).
- [, 5] Age, years.
- [, 6] Income, euro per year.
- [, 7] Beer consumption, liters per year.
- [, 8] Wine consumption, liters per year.
- [, 9] Sex (-1 for male, +1 for female).
- [, 10] Swimming ability (index, based on 500 m swimming time).
- [, 11] Region (-1 for Scandinavia, +1 for Mediterranean).
- [, 12] IQ (European standardized test).

Details

The data was taken from the book [1] and is in fact a small subset of a pan-European demographic survey. It includes information about 32 persons, 16 represent northern Europe (Scandinavians) and 16 are from the Mediterranean regions. In both groups there are 8 male and 8 female persons. The data includes both quantitative and qualitative variables and is particularly useful for benchmarking exploratory data analysis methods.

Source

1. K. Esbensen. *Multivariate Data Analysis in Practice*. Camo, 2002.

pinv

Pseudo-inverse matrix

Description

Computes pseudo-inverse matrix using SVD

Usage

```
pinv(data)
```

Arguments

data a matrix with data values to compute inverse for

plot.classres *Plot function for classification results*

Description

Generic plot function for classification results. Alias for [plotPredictions.classres](#).

Usage

```
## S3 method for class 'classres'
plot(x, ...)
```

Arguments

x classification results (object of class plsdare, simcamres, etc.).
 ... other arguments for plotPredictions() method.

plot.ipls *Overview plot for iPLS results*

Description

Shows a plot for iPLS results.

Usage

```
## S3 method for class 'ipls'
plot(x, ...)
```

Arguments

x a (object of class pca)
 ... other arguments

Details

See details for [plotSelection.ipls](#).

plot.mcr	<i>Plot summary for MCR model</i>
----------	-----------------------------------

Description

Plot summary for MCR model

Usage

```
## S3 method for class 'mcr'
plot(x, ...)
```

Arguments

x	mcr model object
...	other parameters

plot.pca	<i>Model overview plot for PCA</i>
----------	------------------------------------

Description

Shows a set of plots (scores, loadings, residuals and explained variance) for PCA model.

Usage

```
## S3 method for class 'pca'
plot(
  x,
  comp = c(1, 2),
  ncomp = x$ncomp.selected,
  show.labels = FALSE,
  show.legend = TRUE,
  ...
)
```

Arguments

x	a PCA model (object of class pca)
comp	vector with two values - number of components to show the scores and loadings plots for
ncomp	number of components to show the residuals plot for
show.labels	logical, show or not labels for the plot objects
show.legend	logical, show or not a legend on the plot
...	other arguments

Details

See examples in help for [pca](#) function.

plot.pcares	<i>Plot method for PCA results object</i>
-------------	---

Description

Show several plots to give an overview about the PCA results

Usage

```
## S3 method for class 'pcares'
plot(x, comp = c(1, 2), ncomp = x$ncomp.selected, show.labels = TRUE, ...)
```

Arguments

x	PCA results (object of class pcares)
comp	which components to show the scores plot for (can be one value or vector with two values).
ncomp	how many components to use for showing the residual distance plot
show.labels	logical, show or not labels for the plot objects
...	other arguments

plot.pls	<i>Model overview plot for PLS</i>
----------	------------------------------------

Description

Shows a set of plots (x residuals, regression coefficients, RMSE and predictions) for PLS model.

Usage

```
## S3 method for class 'pls'
plot(x, ncomp = x$ncomp.selected, ny = 1, show.legend = TRUE, ...)
```

Arguments

x	a PLS model (object of class pls)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
ny	which y variable to show the summary for (if NULL, will be shown for all)
show.legend	logical, show or not a legend on the plot
...	other arguments

Details

See examples in help for [pls](#) function.

plot.plsda	<i>Model overview plot for PLS-DA</i>
------------	---------------------------------------

Description

Shows a set of plots (x residuals, regression coefficients, misclassification ratio and predictions) for PLS-DA model.

Usage

```
## S3 method for class 'plsda'
plot(x, ncomp = x$ncomp.selected, nc = 1, show.legend = TRUE, ...)
```

Arguments

x	a PLS-DA model (object of class plsda)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
nc	which class to show the plots
show.legend	logical, show or not a legend on the plot
...	other arguments

Details

See examples in help for [plsda](#) function.

plot.plsdares	<i>Overview plot for PLS-DA results</i>
---------------	---

Description

Shows a set of plots (x residuals, y variance, classification performance and predictions) for PLS-DA results.

Usage

```
## S3 method for class 'plsdares'
plot(x, nc = 1, ncomp = x$ncomp.selected, show.labels = FALSE, ...)
```

Arguments

x	PLS-DA results (object of class plsdares)
nc	which class to show the plot for
ncomp	how many components to use
show.labels	logical, show or not labels for the plot objects
...	other arguments

Details

See examples in help for [pls](#) function.

plot.plsres

Overview plot for PLS results

Description

Shows a set of plots for PLS results.

Usage

```
## S3 method for class 'plsres'
plot(x, ncomp = x$ncomp.selected, ny = 1, show.labels = FALSE, ...)
```

Arguments

x	PLS results (object of class plsres)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
ny	which y variable to show the summary for (if NULL, will be shown for all)
show.labels	logical, show or not labels for the plot objects
...	other arguments

Details

See examples in help for [plsres](#) function.

plot.randtest	<i>Plot for randomization test results</i>
---------------	--

Description

Makes a bar plot with alpha values for each component.

Usage

```
## S3 method for class 'randtest'  
plot(x, main = "Alpha", xlab = "Components", ylab = "", ...)
```

Arguments

x	results of randomization test (object of class 'randtest')
main	main title for the plot
xlab	label for x axis
ylab	label for y axis
...	other optional arguments

Details

See examples in help for [randtest](#) function.

plot.regcoeffs	<i>Regression coefficients plot</i>
----------------	-------------------------------------

Description

Shows plot with regression coefficient values for every predictor variable (x)

Usage

```
## S3 method for class 'regcoeffs'  
plot(  
  x,  
  ncomp = 1,  
  ny = 1,  
  type = (if (x$nvar > 30) "l" else "h"),  
  col = c(mdaplot.getColors(1), "lightgray"),  
  show.lines = c(NA, 0),  
  show.ci = FALSE,  
  alpha = 0.05,  
  ...  
)
```

Arguments

x	regression coefficients object (class regcoeffs)
ncomp	number of components to use for creating the plot
ny	index of response variable to make the plot for
type	type of the plot
col	vector with two colors for the plot (one is used to show real coefficient and another one to show confidence intervals)
show.lines	allows to show horizontal line at c(NA, 0)
show.ci	logical, show or not confidence intervals if they are available
alpha	significance level for confidence intervals (a number between 0 and 1, e.g. for 95% alpha = 0.05)
...	other arguments for plotting methods (e.g. main, xlab, etc)

plot.regres

Plot method for regression results

Description

Plot method for regression results

Usage

```
## S3 method for class 'regres'
plot(x, ...)
```

Arguments

x	regression results (object of class regres)
...	other arguments

Details

This is a shortcut for [plotPredictions.regres](#)

plot.simca *Model overview plot for SIMCA*

Description

Shows a set of plots for SIMCA model.

Usage

```
## S3 method for class 'simca'  
plot(x, comp = c(1, 2), ncomp = x$ncomp.selected, ...)
```

Arguments

x	a SIMCA model (object of class simca)
comp	which components to show on scores and loadings plot
ncomp	how many components to use for residuals plot
...	other arguments

Details

See examples in help for [simcam](#) function.

plot.simcam *Model overview plot for SIMCAM*

Description

Shows a set of plots for SIMCAM model.

Usage

```
## S3 method for class 'simcam'  
plot(x, nc = c(1, 2), ...)
```

Arguments

x	a SIMCAM model (object of class simcam)
nc	vector with two values - classes (SIMCA models) to show the plot for
...	other arguments

Details

See examples in help for [simcam](#) function.

plot.simcamres	<i>Model overview plot for SIMCAM results</i>
----------------	---

Description

Just shows a prediction plot for SIMCAM results.

Usage

```
## S3 method for class 'simcamres'
plot(x, ...)
```

Arguments

x	SIMCAM results (object of class simcamres)
...	other arguments

Details

See examples in help for [simcamres](#) function.

plotBars	<i>Show plot series as bars</i>
----------	---------------------------------

Description

First row of the data matrix is taken for creating the bar series. In case of barplot color grouping is made based on columns (not rows as for all other plots).

Usage

```
plotBars(ps, col = ps$col, bwd = 0.8, border = NA, force.x.values = NA)
```

Arguments

ps	'plotseries' object
col	colors of the bars
bwd	width of the bars (as a ratio for max width)
border	color of bar edges
force.x.values	vector with corrected x-values for a bar plot (needed for group plots, do not change manually).

`plotBiplot`*Biplot*

Description

Biplot

Usage`plotBiplot(obj, ...)`**Arguments**

<code>obj</code>	a model or result object
<code>...</code>	other arguments

Details

Generic function for biplot

`plotBiplot.pca`*PCA biplot*

Description

Shows a biplot for selected components.

Usage

```
## S3 method for class 'pca'
plotBiplot(
  obj,
  comp = c(1, 2),
  pch = c(16, NA),
  col = mdaplot.getColors(2),
  main = "Biplot",
  lty = 1,
  lwd = 1,
  show.labels = FALSE,
  show.axes = TRUE,
  show.excluded = FALSE,
  lab.col = adjustcolor(col, alpha.f = 0.5),
  ...
)
```

Arguments

obj	a PCA model (object of class pca)
comp	a value or vector with several values - number of components to show the plot for
pch	a vector with two values - markers for scores and loadings
col	a vector with two colors for scores and loadings
main	main title for the plot
lty	line type for loadings
lwd	line width for loadings
show.labels	logical, show or not labels for the plot objects
show.axes	logical, show or not a axes lines crossing origin (0,0)
show.excluded	logical, show or hide rows marked as excluded (attribute 'exclrows')
lab.col	a vector with two colors for scores and loadings labels
...	other plot parameters (see mdaplotg for details)

plotConfidenceEllipse *Add confidence ellipse for groups of points on scatter plot*

Description

The method shows confidence ellipse for groups of points on a scatter plot made using 'mdaplot()' function with 'cgroup' parameter. It will work only if 'cgroup' is a factor.

Usage

```
plotConfidenceEllipse(p, conf.level = 0.95, lwd = 1, lty = 1, opacity = 0)
```

Arguments

p	plot data returned by function 'mdaplot()'.
conf.level	confidence level to make the ellipse for (between 0 and 1).
lwd	thickness of line used to show the hull.
lty	type of line used to show the hull.
opacity	of opacity is 0 ellipse is transparent otherwise semi-transparent.

Examples

```
# adds 90% confidence ellipse with semi-transparent area over two clusters of points

library(mdatools)
data(people)
group <- factor(people[, "Sex"], labels = c("Male", "Female"))

# first make plot and then add confidence ellipse
p <- mdaplot(people, type = "p", cgroup = group)
plotConfidenceEllipse(p, conf.level = 0.90, opacity = 0.2)
```

plotContributions *Plot resolved contributions*

Description

Plot resolved contributions

Usage

```
plotContributions(obj, ...)
```

Arguments

obj	object with mcr case
...	other parameters

plotContributions.mcr *Show plot with resolved contributions*

Description

Show plot with resolved contributions

Usage

```
## S3 method for class 'mcr'
plotContributions(
  obj,
  comp = seq_len(obj$ncomp),
  type = "l",
  col = mdaplot.getColors(obj$ncomp),
  ...
)
```

Arguments

obj	object of class mcr
comp	vector with number of components to make the plot for
type	type of the plot
col	vector with colors for individual components
...	other parameters suitable for mdaplotg

plotConvexHull	<i>Add convex hull for groups of points on scatter plot</i>
----------------	---

Description

The method shows convex hull for groups of points on a scatter plot made using 'mdaplot()' function with 'cgroup' parameter. It will work only if 'cgroup' is a factor.

Usage

```
plotConvexHull(p, lwd = 1, lty = 1, opacity = 0)
```

Arguments

p	plot data returned by function 'mdaplot()'.
lwd	thickness of line used to show the hull.
lty	type of line used to show the hull.
opacity	of opacity is larger than 0 a semi-transparent polygon is shown over points.

Examples

```
# adds convex hull with semi-transparent area over two clusters of points

library(mdatools)
data(people)
group <- factor(people[, "Sex"], labels = c("Male", "Female"))

p <- mdaplot(people, type = "p", cgroup = group)
plotConvexHull(p)
```

plotCooman

Cooman's plot

Description

Cooman's plot

Usage

```
plotCooman(obj, ...)
```

Arguments

obj	classification model or result object
...	other arguments

Details

Generic function for Cooman's plot

plotCooman.simcam

Cooman's plot for SIMCAM model

Description

Shows a Cooman's plot for a pair of SIMCA models

Usage

```
## S3 method for class 'simcam'
plotCooman(
  obj,
  nc = c(1, 2),
  res = list(cal = obj$res[["cal"]]),
  groupby = res[[1]]$c.ref,
  main = "Cooman's plot",
  show.limits = TRUE,
  ...
)
```

Arguments

obj	a SIMCAM model (object of class simcam)
nc	vector with two values - classes (SIMCA models) to show the plot for
res	list with results to show the plot for
groupby	factor to use for grouping points on the plot
main	title of the plot
show.limits	logical, show or not critical limits
...	other plot parameters (see mdaplotg for details)

Details

Cooman's plot shows squared orthogonal distance from data points to two selected SIMCA models as well as critical limits for the distance (optional). In case if critical limits must be shown they are computed using chi-square distribution regardless which type of limits is employed for classification.

If only one result object is provided (e.g. results for calibration set or new predictions), then the points can be color grouped using 'groupby' parameter (by default reference class values are used to make the groups). In case of multiple result objects, the points are color grouped according to the objects (e.g. calibration set and test set).

plotCooman.simcamres *Cooman's plot for SIMCAM results*

Description

Shows a Cooman's plot for a pair of SIMCA models

Usage

```
## S3 method for class 'simcamres'  
plotCooman(  
  obj,  
  nc = c(1, 2),  
  main = "Cooman's plot",  
  cgroup = obj$c.ref,  
  show.plot = TRUE,  
  ...  
)
```


Arguments

obj	SIMCAM results (object of class simcamres)
nc	vector with two values - classes (SIMCA models) to show the plot for
main	main plot title
cgroup	vector of values to use for color grouping of plot points
show.plot	logical, show plot or just return plot data
...	other plot parameters (see <code>mdaplotg</code> for details)

Details

The plot is similar to [plotCooman.simcam](#) but shows points only for this result object and does not show critical limits (which are part of a model).

plotCorr	<i>Correlation plot</i>
----------	-------------------------

Description

Correlation plot

Usage

```
plotCorr(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for correlation plot

plotCorr.randtest *Correlation plot for randomization test results*

Description

Makes a plot with statistic values vs. coefficient of determination between permuted and reference y-values.

Usage

```
## S3 method for class 'randtest'
plotCorr(
  obj,
  ncomp = obj$ncomp.selected,
  ylim = NULL,
  xlab = expression(r^2),
  ylab = "Test statistic",
  ...
)
```

Arguments

obj	results of randomization test (object of class 'randtest')
ncomp	number of component to make the plot for
ylim	limits for y axis
xlab	label for x-axis
ylab	label for y-axis
...	other optional arguments

Details

See examples in help for [randtest](#) function.

plotCumVariance *Variance plot*

Description

Variance plot

Usage

```
plotCumVariance(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting explained variance for data decomposition

```
plotCumVariance.ldecomp
```

Cumulative explained variance plot

Description

Shows a plot with cumulative explained variance vs. number of components.

Usage

```
## S3 method for class 'ldecomp'
plotCumVariance(obj, type = "b", labels = "values", show.plot = TRUE, ...)
```

Arguments

obj	object of ldecomp class.
type	type of the plot
labels	what to show as labels for plot objects
show.plot	logical, shall plot be created or just plot series object is needed
...	most of graphical parameters from mdaplot function can be used.

```
plotCumVariance.mcr Show plot with cumulative explained variance
```

Description

Show plot with cumulative explained variance

Usage

```
## S3 method for class 'mcr'
plotCumVariance(
  obj,
  type = "b",
  labels = "values",
  main = "Cumulative variance",
  xticks = seq_len(obj$ncomp),
  ...
)
```

Arguments

obj	object of class mcr
type	type of the plot
labels	what to use as data labels
main	title of the plot
xticks	vector with ticks for x-axis
...	other parameters suitable for mdaplot

plotCumVariance.pca *Cumulative explained variance plot for PCA model*

Description

Shows a plot with cumulative explained variance for components.

Usage

```
## S3 method for class 'pca'
plotCumVariance(obj, legend.position = "bottomright", ...)
```

Arguments

obj	a PCA model (object of class pca)
legend.position	position of the legend
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pca](#) function.

plotDensity *Show plot series as density plot (using hex binning)*

Description

Show plot series as density plot (using hex binning)

Usage

```
plotDensity(ps, nbins = 60, colmap = ps$colmap)
```

Arguments

ps	'plotseries' object
nbins	number of bins in one dimension
colmap	colormap name or values used to create color gradient

```
plotDiscriminationPower
      Discrimination power plot
```

Description

Discrimination power plot

Usage

```
plotDiscriminationPower(obj, ...)
```

Arguments

obj	a model object
...	other arguments

Details

Generic function for plotting discrimination power values for classification model

```
plotDiscriminationPower.simcam
      Discrimination power plot for SIMCAM model
```

Description

Shows a plot with discrimination power of predictors for a pair of SIMCA models

Usage

```
## S3 method for class 'simcam'
plotDiscriminationPower(
  obj,
  nc = c(1, 2),
  type = "h",
  main = paste0("Discrimination power: ", obj$classnames[nc[1]], " vs. ",
    obj$classname[nc[2]]),
  xlab = attr(obj$dispower, "xaxis.name"),
  ylab = "",
  ...
)
```

Arguments

obj	a SIMCAM model (object of class simcam)
nc	vector with two values - classes (SIMCA models) to show the plot for
type	type of the plot
main	main plot title
xlab	label for x axis
ylab	label for y axis
...	other plot parameters (see mdaplotg for details)

Details

Discrimination power shows an ability of variables to separate classes. The power is computed similar to model distance, using variance of residuals. However in this case instead of sum the variance across all variables, we take the ratio separately for individual variables.

Discrimination power equal or above 3 is considered as high.

plotDistDoF	<i>Degrees of freedom plot for both distances</i>
-------------	---

Description

Shows a plot with degrees of freedom computed for score and orthogonal distances at given number of components using data driven approach ("ddmoments" or "ddrobust").

Usage

```
plotDistDoF(
  obj,
  type = "b",
  labels = "values",
  xticks = seq_len(obj$ncomp),
  ...
)
```

Arguments

obj	a PCA model (object of class pca)
type	type of the plot ("b", "l", "h")
labels	what to show as data points labels
xticks	vector with tick values for x-axis
...	other plot parameters (see mdaplotg for details)

Details

Work only if parameter `lim.type` equal to "ddmoments" or "ddrobust".

plotErrorbars	<i>Show plot series as error bars</i>
---------------	---------------------------------------

Description

It is assumed that first row of dataset contains the y-coordinates of points, second rows contains size of lower error bar and third - size for upper error bar. If only two rows are provided it is assumed that error bars are symmetric.

Usage

```
plotErrorbars(ps, col = ps$col, pch = 16, lwd = 1, cex = 1, ...)
```

Arguments

ps	'plotseries' object
col	color for the error bars
pch	marker symbol for the plot
lwd	line width for the error bars
cex	scale factor for the marker
...	other arguments for function 'points()'.

plotExtreme	<i>Shows extreme plot for SIMCA model</i>
-------------	---

Description

Generic function for creating extreme plot for SIMCA model

Usage

```
plotExtreme(obj, ...)
```

Arguments

obj	a SIMCA model
...	other parameters

plotExtreme.pca *Extreme plot*

Description

Shows a plot with number of expected vs. number of observed extreme objects for different significance levels (alpha values)

Usage

```
## S3 method for class 'pca'
plotExtreme(
  obj,
  res = obj$res[["cal"]],
  comp = obj$ncomp.selected,
  main = "Extreme plot",
  xlab = "Expected",
  ylab = "Observed",
  pch = rep(21, length(comp)),
  bg = mdaplot.getColors(length(comp)),
  col = rep("white", length(comp)),
  lwd = ifelse(pch %in% 21:25, 0.25, 1),
  cex = rep(1.2, length(comp)),
  ellipse.col = "#cceedf",
  legend.position = "bottomright",
  ...
)
```

Arguments

obj	a PCA model (object of class pca)
res	object with PCA results to show the plot for (e.g. calibration, test, etc)
comp	vector, number of components to show the plot for
main	plot title
xlab	label for x-axis
ylab	label for y-axis
pch	vector with values for pch parameter for each number of components
bg	vector with background color values for series of points (if pch=21:25)
col	vector with color values for series of points
lwd	line width for point symbols
cex	scale factor for data points
ellipse.col	color for tolerance ellipse
legend.position	position of the legend
...	other arguments

plotHist	<i>Statistic histogram</i>
----------	----------------------------

Description

Statistic histogram

Usage

```
plotHist(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting statistic histogram plot

plotHist.randtest	<i>Histogram plot for randomization test results</i>
-------------------	--

Description

Makes a histogram for statistic values distribution for particular component, also show critical value as a vertical line.

Usage

```
## S3 method for class 'randtest'  
plotHist(obj, ncomp = obj$ncomp.selected, bwd = 0.9, ...)
```

Arguments

obj	results of randomization test (object of class 'randtest')
ncomp	number of component to make the plot for
bwd	width of bars (between 0 and 1)
...	other optional arguments

Details

See examples in help for [randtest](#) function.

plotHotellingEllipse *Hotelling ellipse*

Description

Add Hotelling ellipse to a scatter plot

Usage

```
plotHotellingEllipse(p, conf.lim = 0.95, col = "#a0a0a0", lty = 3, ...)
```

Arguments

p	plot series (e.g. from PCA scores plot)
conf.lim	confidence limit
col	color of the ellipse line
lty	line type (e.g. 1 for solid, 2 for dashed, etc.)
...	any argument suitable for lines function

Details

The method is created to be used with PCA and PLS scores plots, so it shows the statistical limits computed using Hotelling T^2 distribution in form of ellipse. The function works similar to [plotConvexHull](#) and [plotConfidenceEllipse](#) but does not require grouping of data points. Can be used together with functions [plotScores.pca](#), [plotScores.ldecomp](#), [plotXScores.pls](#), [plotXScores.plsres](#).

See examples for more details.

Examples

```
# create PCA model for People data
data(people)
m <- pca(people, 4, scale = TRUE)

# make scores plot and show Hotelling ellipse with default settings
p <- plotScores(m, xlim = c(-8, 8), ylim = c(-8, 8))
plotHotellingEllipse(p)

# make scores plot and show Hotelling ellipse with manual settings
p <- plotScores(m, xlim = c(-8, 8), ylim = c(-8, 8))
plotHotellingEllipse(p, conf.lim = 0.99, col = "red")

# in case if you have both calibration and test set, 'plotScores()' returns
# plot series data for both, so you have to subset it and take the first series
# (calibration set) as shown below.
ind <- seq(1, 32, by = 4)
```

```
xc <- people[-ind, , drop = FALSE]
xt <- people[ind, , drop = FALSE]
m <- pca(xc, 4, scale = TRUE, x.test = xt)

p <- plotScores(m, xlim = c(-8, 8), ylim = c(-8, 8))
plotHotellingEllipse(p[[1]])
```

plotLines *Show plot series as set of lines*

Description

Show plot series as set of lines

Usage

```
plotLines(
  ps,
  col = ps$col,
  lty = 1,
  lwd = 1,
  cex = 1,
  col.excluded = "darkgray",
  show.excluded = FALSE,
  ...
)
```

Arguments

ps	'plotseries' object
col	a color for markers or lines (same as plot parameter).
lty	line type
lwd	line width
cex	scale factor for the marker
col.excluded	color for the excluded lines.
show.excluded	logical, show or not the excluded data points
...	other arguments for function 'lines()'.

plotLoadings *Loadings plot*

Description

Loadings plot

Usage

```
plotLoadings(obj, ...)
```

Arguments

obj a model or result object
... other arguments

Details

Generic function for plotting loadings values for data decomposition

plotLoadings.pca *Loadings plot for PCA model*

Description

Shows a loadings plot for selected components.

Usage

```
## S3 method for class 'pca'  
plotLoadings(  
  obj,  
  comp = c(1, 2),  
  type = (if (length(comp) == 2) "p" else "l"),  
  show.legend = TRUE,  
  show.axes = TRUE,  
  ...  
)
```

Arguments

obj	a PCA model (object of class <code>pca</code>)
comp	a value or vector with several values - number of components to show the plot for
type	type of the plot ('b', 'l', 'h')
show.legend	logical, show or not a legend on the plot
show.axes	logical, show or not a axes lines crossing origin (0,0)
...	other plot parameters (see <code>mdaplotg</code> for details)

Details

See examples in help for [pca](#) function.

plotMisclassified *Misclassification ratio plot*

Description

Misclassification ratio plot

Usage

```
plotMisclassified(obj, ...)
```

Arguments

obj	a model or a result object
...	other arguments

Details

Generic function for plotting missclassification values for classification model or results

plotMisclassified.classmodel

Misclassified ratio plot for classification model

Description

Makes a plot with misclassified ratio values vs. model complexity (e.g. number of components)

Usage

```
## S3 method for class 'classmodel'  
plotMisclassified(obj, ...)
```

Arguments

obj classification model (object of class `plsda`, `simca`, etc.).
... parameters for `plotPerformance.classmodel` function.

Details

See examples in description of `plsda`, `simca` or `simcam`.

plotMisclassified.classres

Misclassified ratio plot for classification results

Description

Makes a plot with ms ratio values vs. model complexity (e.g. number of components) for classification results.

Usage

```
## S3 method for class 'classres'  
plotMisclassified(obj, ...)
```

Arguments

obj classification results (object of class `plsdares`, `simcamres`, etc.).
... other parameters for `plotPerformance.classres`

Details

See examples in description of `plsdares`, `simcamres`, etc.

plotModelDistance *Model distance plot*

Description

Model distance plot

Usage

```
plotModelDistance(obj, ...)
```

Arguments

obj	a model object
...	other arguments

Details

Generic function for plotting distance from object to a multivariate model

plotModelDistance.simcam
Model distance plot for SIMCAM model

Description

Shows a plot with distance between one SIMCA model to others.

Usage

```
## S3 method for class 'simcam'  
plotModelDistance(  
  obj,  
  nc = 1,  
  type = "h",  
  xticks = seq_len(obj$nclasses),  
  xticklabels = obj$classnames,  
  main = paste0("Model distance (", obj$classnames[nc], ")"),  
  xlab = "Models",  
  ylab = "",  
  ...  
)
```

Arguments

obj	a SIMCAM model (object of class simcam)
nc	one value - number of class (SIMCA model) to show the plot for
type	type of the plot ("h", "l" or "b")
xticks	vector with tick values for x-axis
xticklabels	vector with tick labels for x-axis
main	main plot title
xlab	label for x axis
ylab	label for y axis
...	other plot parameters (see mdaPlotg for details)

Details

The plot shows similarity between a selected model and the others as a ratio of residual variance using the following algorithm. Let's take two SIMCA/PCA models, m1 and m2, which have optimal number of components A1 and A2. The models have been calibrated using calibration sets X1 and X2 with number of rows n1 and n2. Then we do the following:

1. Project X2 to model m1 and compute residuals, E12
2. Compute variance of the residuals as $s12 = \text{sum}(E12^2) / n1$
3. Project X1 to model m2 and compute residuals, E21
4. Compute variance of the residuals as $s21 = \text{sum}(E21^2) / n2$
5. Compute variance of residuals for m1 as $s1 = \text{sum}(E1^2) / (n1 - A1 - 1)$
6. Compute variance of residuals for m2 as $s2 = \text{sum}(E2^2) / (n2 - A2 - 1)$

The model distance then can be computed as: $d = \sqrt{(s12 + s21) / (s1 + s2)}$

As one can see, if the two models and corresponding calibration sets are identical, then the distance will be $\sqrt{(n - A - 1) / n}$. For example, if $n = 25$ and $A = 2$, then the distance between the model and itself is $\sqrt{(22/25)} = \sqrt{0.88} = 0.938$. This case is demonstrated in the example section.

In general, if distance between models is below one classes are overlapping. If it is above 3 the classes are well separated.

Examples

```
# create two calibration sets with n = 25 objects in each
data(iris)
x1 <- iris[1:25, 1:4]
x2 <- iris[51:75, 1:4]

# create two SIMCA models with A = 2
m1 <- simca(x1, 'setosa', ncomp = 2)
m2 <- simca(x2, 'versicolor', ncomp = 2)

# combine the models into SIMCAM class
m <- simcam(list(m1, m2))
```



```
# show the model distance plot with distance values as labels
# note, that distance between setosa and setosa is 0.938
plotModelDistance(m, show.labels = TRUE, labels = "values")
```

plotModellingPower *Modelling power plot*

Description

Modelling power plot

Usage

```
plotModellingPower(obj, ...)
```

Arguments

obj	a model object
...	other arguments

Details

Generic function for plotting modelling power values for classification model

plotPerformance *Classification performance plot*

Description

Classification performance plot

Usage

```
plotPerformance(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting classification performance for model or results

`plotPerformance.classmodel`*Performance plot for classification model*

Description

Makes a plot with sensitivity values vs. model complexity (e.g. number of components)

Usage

```
## S3 method for class 'classmodel'
plotPerformance(
  obj,
  nc = 1,
  param = "misclassified",
  type = "b",
  labels = "values",
  ylab = "",
  ylim = c(0, 1.15),
  xticks = seq_len(dim(obj$res$cal$c.pred)[2]),
  res = obj$res,
  ...
)
```

Arguments

<code>obj</code>	classification model (object of class <code>plsda</code> , <code>simca</code> , etc.).
<code>nc</code>	class number to make the plot for.
<code>param</code>	which parameter to make the plot for ("specificity", "sensitivity", or "misclassified")
<code>type</code>	type of the plot
<code>labels</code>	what to show as labels for plot objects.
<code>ylab</code>	label for y axis
<code>ylim</code>	vector with two values - limits for y axis
<code>xticks</code>	vector with tick values for x-axis
<code>res</code>	list with result objects to show the plot for
<code>...</code>	most of the graphical parameters from <code>mdaplotg</code> function can be used.

plotPerformance.classres

Performance plot for classification results

Description

Makes a plot with classification performance parameters vs. model complexity (e.g. number of components) for classification results.

Usage

```
## S3 method for class 'classres'
plotPerformance(
  obj,
  nc = 1,
  type = "b",
  param = c("sensitivity", "specificity", "misclassified"),
  labels = "values",
  ylab = "",
  ylim = c(0, 1.1),
  xticks = seq_len(obj$ncomp),
  show.plot = TRUE,
  ...
)
```

Arguments

obj	classification results (object of class <code>plsdare</code> s, <code>simcamres</code> , etc.).
nc	if there are several classes, which class to make the plot for.
type	type of the plot
param	which performance parameter to make the plot for (can be a vector with several values).
labels	what to show as labels for plot objects.
ylab	label for y axis
ylim	vector with two values - limits for y axis
xticks	vector with x-axis tick values
show.plot	logical, shall plot be created or just plot series object is needed
...	most of the graphical parameters from <code>mdaplot</code> function can be used.

Details

See examples in description of [plsdare](#)s, [simcamres](#), etc.

plotPointsShape	<i>Add confidence ellipse or convex hull for group of points</i>
-----------------	--

Description

Add confidence ellipse or convex hull for group of points

Usage

```
plotPointsShape(p, lwd, lty, opacity, shape_function, ...)
```

Arguments

p	plot data returned by function 'mdaplot()'
lwd	thickness of line used to show the hull
lty	type of line used to show the hull
opacity	of opacity is larger than 0 a semi-transparent polygon is shown over points
shape_function	function which calculates and return coordinates of the shape
...	extra parameters for shape_function

plotPredictions	<i>Predictions plot</i>
-----------------	-------------------------

Description

Predictions plot

Usage

```
plotPredictions(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting predicted values for classification or regression model or results

```
plotPredictions.classmodel
```

Predictions plot for classification model

Description

Makes a plot with class predictions for a classification model.

Usage

```
## S3 method for class 'classmodel'
plotPredictions(
  obj,
  res.name = NULL,
  nc = seq_len(obj$nclasses),
  ncomp = NULL,
  main = NULL,
  ...
)
```

Arguments

<code>obj</code>	a classification model (object of class <code>simca</code> , <code>plsda</code> , etc.). if <code>NULL</code> value is specified, the result will be selected automatically by checking the nearest available from test, cv and calibration results.
<code>res.name</code>	name of result object to make the plot for ("test", "cv" or "cal").
<code>nc</code>	vector with class numbers to make the plot for.
<code>ncomp</code>	what number of components to make the plot for.
<code>main</code>	title of the plot (if <code>NULL</code> will be set automatically)
<code>...</code>	most of the graphical parameters from mdaplotg function can be used.

Details

See examples in description of [plsda](#), [simca](#) or [simcam](#).

```
plotPredictions.classres
```

Prediction plot for classification results

Description

Makes a plot with predicted class values for classification results.

Usage

```
## S3 method for class 'classres'
plotPredictions(
  obj,
  nc = seq_len(obj$nclasses),
  ncomp = obj$ncomp.selected,
  ylab = "",
  show.plot = TRUE,
  ...
)
```

Arguments

obj	classification results (object of class <code>plsdares</code> , <code>simcamres</code> , etc.).
nc	vector with classes to show predictions for.
ncomp	model complexity (number of components) to make the plot for.
ylab	label for y axis
show.plot	logical, shall plot be created or just plot series object is needed
...	most of the graphical parameters from <code>mdaplotg</code> or <code>mdaplot</code> function can be used.

Details

See examples in description of `plsdares`, `simcamres`, etc.

plotPredictions.regmodel

Predictions plot for regression model

Description

Shows plot with predicted vs. reference (measured) y values for selected components.

Usage

```
## S3 method for class 'regmodel'
plotPredictions(
  obj,
  ncomp = obj$ncomp.selected,
  ny = 1,
  legend.position = "topleft",
  show.line = TRUE,
  res = obj$res,
  ...
)
```

Arguments

obj	a regression model (object of class regmodel)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
ny	number of response variable to make the plot for (if y is multivariate)
legend.position	position of legend on the plot (if shown)
show.line	logical, show or not line fit for the plot points
res	list with result objects
...	other plot parameters (see mdaPlotg for details)

 plotPredictions.regres

Predictions plot for regression results

Description

Shows plot with predicted y values.

Usage

```
## S3 method for class 'regres'
plotPredictions(
  obj,
  ny = 1,
  ncomp = obj$ncomp.selected,
  show.line = TRUE,
  show.stat = FALSE,
  stat.col = "#606060",
  stat.cex = 0.85,
  xlim = NULL,
  ylim = NULL,
  axes.equal = TRUE,
  show.plot = TRUE,
  ...
)
```

Arguments

obj	regression results (object of class regres)
ny	number of predictor to show the plot for (if y is multivariate)
ncomp	complexity of model (e.g. number of components) to show the plot for
show.line	logical, show or not line fit for the plot points
show.stat	logical, show or not legend with statistics on the plot

stat.col	color of text in legend with statistics
stat.cex	size of text in legend with statistics
xlim	limits for x-axis (if NULL will be computed automatically)
ylim	limits for y-axis (if NULL will be computed automatically)
axes.equal	logical, make limits for x and y axes equal or not
show.plot	logical, show plot or just return plot data
...	other plot parameters (see mdaplot for details)

Details

If reference values are available, the function shows a scatter plot with predicted vs. reference values, otherwise predicted values are shown vs. object numbers.

plotPredictions.simcam

Predictions plot for SIMCAM model

Description

Makes a plot with class predictions for calibration dataset.

Usage

```
## S3 method for class 'simcam'
plotPredictions(
  obj,
  nc = seq_len(obj$nclasses),
  main = "SIMCAM Predictions (cal)",
  ...
)
```

Arguments

obj	a SIMCAM model (object of class simcam)
nc	vector with class numbers to make the plot for.
main	plot title.
...	most of the graphical parameters from mdaplotg function can be used.

Details

See examples in description of [plsda](#), [simca](#) or [simcam](#).

`plotPredictions.simcamres`*Prediction plot for SIMCAM results*

Description

Makes a plot with predicted class values for classification results.

Usage

```
## S3 method for class 'simcamres'  
plotPredictions(obj, nc = seq_len(obj$nclasses), main = "Predictions", ...)
```

Arguments

<code>obj</code>	classification results (object of class <code>plsdares</code> , <code>simcamres</code> , etc.).
<code>nc</code>	vector with classes to show predictions for.
<code>main</code>	title of the plot
<code>...</code>	most of the graphical parameters from <code>mdaplotg</code> or <code>mdaplot</code> function can be used.

Details

See examples in description of [plsdares](#), [simcamres](#), etc.

`plotProbabilities`*Plot for class belonging probability*

Description

Makes a plot with class belonging probabilities for each object of the classification results. Works only with classification methods, which compute this probability (e.g. SIMCA).

Usage

```
plotProbabilities(obj, ...)
```

Arguments

<code>obj</code>	an object with classification results (e.g. SIMCA)
<code>...</code>	other parameters

 plotProbabilities.classes

Plot for class belonging probability

Description

Makes a plot with class belonging probabilities for each object of the classification results. Works only with classification methods, which compute this probability (e.g. SIMCA).

Usage

```
## S3 method for class 'classes'
plotProbabilities(
  obj,
  ncomp = obj$ncomp.selected,
  nc = 1,
  type = "h",
  ylim = c(0, 1.1),
  show.lines = c(NA, 0.5),
  ...
)
```

Arguments

obj	classification results (e.g. object of class simcamres).
ncomp	number of components to use the probabilities for.
nc	if there are several classes, which class to make the plot for.
type	type of the plot
ylim	vector with limits for y-axis
show.lines	shows a horizontal line at $p = 0.5$
...	most of the graphical parameters from mdaplot function can be used.

 plotPurity

Plot purity values

Description

Plot purity values

Usage

```
plotPurity(obj, ...)
```

Arguments

obj	object with mcr pure case
...	other parameters

plotPurity.mcrpure	<i>Purity values plot</i>
--------------------	---------------------------

Description

Purity values plot

Usage

```
## S3 method for class 'mcrpure'
plotPurity(
  obj,
  xticks = seq_len(obj$ncomp),
  type = "h",
  labels = "values",
  ...
)
```

Arguments

obj	mcrpure object
xticks	ticks for x axis
type	type of the plot
labels	what to use as data labels
...	other parameters suitable for mdaplot

The plot shows largest weighted purity value for each component graphically.

plotPuritySpectra	<i>Plot purity spectra</i>
-------------------	----------------------------

Description

Plot purity spectra

Usage

```
plotPuritySpectra(obj, ...)
```

Arguments

obj	object with mcr pure case
...	other parameters

```
plotPuritySpectra.mcrpure  
Purity spectra plot
```

Description

Purity spectra plot

Usage

```
## S3 method for class 'mcrpure'  
plotPuritySpectra(  
  obj,  
  comp = seq_len(obj$ncomp),  
  type = "l",  
  col = mdaplot.getColors(obj$ncomp),  
  show.lines = TRUE,  
  lines.col = adjustcolor(col, alpha.f = 0.75),  
  lines.lty = 3,  
  lines.lwd = 1,  
  ...  
)
```

Arguments

obj	mcrpure object
comp	vector of components to show the purity spectra for
type	type of the plot
col	colors for the plot (should be a vector with one value for each component in obj)
show.lines	if TRUE show the selected pure variables as vertical lines
lines.col	color for the selected pure variable lines (by default same as for plots but semi-transparent)
lines.lty	line type for the purity lines
lines.lwd	line width for the purity lines
...	other parameters suitable for mdaplotg

The plot shows weighted purity value of each variable separately for each specified component.

plotQDoF *Degrees of freedom plot for orthogonal distance (Nh)*

Description

Shows a plot with degrees of freedom computed for score distances at given number of components using data driven approach ("ddmoments" or "ddrobust").

Usage

```
plotQDoF(obj, type = "b", labels = "values", xticks = seq_len(obj$ncomp), ...)
```

Arguments

obj	a PCA model (object of class pca)
type	type of the plot ("b", "l", "h")
labels	what to show as data points labels
xticks	vector with tick values for x-axis
...	other plot parameters (see <code>mdaplotg</code> for details)

Details

Work only if parameter `lim.type` equal to "ddmoments" or "ddrobust".

plotRegcoeffs *Regression coefficients plot*

Description

Regression coefficients plot

Usage

```
plotRegcoeffs(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting regression coefficients values for a regression model

`plotRegcoeffs.regmodel`*Regression coefficient plot for regression model*

Description

Shows plot with regression coefficient values. Is a proxy for `link{plot.regcoeffs}` method.

Usage

```
## S3 method for class 'regmodel'  
plotRegcoeffs(obj, ncomp = obj$ncomp.selected, ...)
```

Arguments

<code>obj</code>	a regression model (object of class <code>regmodel</code>)
<code>ncomp</code>	number of components to show the plot for
<code>...</code>	other plot parameters (see <code>link{plot.regcoeffs}</code> for details)

`plotRegressionLine`*Add regression line for data points*

Description

Shows linear fit line for data points.

Usage

```
plotRegressionLine(p, col = p$col, ...)
```

Arguments

<code>p</code>	plot data returned by function <code>'mdaplot()'</code>
<code>col</code>	color of line
<code>...</code>	other parameters available for <code>'abline()'</code> function

plotResiduals *Residuals plot*

Description

Residuals plot

Usage

```
plotResiduals(obj, ...)
```

Arguments

obj a model or result object
... other arguments

Details

Generic function for plotting residual values for data decomposition

plotResiduals.ldecomp *Residual distance plot*

Description

Shows a plot with orthogonal (Q, q) vs. score (T2, h) distances for data objects.

Usage

```
## S3 method for class 'ldecomp'  
plotResiduals(  
  obj,  
  ncomp = obj$ncomp.selected,  
  norm = FALSE,  
  log = FALSE,  
  show.labels = FALSE,  
  labels = "names",  
  show.plot = TRUE,  
  ...  
)
```

Arguments

obj	object of ldecomp class.
ncomp	number of components to show the plot for (if NULL, selected by model value will be used).
norm	logical, normalize distance values or not (see details)
log	logical, apply log transformation to the distances or not (see details)
show.labels	logical, show or not labels for the plot objects
labels	what to show as labels if necessary
show.plot	logical, shall plot be created or just plot series object is needed
...	most of graphical parameters from <code>mdaplot</code> function can be used.

plotResiduals.pca	<i>Residuals distance plot for PCA model</i>
-------------------	--

Description

Shows a plot with score (T2, h) vs orthogonal (Q, q) distances and corresponding critical limits for given number of components.

Usage

```
## S3 method for class 'pca'
plotResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  log = FALSE,
  norm = TRUE,
  cgroup = NULL,
  xlim = NULL,
  ylim = NULL,
  show.limits = TRUE,
  lim.col = c("darkgray", "darkgray"),
  lim.lwd = c(1, 1),
  lim.lty = c(2, 3),
  res = obj$res,
  show.legend = TRUE,
  ...
)
```

Arguments

obj	a PCA model (object of class pca)
ncomp	how many components to use (by default optimal value selected for the model will be used)

log	logical, apply log transformation to the distances or not (see details)
norm	logical, normalize distance values or not (see details)
cgroup	color grouping of plot points (works only if one result object is available)
xlim	limits for x-axis
ylim	limits for y-axis
show.limits	logical, show or not lines/curves with critical limits for the distances
lim.col	vector with two values - line color for extreme and outlier limits
lim.lwd	vector with two values - line width for extreme and outlier limits
lim.lty	vector with two values - line type for extreme and outlier limits
res	list with result objects to show the plot for (by default, model results are used)
show.legend	logical, show or not a legend on the plot (needed if several result objects are available)
...	other plot parameters (see mdaPlotg for details)

Details

The function is a bit more advanced version of [plotResiduals.ldecomp](#). It allows to show distance values for several result objects (e.g. calibration and test set or calibration and new prediction set) as well as display the corresponding critical limits in form of lines or curves.

Depending on how many result objects your model has or how many you specified manually, using the `res` parameter, the plot behaves in a bit different way.

If only one result object is provided, then it allows to colorise the points using `cgroup` parameter. If you specify `cgroup = "categories"` then it will show points as three groups: normal, extreme and outliers. If two or more result objects are provided, then the function show distances in groups, and adds corresponding legend.

The function can show distance values normalised (h/h_0 and q/q_0) as well as with log transformation ($\log(1 + h/h_0)$, $\log(1 + q/q_0)$). The latter is useful if distribution of the points is skewed and most of them are densely located around bottom left corner.

See examples in help for [pca](#) function.

plotResiduals.regres *Residuals plot for regression results*

Description

Shows plot with Y residuals (difference between predicted and reference values) for selected response variable and complexity (number of components).

Usage

```
## S3 method for class 'regres'
plotResiduals(
  obj,
  ny = 1,
  ncomp = obj$ncomp.selected,
  show.lines = c(NA, 0),
  show.plot = TRUE,
  ...
)
```

Arguments

obj	regression results (object of class regres)
ny	number of predictor to show the plot for (if y is multivariate)
ncomp	complexity of model (e.g. number of components) to show the plot for
show.lines	allows to show the horizontal line at $y = 0$
show.plot	logical, show plot or just return plot data
...	other plot parameters (see mdaplot for details)

plotRMSE

RMSE plot

Description

RMSE plot

Usage

```
plotRMSE(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting RMSE values vs. complexity of a regression model

plotRMSE.ipls	<i>RMSE development plot</i>
---------------	------------------------------

Description

Shows how RMSE develops for each iteration of iPLS selection algorithm

Usage

```
## S3 method for class 'ipls'
plotRMSE(
  obj,
  glob.ncomp = obj$gm$ncomp.selected,
  main = "RMSE development",
  xlab = "Iterations",
  ylab = "RMSECV",
  xlim = NULL,
  ylim = NULL,
  ...
)
```

Arguments

obj	iPLS results (object of class ipls)
glob.ncomp	number of components for global PLS model with all intervals
main	main title for the plot
xlab	label for x-axis
ylab	label for y-axis
xlim	limits for x-axis
ylim	limits for y-axis
...	other arguments

Details

The plot shows RMSE values obtained at each iteration of the iPLS algorithm as bars. The first bar correspond to the global model with all variables included, second - to the model obtained at the first iteration and so on. Number at the bottom of each bar corresponds to the interval included or excluded at the particular iteration.

See Also

[summary.ipls](#), [plotSelection.ipls](#)

plotRMSE.regmodel *RMSE plot for regression model*

Description

Shows plot with root mean squared error values vs. number of components for PLS model.

Usage

```
## S3 method for class 'regmodel'
plotRMSE(
  obj,
  ny = 1,
  type = "b",
  labels = "values",
  xticks = seq_len(obj$ncomp),
  res = obj$res,
  ...
)
```

Arguments

obj	a regression model (object of class regmodel)
ny	number of response variable to make the plot for (if y is multivariate)
type	type of the plot("b", "l" or "h")
labels	what to show as labels (vector or name, e.g. "names", "values", "indices")
xticks	vector with ticks for x-axis values
res	list with result objects
...	other plot parameters (see mdaplotg for details)

plotRMSE.regres *RMSE plot for regression results*

Description

Shows plot with RMSE values vs. model complexity (e.g. number of components).

Usage

```
## S3 method for class 'regres'
plotRMSE(
  obj,
  ny = 1,
  type = "b",
  xticks = seq_len(obj$ncomp),
  labels = "values",
  show.plot = TRUE,
  ...
)
```

Arguments

obj	regression results (object of class regres)
ny	number of predictor to show the plot for (if y is multivariate)
type	type of the plot
xticks	vector with ticks for x-axis
labels	what to use as labels ("names", "values" or "indices")
show.plot	logical, show plot or just return plot data
...	other plot parameters (see mdaplot for details)

plotScatter

Show plot series as set of points

Description

Show plot series as set of points

Usage

```
plotScatter(
  ps,
  pch = 16,
  col = ps$col,
  bg = "white",
  lwd = 1,
  cex = 1,
  col.excluded = "lightgray",
  pch.colinv = FALSE,
  show.excluded = FALSE,
  ...
)
```

Arguments

ps	'plotseries' object
pch	size of point markers
col	color of the points
bg	background color of the points if 'pch=21:25'
lwd	line width for the error bars
cex	scale factor for the marker
col.excluded	color for excluded values (if must be shown)
pch.colinv	logical, should 'col' and 'bg' be switched if 'pch=21:25' and 'cgroup' is used to create colors.
show.excluded	logical, show or not the excluded data points
...	other arguments for function 'points()'.

plotScores

Scores plot

Description

Scores plot

Usage

```
plotScores(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for scores values for data decomposition

plotScores.ldecomp *Scores plot*

Description

Shows a plot with scores values for data objects.

Usage

```
## S3 method for class 'ldecomp'  
plotScores(  
  obj,  
  comp = c(1, 2),  
  type = "p",  
  show.axes = TRUE,  
  show.plot = TRUE,  
  ...  
)
```

Arguments

obj	object of ldecomp class.
comp	which components to show the plot for (can be one value or vector with two values).
type	type of the plot
show.axes	logical, show or not a axes lines crossing origin (0,0)
show.plot	logical, shall plot be created or just plot series object is needed
...	most of graphical parameters from mdaplot function can be used.

plotScores.pca *Scores plot for PCA model*

Description

Shows a scores plot for selected components.

Usage

```
## S3 method for class 'pca'  
plotScores(  
  obj,  
  comp = c(1, 2),  
  type = "p",  
  show.axes = TRUE,
```

```

    show.legend = TRUE,
    res = obj$res,
    ...
  )

```

Arguments

obj	a PCA model (object of class <code>pca</code>)
comp	a value or vector with several values - number of components to show the plot for
type	type of the plot ("p", "l", "b", "h")
show.axes	logical, show or not a axes lines crossing origin (0,0)
show.legend	logical, show or not a legend on the plot
res	list with result objects to show the variance for
...	other plot parameters (see <code>mdaplotg</code> for details)

Details

If plot is created only for one result object (e.g. calibration set), then the behaviour and all settings for the scores plot are identical to `plotScores.ldecomp`. In this case you can show scores as a scatter, line or bar plot for any number of components.

Otherwise (e.g. if model contains results for calibration and test set) the plot is a group plot created using `mdaplotg` method and only scatter plot can be used.

See examples in help for `pca` function.

plotSelection	<i>Selected intervals plot</i>
---------------	--------------------------------

Description

Selected intervals plot

Usage

```
plotSelection(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting selected intervals or variables

plotSelection.ipls *iPLS performance plot*

Description

Shows PLS performance for each selected or excluded intervals at the first iteration

Usage

```
## S3 method for class 'ipls'
plotSelection(
  obj,
  glob.ncomp = obj$gm$ncomp.selected,
  main = "iPLS results",
  xlab = obj$xaxis.name,
  ylab = "RMSECV",
  xlim = NULL,
  ylim = NULL,
  ...
)
```

Arguments

obj	iPLS results (object of class ipls)
glob.ncomp	number of components for global PLS model with all intervals
main	main title for the plot
xlab	label for x-axis
ylab	label for y-axis
xlim	limits for x-axis
ylim	limits for y-axis
...	other arguments

Details

The plot shows intervals as bars, which height corresponds to RMSECV obtained when particular interval was selected (forward) or excluded (backward) from a model at the first iteration. The intervals found optimal after backward/forward iPLS selection are shown with green color while the other intervals are gray.

See examples in help for [ipls](#) function.

@seealso [summary.ipls](#), [plotRMSE.ipls](#)

plotSelectivityRatio *Selectivity ratio plot*

Description

Generic function for plotting selectivity ratio values for regression model (PCR, PLS, etc)

Usage

```
plotSelectivityRatio(obj, ...)
```

Arguments

obj	a regression model
...	other parameters

plotSelectivityRatio.pls

Selectivity ratio plot for PLS model

Description

Computes and shows a plot for Selectivity ratio values for given number of components and response variable

Usage

```
## S3 method for class 'pls'  
plotSelectivityRatio(obj, ny = 1, ncomp = obj$ncomp.selected, type = "l", ...)
```

Arguments

obj	a PLS model (object of class pls)
ny	which response to plot the values for (if y is multivariate), can be a vector.
ncomp	number of components to count
type	type of the plot
...	other plot parameters (see mdaPlot for details)

Details

See [vipScores](#) for more details.

plotSensitivity	<i>Sensitivity plot</i>
-----------------	-------------------------

Description

Sensitivity plot

Usage

```
plotSensitivity(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting sensitivity values for classification model or results

plotSensitivity.classmodel	<i>Sensitivity plot for classification model</i>
----------------------------	--

Description

Makes a plot with sensitivity values vs. model complexity (e.g. number of components)

Usage

```
## S3 method for class 'classmodel'  
plotSensitivity(obj, legend.position = "bottomright", ...)
```

Arguments

obj	classification model (object of class <code>plsda</code> , <code>simca</code> , etc.).
legend.position	position of the legend (as in <code>mdaplotg</code>).
...	parameters for <code>plotPerformance.classmodel</code> function.

Details

See examples in description of [plsda](#), [simca](#) or [simcam](#).

plotSensitivity.classres

Sensitivity plot for classification results

Description

Makes a plot with sn values vs. model complexity (e.g. number of components) for classification results.

Usage

```
## S3 method for class 'classres'
plotSensitivity(obj, legend.position = "bottomright", ...)
```

Arguments

obj classification results (object of class `plsdare`s, `simcamres`, etc.).

legend.position position of the legend (as in `mdaplotg`).

... other parameters for [plotPerformance.classres](#)

Details

See examples in description of [plsdare](#)s, [simcamres](#), etc.

plotseries

Create plot series object based on data, plot type and parameters

Description

The ‘plotseries’ object contains all necessary parameters to create main plots from data values, including values for x and y, correct handling of excluded rows and columns, color grouping (if any), limits and labels.

If both ‘col’ and ‘cgroup’ are specified, ‘cgroup’ will be ignored.

Labels can be either provided by user or generated automatically based on values, names or indices of data rows and columns. If series is made for scatter plot ‘type="p"’ then labels are required for each row of the original dataset. Otherwise (for line, bar and errorbar plot) labels correspond to data columns (variables).

The object has the following plotting methods once created: [plotScatter](#) [plotLines](#) [plotBars](#) [plotDensity](#) [plotErrorbars](#)

Usage

```
plotseries(
  data,
  type,
  cgroup = NULL,
  col = NULL,
  opacity = 1,
  colmap = "default",
  labels = NULL
)
```

Arguments

data	data to make the plot for (vector, matrix or data frame).
type	type of the plot.
cgroup	vector with values used to create a color grouping of the series instances.
col	color to show the series on plot with (user defined).
opacity	opacity of the colors (between 0 and 1).
colmap	colormap name to generate color/colors if they are not specified by user. See link{mdaplot.getColors} for details.
labels	either vector with labels for the series instances or string ("names", "values", or "indices") if labels should be generated automatically.

plotSpecificity	<i>Specificity plot</i>
-----------------	-------------------------

Description

Specificity plot

Usage

```
plotSpecificity(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting specificity values for classification model or results

```
plotSpecificity.classmodel
    Specificity plot for classification model
```

Description

Makes a plot with specificity values vs. model complexity (e.g. number of components)

Usage

```
## S3 method for class 'classmodel'
plotSpecificity(obj, legend.position = "bottomright", ...)
```

Arguments

```
obj          classification model (object of class plsda, simca, etc.).
legend.position  position of the legend (as in mdaplotg).
...          parameters for plotPerformance.classmodel function.
```

Details

See examples in description of [plsda](#), [simca](#) or [simcam](#).

```
plotSpecificity.classres
    Specificity plot for classification results
```

Description

Makes a plot with specificity values vs. model complexity (e.g. number of components) for classification results.

Usage

```
## S3 method for class 'classres'
plotSpecificity(obj, legend.position = "bottomright", ...)
```

Arguments

```
obj          classification results (object of class plsdares, simcamres, etc.).
legend.position  position of the legend (as in mdaplotg).
...          other parameters for plotPerformance.classres
```

Details

See examples in description of [plsdare](#)s, [simcamres](#), etc.

plotSpectra	<i>Plot resolved spectra</i>
-------------	------------------------------

Description

Plot resolved spectra

Usage

```
plotSpectra(obj, ...)
```

Arguments

obj	object with mcr case
...	other parameters

plotSpectra.mcr	<i>Show plot with resolved spectra</i>
-----------------	--

Description

Show plot with resolved spectra

Usage

```
## S3 method for class 'mcr'
plotSpectra(
  obj,
  comp = seq_len(obj$ncomp),
  type = "l",
  col = mdaplot.getColors(obj$ncomp),
  ...
)
```

Arguments

obj	object of class mcr
comp	vector with number of components to make the plot for
type	type of the plot
col	vector with colors for individual components
...	other parameters suitable for mdaplotg

plotT2DoF	<i>Degrees of freedom plot for score distance (Nh)</i>
-----------	--

Description

Shows a plot with degrees of freedom computed for score distances at given number of components using data driven approach ("ddmoments" or "ddrobust").

Usage

```
plotT2DoF(obj, type = "b", labels = "values", xticks = seq_len(obj$ncomp), ...)
```

Arguments

obj	a PCA model (object of class pca)
type	type of the plot ("b", "l", "h")
labels	what to show as data points labels
xticks	vector with tick values for x-axis
...	other plot parameters (see <code>mdaplotg</code> for details)

Details

Work only if parameter `lim.type` equal to "ddmoments" or "ddrobust".

plotVariance	<i>Variance plot</i>
--------------	----------------------

Description

Variance plot

Usage

```
plotVariance(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting explained variance for data decomposition

plotVariance.ldecomp *Explained variance plot*

Description

Shows a plot with explained variance vs. number of components.

Usage

```
## S3 method for class 'ldecomp'
plotVariance(
  obj,
  type = "b",
  variance = "expvar",
  labels = "values",
  xticks = seq_len(obj$ncomp),
  show.plot = TRUE,
  ...
)
```

Arguments

obj	object of ldecomp class.
type	type of the plot
variance	string, which variance to make the plot for ("expvar", "cumexpvar")
labels	what to show as labels for plot objects.
xticks	vector with ticks for x-axis
show.plot	logical, shall plot be created or just plot series object is needed
...	most of graphical parameters from mdaplot function can be used.

plotVariance.mcr *Show plot with explained variance*

Description

Show plot with explained variance

Usage

```
## S3 method for class 'mcr'  
plotVariance(  
  obj,  
  type = "h",  
  labels = "values",  
  main = "Variance",  
  xticks = seq_len(obj$ncomp),  
  ...  
)
```

Arguments

obj	object of class mcr
type	type of the plot
labels	what to use as data labels
main	title of the plot
xticks	vector with ticks for x-axis
...	other parameters suitable for mdaplot

plotVariance.pca	<i>Explained variance plot for PCA model</i>
------------------	--

Description

Shows a plot with explained variance or cumulative explained variance for components.

Usage

```
## S3 method for class 'pca'  
plotVariance(  
  obj,  
  type = "b",  
  labels = "values",  
  variance = "expvar",  
  xticks = seq_len(obj$ncomp),  
  res = obj$res,  
  ...  
)
```

Arguments

obj	a PCA model (object of class pca)
type	type of the plot ("b", "l", "h")
labels	what to use as labels (if show.labels = TRUE)
variance	which variance to show
xticks	vector with ticks for x-axis
res	list with result objects to show the variance for
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pca](#) function.

plotVariance.pls	<i>Variance plot for PLS</i>
------------------	------------------------------

Description

Shows plot with variance values vs. number of components.

Usage

```
## S3 method for class 'pls'
plotVariance(
  obj,
  decomp = "xdecomp",
  variance = "expvar",
  type = "b",
  labels = "values",
  res = obj$res,
  ...
)
```

Arguments

obj	a PLS model (object of class pls)
decomp	which decomposition to use ("xdecomp" for x or "ydecomp" for y)
variance	which variance to use ("expvar", "cumexpvar")
type	type of the plot("b", "l" or "h")
labels	what to show as labels for plot objects.
res	list with result objects to show the plot for (by default, model results are used)
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotVariance.plsres *Explained X variance plot for PLS results*

Description

Shows plot with explained X variance vs. number of components.

Usage

```
## S3 method for class 'plsres'  
plotVariance(obj, decomp = "xdecomp", variance = "expvar", ...)
```

Arguments

obj	PLS results (object of class plsres)
decomp	which dcomposition to use ("xdecomp" or "ydecomp")
variance	which variance to use ("expvar", "cumexpvar")
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotVIPScores *VIP scores plot*

Description

Generic function for plotting VIP scores values for regression model (PCR, PLS, etc)

Usage

```
plotVIPScores(obj, ...)
```

Arguments

obj	a regression model
...	other parameters

plotVIPScores.pls *VIP scores plot for PLS model*

Description

Shows a plot with VIP scores values for given number of components and response variable

Usage

```
## S3 method for class 'pls'  
plotVIPScores(obj, ny = 1, ncomp = obj$ncomp.selected, type = "1", ...)
```

Arguments

obj	a PLS model (object of class pls)
ny	which response to plot the values for (if y is multivariate), can be a vector.
ncomp	number of components to count
type	type of the plot
...	other plot parameters (see mdaplot for details)

Details

See [vipscores](#) for more details.

plotWeights *Plot for PLS weights*

Description

Plot for PLS weights

Usage

```
plotWeights(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for weight plot

plotWeights.pls *X loadings plot for PLS*

Description

Shows plot with X loading values for selected components.

Usage

```
## S3 method for class 'pls'
plotWeights(
  obj,
  comp = 1,
  type = (if (nrow(obj$weights) < 20) "h" else "l"),
  show.axes = TRUE,
  show.legend = TRUE,
  ...
)
```

Arguments

obj	a PLS model (object of class pls)
comp	which components to show the plot for (one or vector with several values)
type	type of the plot
show.axes	logical, show or not a axes lines crossing origin (0,0)
show.legend	logical, show or not a legend
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXCumVariance *X cumulative variance plot*

Description

X cumulative variance plot

Usage

```
plotXCumVariance(obj, ...)
```

Arguments

obj a model or result object
 ... other arguments

Details

Generic function for plotting cumulative explained variance for decomposition of x data

plotXCumVariance.pls *Cumulative explained X variance plot for PLS*

Description

Shows plot with cumulative explained X variance vs. number of components.

Usage

```
## S3 method for class 'pls'
plotXCumVariance(obj, type = "b", main = "Cumulative variance (X)", ...)
```

Arguments

obj a PLS model (object of class pls)
 type type of the plot("b", "l" or "h")
 main title for the plot
 ... other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXCumVariance.plsres
 Explained cumulative X variance plot for PLS results

Description

Shows plot with cumulative explained X variance vs. number of components.

Usage

```
## S3 method for class 'plsres'
plotXCumVariance(obj, main = "Cumulative variance (X)", ...)
```

Arguments

obj	PLS results (object of class plsres)
main	main plot title
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotXLoadings	<i>X loadings plot</i>
---------------	------------------------

Description

X loadings plot

Usage

```
plotXLoadings(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting loadings values for decomposition of x data

plotXLoadings.pls	<i>X loadings plot for PLS</i>
-------------------	--------------------------------

Description

Shows plot with X loading values for selected components.

Usage

```
## S3 method for class 'pls'
plotXLoadings(
  obj,
  comp = c(1, 2),
  type = "p",
  show.axes = TRUE,
  show.legend = TRUE,
  ...
)
```


Arguments

obj	a PLS model (object of class pls)
comp	which components to show the plot for (one or vector with several values)
type	type of the plot
show.axes	logical, show or not a axes lines crossing origin (0,0)
show.legend	logical, show or not legend on the plot (when it is available)
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXResiduals	<i>X residuals plot</i>
----------------	-------------------------

Description

X residuals plot

Usage

```
plotXResiduals(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting x residuals for classification or regression model or results

plotXResiduals.pls *Residual distance plot for decomposition of X data*

Description

Shows a plot with orthogonal distance vs score distance for PLS decomposition of X data.

Usage

```
## S3 method for class 'pls'
plotXResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  norm = TRUE,
  log = FALSE,
  main = sprintf("X-distances (ncomp = %d)", ncomp),
  cgroup = NULL,
  xlim = NULL,
  ylim = NULL,
  show.limits = c(TRUE, TRUE),
  lim.col = c("darkgray", "darkgray"),
  lim.lwd = c(1, 1),
  lim.lty = c(2, 3),
  show.legend = TRUE,
  legend.position = "topright",
  res = obj$res,
  ...
)
```

Arguments

obj	a PLS model (object of class pls)
ncomp	how many components to use (by default optimal value selected for the model will be used)
norm	logical, normalize distance values or not (see details)
log	logical, apply log tranformation to the distances or not (see details)
main	title for the plot
cgroup	color grouping of plot points (works only if one result object is available)
xlim	limits for x-axis
ylim	limits for y-axis
show.limits	vector with two logical values defining if limits for extreme and/or outliers must be shown
lim.col	vector with two values - line color for extreme and outlier limits
lim.lwd	vector with two values - line width for extreme and outlier limits

lim.lty	vector with two values - line type for extreme and outlier limits
show.legend	logical, show or not a legend on the plot (needed if several result objects are available)
legend.position	position of legend (if shown)
res	list with result objects to show the plot for (by default, model results are used)
...	other plot parameters (see mdaplotg for details)

Details

The function is almost identical to [plotResiduals.pca](#).

plotXResiduals.plsres *X residuals plot for PLS results*

Description

Shows a plot with Q residuals vs. Hotelling T2 values for PLS decomposition of x data.

Usage

```
## S3 method for class 'plsres'
plotXResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  norm = TRUE,
  log = FALSE,
  main = sprintf("X-residuals (ncomp = %d)", ncomp),
  ...
)
```

Arguments

obj	PLS results (object of class plsres)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
norm	logical, normalize distance values or not (see details)
log	logical, apply log transformation to the distances or not (see details)
main	main title for the plot
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotXScores *X scores plot*

Description

X scores plot

Usage

```
plotXScores(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting scores values for decomposition of x data

plotXScores.pls *X scores plot for PLS*

Description

Shows plot with X scores values for selected components.

Usage

```
## S3 method for class 'pls'
plotXScores(
  obj,
  comp = c(1, 2),
  show.axes = T,
  main = "Scores (X)",
  res = obj$res,
  ...
)
```

Arguments

obj	a PLS model (object of class pls)
comp	which components to show the plot for (one or vector with several values)
show.axes	logical, show or not a axes lines crossing origin (0,0)
main	main plot title
res	list with result objects to show the plot for (by default, model results are used)
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXScores.plsres *X scores plot for PLS results*

Description

Shows plot with scores values for PLS decomposition of x data.

Usage

```
## S3 method for class 'plsres'
plotXScores(obj, comp = c(1, 2), main = "Scores (X)", ...)
```

Arguments

obj	PLS results (object of class plsres)
comp	which components to show the plot for (one or vector with several values)
main	main plot title
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotXVariance *X variance plot*

Description

X variance plot

Usage

```
plotXVariance(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting explained variance for decomposition of x data

plotXVariance.pls *Explained X variance plot for PLS*

Description

Shows plot with explained X variance vs. number of components.

Usage

```
## S3 method for class 'pls'  
plotXVariance(obj, type = "b", main = "Variance (X)", ...)
```

Arguments

obj	a PLS model (object of class pls)
type	type of the plot("b", "l" or "h")
main	title for the plot
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXVariance.plsres *Explained X variance plot for PLS results*

Description

Shows plot with explained X variance vs. number of components.

Usage

```
## S3 method for class 'plsres'  
plotXVariance(obj, main = "Variance (X)", ...)
```

Arguments

obj	PLS results (object of class plsres)
main	main plot title
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotXYLoadings	<i>X loadings plot</i>
----------------	------------------------

Description

X loadings plot

Usage

```
plotXYLoadings(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting loadings values for decomposition of x and y data

plotXYLoadings.pls	<i>XY loadings plot for PLS</i>
--------------------	---------------------------------

Description

Shows plot with X and Y loading values for selected components.

Usage

```
## S3 method for class 'pls'  
plotXYLoadings(obj, comp = c(1, 2), show.axes = TRUE, ...)
```

Arguments

obj	a PLS model (object of class pls)
comp	which components to show the plot for (one or vector with several values)
show.axes	logical, show or not a axes lines crossing origin (0,0)
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXYResiduals *Plot for XY-residuals*

Description

Plot for XY-residuals

Usage

```
plotXYResiduals(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for XY-residuals plot

plotXYResiduals.pls *Residual XY-distance plot*

Description

Shows a plot with full X-distance (f) vs. orthogonal Y-distance (z) for PLS model results.

Usage

```
## S3 method for class 'pls'
plotXYResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  norm = TRUE,
  log = FALSE,
  main = sprintf("XY-distances (ncomp = %d)", ncomp),
  cgroup = NULL,
  xlim = NULL,
  ylim = NULL,
  show.limits = c(TRUE, TRUE),
  lim.col = c("darkgray", "darkgray"),
  lim.lwd = c(1, 1),
  lim.lty = c(2, 3),
  show.legend = TRUE,
  legend.position = "topright",
```



```
    res = obj$res,  
    ...  
  )
```

Arguments

obj	a PLS model (object of class pls)
ncomp	how many components to use (by default optimal value selected for the model will be used)
norm	logical, normalize distance values or not (see details)
log	logical, apply log transformation to the distances or not (see details)
main	title for the plot
cgroup	color grouping of plot points (works only if one result object is available)
xlim	limits for x-axis
ylim	limits for y-axis
show.limits	vector with two logical values defining if limits for extreme and/or outliers must be shown
lim.col	vector with two values - line color for extreme and outlier limits
lim.lwd	vector with two values - line width for extreme and outlier limits
lim.lty	vector with two values - line type for extreme and outlier limits
show.legend	logical, show or not a legend on the plot (needed if several result objects are available)
legend.position	position of legend (if shown)
res	list with result objects to show the plot for (by default, model results are used)
...	other plot parameters (see mdaplotg for details)

Details

The function presents a way to identify extreme objects and outliers based on both full distance for X-decomposition (known as f) and squared residual distance for Y-decomposition (z). The approach has been proposed in [1].

The plot is available only if data driven methods (classic or robust) have been used for computing of critical limits.

References

1. Rodionova O. Ye., Pomerantsev A. L. Detection of Outliers in Projection-Based Modeling. Analytical Chemistry (2020, in publish). doi: 10.1021/acs.analchem.9b04611

```
plotXYResiduals.plsres
```

Residual distance plot

Description

Shows a plot with orthogonal (Q, q) vs. score (T2, h) distances for data objects.

Usage

```
## S3 method for class 'plsres'
plotXYResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  norm = TRUE,
  log = FALSE,
  show.labels = FALSE,
  labels = "names",
  show.plot = TRUE,
  ...
)
```

Arguments

<code>obj</code>	object of <code>ldecomp</code> class.
<code>ncomp</code>	number of components to show the plot for (if NULL, selected by model value will be used).
<code>norm</code>	logical, normalize distance values or not (see details)
<code>log</code>	logical, apply log transformation to the distances or not (see details)
<code>show.labels</code>	logical, show or not labels for the plot objects
<code>labels</code>	what to show as labels if necessary
<code>show.plot</code>	logical, shall plot be created or just plot series object is needed
<code>...</code>	most of graphical parameters from <code>mdaplot</code> function can be used.

```
plotXYScores
```

XY scores plot

Description

XY scores plot

Usage

```
plotXYScores(obj, ...)
```

Arguments

obj a model or result object
 ... other arguments

Details

Generic function for plotting scores values for decomposition of x and y data

plotXYScores.pls *XY scores plot for PLS*

Description

Shows plot with X vs. Y scores values for selected component.

Usage

```
## S3 method for class 'pls'
plotXYScores(obj, ncomp = 1, show.axes = T, res = obj$res, ...)
```

Arguments

obj a PLS model (object of class pls)
 ncomp which component to show the plot for
 show.axes logical, show or not a axes lines crossing origin (0,0)
 res list with result objects to show the plot for (by default, model results are used)
 ... other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotXYScores.plsres *XY scores plot for PLS results*

Description

Shows plot with X vs. Y scores values for PLS results.

Usage

```
## S3 method for class 'plsres'
plotXYScores(obj, ncomp = 1, show.plot = TRUE, ...)
```

Arguments

obj	PLS results (object of class plsres)
ncomp	which component to show the plot for
show.plot	logical, show plot or just return plot data
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotYCumVariance	<i>Y cumulative variance plot</i>
------------------	-----------------------------------

Description

Y cumulative variance plot

Usage

```
plotYCumVariance(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting cumulative explained variance for decomposition of y data

plotYCumVariance.pls	<i>Cumulative explained Y variance plot for PLS</i>
----------------------	---

Description

Shows plot with cumulative explained Y variance vs. number of components.

Usage

```
## S3 method for class 'pls'
plotYCumVariance(obj, type = "b", main = "Cumulative variance (Y)", ...)
```

Arguments

obj	a PLS model (object of class pls)
type	type of the plot("b", "l" or "h")
main	title for the plot
...	other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotYCumVariance.plsres

Explained cumulative Y variance plot for PLS results

Description

Shows plot with cumulative explained Y variance vs. number of components.

Usage

```
## S3 method for class 'plsres'  
plotYCumVariance(obj, main = "Cumulative variance (Y)", ...)
```

Arguments

obj	PLS results (object of class plsres)
main	main plot title
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

plotYResiduals	<i>Y residuals plot</i>
----------------	-------------------------

Description

Y residuals plot

Usage

```
plotYResiduals(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for plotting y residuals for classification or regression model or results

plotYResiduals.plsres	<i>Y residuals plot for PLS results</i>
-----------------------	---

Description

Shows a plot with Y residuals vs reference Y values for selected component.

Usage

```
## S3 method for class 'plsres'
plotYResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  main = sprintf("Y-residuals (ncomp = %d)", ncomp),
  ...
)
```

Arguments

obj	PLS results (object of class plsres)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
main	main title for the plot
...	other plot parameters (see mdaplot for details)

Details

Proxy for [plotResiduals.regres](#) function.

plotYResiduals.regmodel

Y residuals plot for regression model

Description

Shows plot with y residuals (predicted vs. reference values) for selected components.

Usage

```
## S3 method for class 'regmodel'
plotYResiduals(
  obj,
  ncomp = obj$ncomp.selected,
  ny = 1,
  show.lines = c(NA, 0),
  res = obj$res,
  ...
)
```

Arguments

obj	a regression model (object of class regmodel)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
ny	number of response variable to make the plot for (if y is multivariate)
show.lines	allows to show the horizontal line at 0 level
res	list with result objects
...	other plot parameters (see mdaplotg for details)

plotYVariance

Y variance plot

Description

Y variance plot

Usage

```
plotYVariance(obj, ...)
```

Arguments

obj a model or result object
 ... other arguments

Details

Generic function for plotting explained variance for decomposition of y data

plotYVariance.pls *Explained Y variance plot for PLS*

Description

Shows plot with explained Y variance vs. number of components.

Usage

```
## S3 method for class 'pls'
plotYVariance(obj, type = "b", main = "Variance (Y)", ...)
```

Arguments

obj a PLS model (object of class pls)
 type type of the plot("b", "l" or "h")
 main title for the plot
 ... other plot parameters (see mdaplotg for details)

Details

See examples in help for [pls](#) function.

plotYVariance.plsres *Explained Y variance plot for PLS results*

Description

Shows plot with explained Y variance vs. number of components.

Usage

```
## S3 method for class 'plsres'
plotYVariance(obj, main = "Variance (Y)", ...)
```


Arguments

obj	PLS results (object of class plsres)
main	main plot title
...	other plot parameters (see mdaplot for details)

Details

See examples in help for [plsres](#) function.

pls *Partial Least Squares regression*

Description

pls is used to calibrate, validate and use of partial least squares (PLS) regression model.

Usage

```
pls(
  x,
  y,
  ncomp = min(nrow(x) - 1, ncol(x), 20),
  center = TRUE,
  scale = FALSE,
  cv = NULL,
  exclcols = NULL,
  exclrows = NULL,
  x.test = NULL,
  y.test = NULL,
  method = "simpls",
  info = "",
  ncomp.selcrit = "min",
  lim.type = "ddmoments",
  alpha = 0.05,
  gamma = 0.01
)
```

Arguments

x	matrix with predictors.
y	matrix with responses.
ncomp	maximum number of components to calculate.
center	logical, center or not predictors and response values.
scale	logical, scale (standardize) or not predictors and response values.
cv	cross-validation settings (see details).

<code>exclcols</code>	columns of <code>x</code> to be excluded from calculations (numbers, names or vector with logical values)
<code>exclrows</code>	rows to be excluded from calculations (numbers, names or vector with logical values)
<code>x.test</code>	matrix with predictors for test set.
<code>y.test</code>	matrix with responses for test set.
<code>method</code>	algorithm for computing PLS model (only 'simpls' is supported so far)
<code>info</code>	short text with information about the model.
<code>ncomp.selcrit</code>	criterion for selecting optimal number of components ('min' for first local minimum of RMSECV and 'wold' for Wold's rule.)
<code>lim.type</code>	which method to use for calculation of critical limits for residual distances (see details)
<code>alpha</code>	significance level for extreme limits for T2 and Q distances.
<code>gamma</code>	significance level for outlier limits for T2 and Q distances.

Details

So far only SIMPLS method [1] is available. Implementation works both with one and multiple response variables.

Like in `pca`, `pls` uses number of components (`ncomp`) as a minimum of number of objects - 1, number of `x` variables and the default or provided value. Regression coefficients, predictions and other results are calculated for each set of components from 1 to `ncomp`: 1, 1:2, 1:3, etc. The optimal number of components, (`ncomp.selected`), is found using first local minimum, but can be also forced to user defined value using function (`selectCompNum.pls`). The selected optimal number of components is used for all default operations - predictions, plots, etc.

Cross-validation settings, `cv`, can be a number or a list. If `cv` is a number, it will be used as a number of segments for random cross-validation (if `cv = 1`, full cross-validation will be performed). If it is a list, the following syntax can be used: `cv = list("rand", nseg, nrep)` for random repeated cross-validation with `nseg` segments and `nrep` repetitions or `cv = list("ven", nseg)` for systematic splits to `nseg` segments ('venetian blinds').

Calculation of confidence intervals and p-values for regression coefficients can be done based on Jack-Knifing resampling. This is done automatically if cross-validation is used. However it is recommended to use at least 10 segments for stable JK result. See help for `regcoeffs` objects for more details.

Value

Returns an object of `pls` class with following fields:

<code>ncomp</code>	number of components included to the model.
<code>ncomp.selected</code>	selected (optimal) number of components.
<code>xcenter</code>	vector with values used to center the predictors (<code>x</code>).
<code>ycenter</code>	vector with values used to center the responses (<code>y</code>).
<code>xscale</code>	vector with values used to scale the predictors (<code>x</code>).

<code>yscale</code>	vector with values used to scale the responses (y).
<code>xloadings</code>	matrix with loading values for x decomposition.
<code>yloadings</code>	matrix with loading values for y decomposition.
<code>xeigenvals</code>	vector with eigenvalues of components (variance of x-scores).
<code>yeigenvals</code>	vector with eigenvalues of components (variance of y-scores).
<code>weights</code>	matrix with PLS weights.
<code>coeffs</code>	object of class <code>regcoeffs</code> with regression coefficients calculated for each component.
<code>info</code>	information about the model, provided by user when build the model.
<code>cv</code>	information cross-validation method used (if any).
<code>res</code>	a list with result objects (e.g. calibration, cv, etc.)

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

References

1. S. de Jong, Chemometrics and Intelligent Laboratory Systems 18 (1993) 251-263.
2. Tarja Rajalahti et al. Chemometrics and Laboratory Systems, 95 (2009), 35-48.
3. Il-Gyo Chong, Chi-Hyuck Jun. Chemometrics and Laboratory Systems, 78 (2005), 103-112.

See Also

Main methods for pls objects:

<code>print</code>	prints information about a pls object.
<code>summary.pls</code>	shows performance statistics for the model.
<code>plot.pls</code>	shows plot overview of the model.
<code>pls.simpls</code>	implementation of SIMPLS algorithm.
<code>predict.pls</code>	applies PLS model to a new data.
<code>selectCompNum.pls</code>	set number of optimal components in the model.
<code>setDistanceLimits.pls</code>	allows to change parameters for critical limits.
<code>categorize.pls</code>	categorize data rows similar to <code>categorize.pca</code> .
<code>selratio</code>	computes matrix with selectivity ratio values.
<code>vipscores</code>	computes matrix with VIP scores values.

Plotting methods for pls objects:

<code>plotXScores.pls</code>	shows scores plot for x decomposition.
<code>plotXYScores.pls</code>	shows scores plot for x and y decomposition.
<code>plotXLoadings.pls</code>	shows loadings plot for x decomposition.
<code>plotXYLoadings.pls</code>	shows loadings plot for x and y decomposition.
<code>plotXVariance.pls</code>	shows explained variance plot for x decomposition.
<code>plotYVariance.pls</code>	shows explained variance plot for y decomposition.

<code>plotXCumVariance.pls</code>	shows cumulative explained variance plot for x decomposition.
<code>plotYCumVariance.pls</code>	shows cumulative explained variance plot for y decomposition.
<code>plotXResiduals.pls</code>	shows distance/residuals plot for x decomposition.
<code>plotXYResiduals.pls</code>	shows joint distance plot for x and y decomposition.
<code>plotWeights.pls</code>	shows plot with weights.
<code>plotSelectivityRatio.pls</code>	shows plot with selectivity ratio values.
<code>plotVIPScores.pls</code>	shows plot with VIP scores values.

Methods inherited from `regmodel` object (parent class for `pls`):

<code>plotPredictions.regmodel</code>	shows predicted vs. measured plot.
<code>plotRMSE.regmodel</code>	shows RMSE plot.
<code>plotYResiduals.regmodel</code>	shows residuals plot for y values.
<code>getRegcoeffs.regmodel</code>	returns matrix with regression coefficients.

Most of the methods for plotting data (except loadings and regression coefficients) are also available for PLS results (`plsres`) objects. There is also a randomization test for PLS-regression (`randtest`) and implementation of interval PLS algorithm for variable selection (`ipls`)

Examples

```
### Examples of using PLS model class
library(mdatools)

## 1. Make a PLS model for concentration of first component
## using full-cross validation and automatic detection of
## optimal number of components and show an overview

data(simdata)
x = simdata$spectra.c
y = simdata$conc.c[, 1]

model = pls(x, y, ncomp = 8, cv = 1)
summary(model)
plot(model)

## 2. Make a PLS model for concentration of first component
## using test set and 10 segment cross-validation and show overview

data(simdata)
x = simdata$spectra.c
y = simdata$conc.c[, 1]
x.t = simdata$spectra.t
y.t = simdata$conc.t[, 1]

model = pls(x, y, ncomp = 8, cv = 10, x.test = x.t, y.test = y.t)
model = selectCompNum(model, 2)
summary(model)
```

```
plot(model)

## 3. Make a PLS model for concentration of first component
## using only test set validation and show overview

data(simdata)
x = simdata$spectra.c
y = simdata$conc.c[, 1]
x.t = simdata$spectra.t
y.t = simdata$conc.t[, 1]

model = pls(x, y, ncomp = 6, x.test = x.t, y.test = y.t)
model = selectCompNum(model, 2)
summary(model)
plot(model)

## 4. Show variance and error plots for a PLS model
par(mfrow = c(2, 2))
plotXCumVariance(model, type = 'h')
plotYCumVariance(model, type = 'b', show.labels = TRUE, legend.position = 'bottomright')
plotRMSE(model)
plotRMSE(model, type = 'h', show.labels = TRUE)
par(mfrow = c(1, 1))

## 5. Show scores plots for a PLS model
par(mfrow = c(2, 2))
plotXScores(model)
plotXScores(model, comp = c(1, 3), show.labels = TRUE)
plotXYScores(model)
plotXYScores(model, comp = 2, show.labels = TRUE)
par(mfrow = c(1, 1))

## 6. Show loadings and coefficients plots for a PLS model
par(mfrow = c(2, 2))
plotXLoadings(model)
plotXLoadings(model, comp = c(1, 2), type = 'l')
plotXYLoadings(model, comp = c(1, 2), legend.position = 'topleft')
plotRegcoeffs(model)
par(mfrow = c(1, 1))

## 7. Show predictions and residuals plots for a PLS model
par(mfrow = c(2, 2))
plotXResiduals(model, show.label = TRUE)
plotYResiduals(model, show.label = TRUE)
plotPredictions(model)
plotPredictions(model, ncomp = 4, xlab = 'C, reference', ylab = 'C, predictions')
par(mfrow = c(1, 1))

## 8. Selectivity ratio and VIP scores plots
par(mfrow = c(2, 2))
plotSelectivityRatio(model)
plotSelectivityRatio(model, ncomp = 1)
par(mfrow = c(1, 1))
```

```

## 9. Variable selection with selectivity ratio
selratio = getSelectivityRatio(model)
selvar = !(selratio < 8)

xsel = x[, selvar]
modelsel = pls(xsel, y, ncomp = 6, cv = 1)
modelsel = selectCompNum(modelsel, 3)

summary(model)
summary(modelsel)

## 10. Calculate average spectrum and show the selected variables
i = 1:ncol(x)
ms = apply(x, 2, mean)

par(mfrow = c(2, 2))

plot(i, ms, type = 'p', pch = 16, col = 'red', main = 'Original variables')
plotPredictions(model)

plot(i, ms, type = 'p', pch = 16, col = 'lightgray', main = 'Selected variables')
points(i[selvar], ms[selvar], col = 'red', pch = 16)
plotPredictions(modelsel)

par(mfrow = c(1, 1))

```

pls.cal

PLS model calibration

Description

Calibrates (builds) a PLS model for given data and parameters

Usage

```
pls.cal(x, y, ncomp, center, scale, method = "simpls", cv = FALSE)
```

Arguments

x	a matrix with x values (predictors)
y	a matrix with y values (responses)
ncomp	number of components to calculate
center	logical, do mean centering or not
scale	logical, do standardization or not
method	algorithm for computing PLS model (only 'simpls' is supported so far)
cv	logical, is model calibrated during cross-validation or not (or cv settings for calibration)

Value

model an object with calibrated PLS model

pls.getLimitsCoordinates

Compute coordinates of lines or curves with critical limits

Description

Compute coordinates of lines or curves with critical limits

Usage

```
pls.getLimitsCoordinates(Qlim, T2lim, Zlim, nobj, ncomp, norm, log)
```

Arguments

Qlim	matrix with critical limits for orthogonal distances (X)
T2lim	matrix with critical limits for score distances (X)
Zlim	matrix with critical limits for orthogonal distances (Y)
nobj	number of objects to compute the limits for
ncomp	number of components for computing the coordinates
norm	logical, shall distance values be normalized or not
log	logical, shall log transformation be applied or not

Value

list with two matrices (x and y coordinates of corresponding limits)

pls.getZLimits

Compute critical limits for orthogonal distances (Q)

Description

Compute critical limits for orthogonal distances (Q)

Usage

```
pls.getZLimits(lim.type, alpha, gamma, params)
```

Arguments

lim.type	which method to use for calculation of critical limits for residuals
alpha	significance level for extreme limits.
gamma	significance level for outlier limits.
params	distribution parameters returned by ldecomp.getLimParams

pls.run *Runs selected PLS algorithm*

Description

Runs selected PLS algorithm

Usage

```
pls.run(x, y, ncomp = min(nrow(x) - 1, ncol(x)), method = "simpls", cv = FALSE)
```

Arguments

x	a matrix with x values (predictors from calibration set)
y	a matrix with y values (responses from calibration set)
ncomp	how many components to compute
method	algorithm for computing PLS model
cv	logical, is this for CV or not

pls.simpls *SIMPLS algorithm*

Description

SIMPLS algorithm for calibration of PLS model

Usage

```
pls.simpls(x, y, ncomp, cv = FALSE)
```

Arguments

x	a matrix with x values (predictors)
y	a matrix with y values (responses)
ncomp	number of components to calculate
cv	logical, is model calibrated during cross-validation or not

Value

a list with computed regression coefficients, loadings and scores for x and y matrices, and weights.

References

[1]. S. de Jong. SIMPLS: An Alternative approach to partial least squares regression. *Chemometrics and Intelligent Laboratory Systems*, 18, 1993 (251-263).

Description

plsda is used to calibrate, validate and use of partial least squares discrimination analysis (PLS-DA) model.

Usage

```
plsda(  
  x,  
  c,  
  ncomp = min(nrow(x) - 1, ncol(x), 20),  
  center = TRUE,  
  scale = FALSE,  
  cv = NULL,  
  exclcols = NULL,  
  exclrows = NULL,  
  x.test = NULL,  
  c.test = NULL,  
  method = "simpls",  
  lim.type = "ddmoments",  
  alpha = 0.05,  
  gamma = 0.01,  
  info = "",  
  ncomp.selcrit = "min",  
  classname = NULL  
)
```

Arguments

x	matrix with predictors.
c	vector with class membership (should be either a factor with class names/numbers in case of multiple classes or a vector with logical values in case of one class model).
ncomp	maximum number of components to calculate.
center	logical, center or not predictors and response values.
scale	logical, scale (standardize) or not predictors and response values.
cv	cross-validation settings (see details).
exclcols	columns of x to be excluded from calculations (numbers, names or vector with logical values)
exclrows	rows to be excluded from calculations (numbers, names or vector with logical values)
x.test	matrix with predictors for test set.

<code>c.test</code>	vector with reference class values for test set (same format as calibration values).
<code>method</code>	method for calculating PLS model.
<code>lim.type</code>	which method to use for calculation of critical limits for residual distances (see details)
<code>alpha</code>	significance level for extreme limits for T2 and Q distances.
<code>gamma</code>	significance level for outlier limits for T2 and Q distances.
<code>info</code>	short text with information about the model.
<code>ncomp.selcrit</code>	criterion for selecting optimal number of components ('min' for first local minimum of RMSECV and 'wold' for Wold's rule.)
<code>classname</code>	name (label) of class in case if PLS-DA is used for one-class discrimination model. In this case it is expected that parameter 'c' will be a vector with logical values.

Details

The `plsda` class is based on `pls` with extra functions and plots covering classification functionality. All plots for `pls` can be used. E.g. if you want to see the real predicted values (y in PLS) instead of classes use `plotPredictions.pls(model)` instead of `plotPredictions(model)`.

Cross-validation settings, `cv`, can be a number or a list. If `cv` is a number, it will be used as a number of segments for random cross-validation (if `cv = 1`, full cross-validation will be performed). If it is a list, the following syntax can be used: `cv = list('rand', nseg, nrep)` for random repeated cross-validation with `nseg` segments and `nrep` repetitions or `cv = list('ven', nseg)` for systematic splits to `nseg` segments ('venetian blinds').

Calculation of confidence intervals and p-values for regression coefficients are available only by jack-knifing so far. See help for `regcoeffs` objects for details.

Value

Returns an object of `plsda` class with following fields (most inherited from class `pls`):

<code>ncomp</code>	number of components included to the model.
<code>ncomp.selected</code>	selected (optimal) number of components.
<code>xloadings</code>	matrix with loading values for x decomposition.
<code>yloadings</code>	matrix with loading values for y (c) decomposition.
<code>weights</code>	matrix with PLS weights.
<code>coeffs</code>	matrix with regression coefficients calculated for each component.
<code>info</code>	information about the model, provided by user when build the model.
<code>calres</code>	an object of class <code>plsdare</code> s with PLS-DA results for a calibration data.
<code>testres</code>	an object of class <code>plsdare</code> s with PLS-DA results for a test data, if it was provided.
<code>cvres</code>	an object of class <code>plsdare</code> s with PLS-DA results for cross-validation, if this option was chosen.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

See Also

Specific methods for plsda class:

<code>print.plsda</code>	prints information about a pls object.
<code>summary.plsda</code>	shows performance statistics for the model.
<code>plot.plsda</code>	shows plot overview of the model.
<code>predict.plsda</code>	applies PLS-DA model to a new data.

Methods, inherited from classmodel class:

<code>plotPredictions.classmodel</code>	shows plot with predicted values.
<code>plotSensitivity.classmodel</code>	shows sensitivity plot.
<code>plotSpecificity.classmodel</code>	shows specificity plot.
<code>plotMisclassified.classmodel</code>	shows misclassified ratio plot.

See also methods for class `pls`.

Examples

```
### Examples for PLS-DA model class

library(mdatools)

## 1. Make a PLS-DA model with full cross-validation and show model overview

# make a calibration set from iris data (3 classes)
# use names of classes as class vector
x.cal = iris[seq(1, nrow(iris), 2), 1:4]
c.cal = iris[seq(1, nrow(iris), 2), 5]

model = plsda(x.cal, c.cal, ncomp = 3, cv = 1, info = 'IRIS data example')
model = selectCompNum(model, 1)

# show summary and basic model plots
# misclassification will be shown only for first class
summary(model)
plot(model)

# summary and model plots for second class
summary(model, nc = 2)
plot(model, nc = 2)

# summary and model plot for specific class and number of components
summary(model, nc = 3, ncomp = 3)
```

```

plot(model, nc = 3, ncomp = 3)

## 2. Show performance plots for a model
par(mfrow = c(2, 2))
plotSpecificity(model)
plotSensitivity(model)
plotMisclassified(model)
plotMisclassified(model, nc = 2)
par(mfrow = c(1, 1))

## 3. Show both class and y values predictions
par(mfrow = c(2, 2))
plotPredictions(model)
plotPredictions(model, res = "cal", ncomp = 2, nc = 2)
plotPredictions(structure(model, class = "regmodel"))
plotPredictions(structure(model, class = "regmodel"), ncomp = 2, ny = 2)
par(mfrow = c(1, 1))

## 4. All plots from ordinary PLS can be used, e.g.:
par(mfrow = c(2, 2))
plotXYScores(model)
plotYVariance(model)
plotXResiduals(model)
plotRegcoeffs(model, ny = 2)
par(mfrow = c(1, 1))

```

plsdares

PLS-DA results

Description

plsdares is used to store and visualize results of applying a PLS-DA model to a new data.

Usage

```
plsdares(plsres, cres)
```

Arguments

plsres	PLS results for the data.
cres	Classification results for the data.

Details

Do not use plsdares manually, the object is created automatically when one applies a PLS-DA model to a new data set, e.g. when calibrate and validate a PLS-DA model (all calibration and validation results in PLS-DA model are stored as objects of plsdares class) or use function [predict.plsda](#).

The object gives access to all PLS-DA results as well as to the plotting methods for visualisation of the results. The `plsdares` class also inherits all properties and methods of `classres` and `plsres` classes.

If no reference values provided, classification statistics will not be calculated and performance plots will not be available.

Value

Returns an object of `plsdares` class with fields, inherited from `classres` and `plsres`.

See Also

Methods for `plsda` objects:

<code>print.plsda</code>	shows information about the object.
<code>summary.plsda</code>	shows statistics for results of classification.
<code>plot.plsda</code>	shows plots for overview of the results.

Methods, inherited from `classres` class:

<code>showPredictions.classres</code>	show table with predicted values.
<code>plotPredictions.classres</code>	makes plot with predicted values.
<code>plotSensitivity.classres</code>	makes plot with sensitivity vs. components values.
<code>plotSpecificity.classres</code>	makes plot with specificity vs. components values.
<code>plotPerformance.classres</code>	makes plot with both specificity and sensitivity values.

Methods for `plsres` objects:

<code>print</code>	prints information about a <code>plsres</code> object.
<code>summary.plsres</code>	shows performance statistics for the results.
<code>plot.plsres</code>	shows plot overview of the results.
<code>plotXScores.plsres</code>	shows scores plot for x decomposition.
<code>plotXYScores.plsres</code>	shows scores plot for x and y decomposition.
<code>plotXVariance.plsres</code>	shows explained variance plot for x decomposition.
<code>plotYVariance.plsres</code>	shows explained variance plot for y decomposition.
<code>plotXCumVariance.plsres</code>	shows cumulative explained variance plot for y decomposition.
<code>plotYCumVariance.plsres</code>	shows cumulative explained variance plot for y decomposition.
<code>plotXResiduals.plsres</code>	shows T2 vs. Q plot for x decomposition.
<code>plotYResiduals.plsres</code>	shows residuals plot for y values.

Methods inherited from `regres` class (parent class for `plsres`):

<code>plotPredictions.regres</code>	shows predicted vs. measured plot.
<code>plotRMSE.regres</code>	shows RMSE plot.

See also `plsda` - a class for PLS-DA models, `predict.plsda` applying PLS-DA model for a new dataset.

Examples

```
### Examples for PLS-DA results class

library(mdatools)

## 1. Make a PLS-DA model with full cross-validation, get
## calibration results and show overview

# make a calibration set from iris data (3 classes)
# use names of classes as class vector
x.cal = iris[seq(1, nrow(iris), 2), 1:4]
c.cal = iris[seq(1, nrow(iris), 2), 5]

model = plsda(x.cal, c.cal, ncomp = 3, cv = 1, info = 'IRIS data example')
model = selectCompNum(model, 1)

res = model$calres

# show summary and basic plots for calibration results
summary(res)
plot(res)

## 2. Apply the calibrated PLS-DA model to a new dataset

# make a new data
x.new = iris[seq(2, nrow(iris), 2), 1:4]
c.new = iris[seq(2, nrow(iris), 2), 5]

res = predict(model, x.new, c.new)
summary(res)
plot(res)

## 3. Show performance plots for the results
par(mfrow = c(2, 2))
plotSpecificity(res)
plotSensitivity(res)
plotMisclassified(res)
plotMisclassified(res, nc = 2)
par(mfrow = c(1, 1))

## 3. Show both class and y values predictions
par(mfrow = c(2, 2))
plotPredictions(res)
plotPredictions(res, ncomp = 2, nc = 2)
plotPredictions(structure(res, class = "regres"))
plotPredictions(structure(res, class = "regres"), ncomp = 2, ny = 2)
par(mfrow = c(1, 1))

## 4. All plots from ordinary PLS results can be used, e.g.:
```

```
par(mfrow = c(2, 2))
plotXYScores(res)
plotYVariance(res, type = 'h')
plotXVariance(res, type = 'h')
plotXResiduals(res)
par(mfrow = c(1, 1))
```

plsres

PLS results

Description

plsres is used to store and visualize results of applying a PLS model to a new data.

Usage

```
plsres(
  y.pred,
  y.ref = NULL,
  ncomp.selected = dim(y.pred)[2],
  xdecomp = NULL,
  ydecomp = NULL,
  info = ""
)
```

Arguments

y.pred	predicted y values.
y.ref	reference (measured) y values.
ncomp.selected	selected (optimal) number of components.
xdecomp	PLS decomposition of X data (object of class ldecomp).
ydecomp	PLS decomposition of Y data (object of class ldecomp).
info	information about the object.

Details

Do not use plsres manually, the object is created automatically when one applies a PLS model to a new data set, e.g. when calibrate and validate a PLS model (all calibration and validation results in PLS model are stored as objects of plsres class) or use function [predict.pls](#).

The object gives access to all PLS results as well as to the plotting methods for visualisation of the results. The plsres class also inherits all properties and methods of regres - general class for regression results.

If no reference values provided, regression statistics will not be calculated and most of the plots not available. The class is also used for cross-validation results, in this case some of the values and methods are not available (e.g. scores and scores plot, etc.).

All plots are based on `mdaplot` function, so most of its options can be used (e.g. color grouping, etc.).

RPD is ratio of standard deviation of response values to standard error of prediction (SDy/SEP).

Value

Returns an object of `plsres` class with following fields:

<code>ncomp</code>	number of components included to the model.
<code>ncomp.selected</code>	selected (optimal) number of components.
<code>y.ref</code>	a matrix with reference values for responses.
<code>y.pred</code>	a matrix with predicted values for responses.
<code>rmse</code>	a matrix with root mean squared error values for each response and component.
<code>slope</code>	a matrix with slope values for each response and component.
<code>r2</code>	a matrix with determination coefficients for each response and component.
<code>bias</code>	a matrix with bias values for each response and component.
<code>sep</code>	a matrix with standard error values for each response and component.
<code>rpd</code>	a matrix with RPD values for each response and component.
<code>xdecomp</code>	decomposition of predictors (object of class <code>ldecomp</code>).
<code>ydecomp</code>	decomposition of responses (object of class <code>ldecomp</code>).
<code>info</code>	information about the object.

See Also

Methods for `plsres` objects:

<code>print</code>	prints information about a <code>plsres</code> object.
<code>summary.plsres</code>	shows performance statistics for the results.
<code>plot.plsres</code>	shows plot overview of the results.
<code>plotXScores.plsres</code>	shows scores plot for x decomposition.
<code>plotXYScores.plsres</code>	shows scores plot for x and y decomposition.
<code>plotXVariance.plsres</code>	shows explained variance plot for x decomposition.
<code>plotYVariance.plsres</code>	shows explained variance plot for y decomposition.
<code>plotXCumVariance.plsres</code>	shows cumulative explained variance plot for y decomposition.
<code>plotYCumVariance.plsres</code>	shows cumulative explained variance plot for y decomposition.
<code>plotXResiduals.plsres</code>	shows T2 vs. Q plot for x decomposition.
<code>plotYResiduals.plsres</code>	shows residuals plot for y values.

Methods inherited from `regres` class (parent class for `plsres`):

<code>plotPredictions.regres</code>	shows predicted vs. measured plot.
<code>plotRMSE.regres</code>	shows RMSE plot.

See also [pls](#) - a class for PLS models.

Examples

```
### Examples of using PLS result class
library(mdatools)
## 1. Make a PLS model for concentration of first component
## using full-cross validation and get calibration results

data(simdata)
x = simdata$spectra.c
y = simdata$conc.c[, 1]

model = pls(x, y, ncomp = 8, cv = 1)
model = selectCompNum(model, 2)
res = model$calres

summary(res)
plot(res)

## 2. Make a PLS model for concentration of first component
## and apply model to a new dataset

data(simdata)
x = simdata$spectra.c
y = simdata$conc.c[, 1]

model = pls(x, y, ncomp = 6, cv = 1)
model = selectCompNum(model, 2)

x.new = simdata$spectra.t
y.new = simdata$conc.t[, 1]
res = predict(model, x.new, y.new)

summary(res)
plot(res)

## 3. Show variance and error plots for PLS results
par(mfrow = c(2, 2))
plotXCumVariance(res, type = 'h')
plotYCumVariance(res, type = 'b', show.labels = TRUE, legend.position = 'bottomright')
plotRMSE(res)
plotRMSE(res, type = 'h', show.labels = TRUE)
par(mfrow = c(1, 1))

## 4. Show scores plots for PLS results
## (for results plot we can use color grouping)
par(mfrow = c(2, 2))
plotXScores(res)
plotXScores(res, show.labels = TRUE, cgroup = y.new)
plotXYScores(res)
plotXYScores(res, comp = 2, show.labels = TRUE)
par(mfrow = c(1, 1))
```

```
## 5. Show predictions and residuals plots for PLS results
par(mfrow = c(2, 2))
plotXResiduals(res, show.label = TRUE, cgroup = y.new)
plotYResiduals(res, show.label = TRUE)
plotPredictions(res)
plotPredictions(res, ncomp = 4, xlab = 'C, reference', ylab = 'C, predictions')
par(mfrow = c(1, 1))
```

predict.mcrals	<i>MCR ALS predictions</i>
----------------	----------------------------

Description

Applies MCR-ALS model to a new set of spectra and returns matrix with contributions.

Usage

```
## S3 method for class 'mcrals'
predict(object, x, ...)
```

Arguments

object	an MCR model (object of class mcr).
x	spectral values (matrix or data frame).
...	other arguments.

Value

Matrix with contributions

predict.mcrpure	<i>MCR predictions</i>
-----------------	------------------------

Description

Applies MCR model to a new set of spectra and returns matrix with contributions.

Usage

```
## S3 method for class 'mcrpure'
predict(object, x, ...)
```

Arguments

object an MCR model (object of class mcr).
 x spectral values (matrix or data frame).
 ... other arguments.

Value

Matrix with contributions

predict.pca	<i>PCA predictions</i>
-------------	------------------------

Description

Applies PCA model to a new data set.

Usage

```
## S3 method for class 'pca'
predict(object, x, ...)
```

Arguments

object a PCA model (object of class pca).
 x data values (matrix or data frame).
 ... other arguments.

Value

PCA results (an object of class pcares)

predict.pls	<i>PLS predictions</i>
-------------	------------------------

Description

Applies PLS model to a new data set

Usage

```
## S3 method for class 'pls'
predict(object, x, y = NULL, cv = FALSE, ...)
```

Arguments

object	a PLS model (object of class pls)
x	a matrix with x values (predictors)
y	a matrix with reference y values (responses)
cv	logical, shall predictions be made for cross-validation procedure or not
...	other arguments

Details

See examples in help for [pls](#) function.

Value

PLS results (an object of class [plsres](#))

predict.plsda	<i>PLS-DA predictions</i>
---------------	---------------------------

Description

Applies PLS-DA model to a new data set

Usage

```
## S3 method for class 'plsda'
predict(object, x, c.ref = NULL, ...)
```

Arguments

object	a PLS-DA model (object of class plsda)
x	a matrix with x values (predictors)
c.ref	a vector with reference class values (should be a factor)
...	other arguments

Details

See examples in help for [plsda](#) function.

Value

PLS-DA results (an object of class [plsdares](#))

predict.simca	<i>SIMCA predictions</i>
---------------	--------------------------

Description

Applies SIMCA model to a new data set

Usage

```
## S3 method for class 'simca'  
predict(object, x, c.ref = NULL, cal = FALSE, ...)
```

Arguments

object	a SIMCA model (object of class <code>simca</code>)
x	a matrix with x values (predictors)
c.ref	a vector with reference class names (same as class names for models)
cal	logical, are predictions for calibration set or not
...	other arguments

Details

See examples in help for [simca](#) function.

Value

SIMCA results (an object of class `simcares`)

predict.simcam	<i>SIMCA multiple classes predictions</i>
----------------	---

Description

Applies SIMCAM model (SIMCA for multiple classes) to a new data set

Usage

```
## S3 method for class 'simcam'  
predict(object, x, c.ref = NULL, ...)
```

Arguments

object	a SIMCAM model (object of class <code>simcam</code>)
x	a matrix with x values (predictors)
c.ref	a vector with reference class names (same as class names in models)
...	other arguments

Details

See examples in help for [simcam](#) function.

Value

SIMCAM results (an object of class `simcamres`)

<code>prep.alsbasecorr</code>	<i>Baseline correction using asymmetric least squares</i>
-------------------------------	---

Description

Baseline correction using asymmetric least squares

Usage

```
prep.alsbasecorr(spectra, plambda = 5, p = 0.1, max.niter = 10)
```

Arguments

<code>spectra</code>	matrix with spectra (rows correspond to individual spectra)
<code>plambda</code>	power of the penalty parameter (e.g. if <code>plambda = 5</code> , $\lambda = 10^5$)
<code>p</code>	asymmetry ratio (should be between 0 and 1)
<code>max.niter</code>	maximum number of iterations

Details

The function implements baseline correction algorithm based on Whittaker smoother. The method was first shown in [1]. The function has two main parameters - power of a penalty parameter (usually varies between 2 and 9) and the ratio of asymmetry (usually between 0.1 and 0.001). The choice of the parameters depends on how broad the disturbances of the baseline are and how narrow the original spectral peaks are.

Examples

```
# take spectra from carbs dataset
data(carbs)
spectra = mda.t(carbs$S)

# apply the correction
pspectra = prep.alsbasecorr(spectra, plambda = 3, p = 0.01)

# show the original and the corrected spectra individually
par(mfrow = c(3, 1))
for (i in 1:3) {
  mdaplotg(list(
    original = mda.subset(spectra, i),
```

```

        corrected = mda.subset(pspectra, i)
    ), type = "l", col = c("black", "red"), lwd = c(2, 1), main = rownames(spectra)[i])
}

```

```
prep.autoscale
```

Autoscale values

Description

Autoscale (mean center and standardize) values in columns of data matrix.

The use of 'max.cov' allows to avoid overestimation of inert variables, which vary very little. Note, that the 'max.cov' value is already in percent, e.g. if 'max.cov = 0.1' it will compare the coefficient of variation of every variable with 0.1 want to use this option simply keep 'max.cov = 0'.

Usage

```
prep.autoscale(data, center = TRUE, scale = FALSE, max.cov = 0)
```

Arguments

data	a matrix with data values
center	a logical value or vector with numbers for centering
scale	a logical value or vector with numbers for weighting
max.cov	columns that have coefficient of variation (in percent) below or equal to 'max.cov' will not be scaled

Value

data matrix with processed values

```
prep.msc
```

Multiplicative Scatter Correction transformation

Description

Applies Multiplicative Scatter Correction (MSC) transformation to data matrix (spectra)

Usage

```
prep.msc(spectra, mspectrum = NULL)
```

Arguments

spectra	a matrix with spectra values
mspectrum	mean spectrum (if NULL will be calculated from spectra)

Details

MSC is used to remove scatter effects (baseline offset and slope) from spectral data, e.g. NIR spectra.

@examples

```
### Apply MSC to spectra from simdata
```

```
library(mdatools) data(simdata)
```

```
spectra = simdata$spectra.c cspectra = prep.msc(spectra)
```

```
par(mfrow = c(2, 1)) mdaplot(spectra, type = "l", main = "Before MSC") mdaplot(cspectra, type = "l", main = "After MSC")
```

Value

preprocessed spectra (calculated mean spectrum is assigned as attribut 'mspectrum')

```
prep.norm
```

Normalization

Description

Normalizes signals (rows of data matrix) to unit area, unit length or unit sum

Usage

```
prep.norm(data, type = "area")
```

Arguments

data a matrix with data values

type type of normalization "area", "length" or "sum".

Value

data matrix with normalized values

```
prep.savgol          Savitzky-Golay filter
```

Description

Applies Savitzky-Golay filter to the rows of data matrix

Usage

```
prep.savgol(data, width = 3, porder = 1, dorder = 0)
```

Arguments

data	a matrix with data values
width	width of the filter window
porder	order of polynomial used for smoothing
dorder	order of derivative to take (0 - no derivative)

```
prep.snv            Standard Normal Variate transformation
```

Description

Applies Standard Normal Variate (SNV) transformation to the rows of data matrix

Usage

```
prep.snv(data)
```

Arguments

data	a matrix with data values
------	---------------------------

Details

SNV is a simple preprocessing to remove scatter effects (baseline offset and slope) from spectral data, e.g. NIR spectra.

@examples

```
### Apply SNV to spectra from simdata
```

```
library(mdatools) data(simdata)
```

```
spectra = simdata$spectra.c wavelength = simdata$wavelength
```

```
cspectra = prep.snv(spectra)
```

```
par(mfrow = c(2, 1)) mdaplot(cbind(wavelength, t(spectra)), type = 'l', main = 'Before SNV')
```

```
mdaplot(cbind(wavelength, t(cspectra)), type = 'l', main = 'After SNV')
```

Value

data matrix with processed values

preparePlotData	<i>Take dataset and prepare them for plot</i>
-----------------	---

Description

The function checks that ‘data’ contains correct numeric values, check for mandatory attributes (row and column names, x- and y-axis values and names, etc.) and add them if necessary.

Another things is to remove hidden columns and split the rest to visible and hidden values (if excluded rows are present).

Usage

```
preparePlotData(data)
```

Arguments

data	dataset (vector, matrix or data frame)
------	--

prepCalData	<i>Prepares calibration data</i>
-------------	----------------------------------

Description

Prepares calibration data

Usage

```
prepCalData(x, exclrows = NULL, exclcols = NULL, min.nrows = 1, min.ncols = 2)
```

Arguments

x	matrix or data frame with values (calibration set)
exclrows	rows to be excluded from calculations (numbers, names or vector with logical values)
exclcols	columns to be excluded from calculations (numbers, names or vector with logical values)
min.nrows	smallest number of rows which must be in the dataset
min.ncols	smallest number of columns which must be in the dataset

print.classres	<i>Print information about classification result object</i>
----------------	---

Description

Generic print function for classification results. Prints information about major fields of the object.

Usage

```
## S3 method for class 'classres'  
print(x, str = "Classification results (class classres)\nMajor fields:", ...)
```

Arguments

x	classification results (object of class plsdares, simcamres, etc.).
str	User specified text (e.g. to be used for particular method, like PLS-DA, etc).
...	other arguments

print.ipls	<i>Print method for iPLS</i>
------------	------------------------------

Description

Prints information about the iPLS object structure

Usage

```
## S3 method for class 'ipls'  
print(x, ...)
```

Arguments

x	a iPLS (object of class ipls)
...	other arguments

print.ldecomp *Print method for linear decomposition*

Description

Generic print function for linear decomposition. Prints information about the ldecomp object.

Usage

```
## S3 method for class 'ldecomp'  
print(x, str = NULL, ...)
```

Arguments

x	object of class ldecomp
str	user specified text to show as a description of the object
...	other arguments

print.mcrals *Print method for mcrpure object*

Description

Prints information about the object structure

Usage

```
## S3 method for class 'mcrals'  
print(x, ...)
```

Arguments

x	mcrpure object
...	other arguments

print.mcrpure	<i>Print method for mcrpure object</i>
---------------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'mcrpure'  
print(x, ...)
```

Arguments

x	mcrpure object
...	other arguments

print.pca	<i>Print method for PCA model object</i>
-----------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'pca'  
print(x, ...)
```

Arguments

x	a PCA model (object of class pca)
...	other arguments

print.pcares	<i>Print method for PCA results object</i>
--------------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'pcares'  
print(x, ...)
```

Arguments

x	PCA results (object of class pcares)
...	other arguments

print.pls	<i>Print method for PLS model object</i>
-----------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'pls'  
print(x, ...)
```

Arguments

x	a PLS model (object of class pls)
...	other arguments

print.plsda	<i>Print method for PLS-DA model object</i>
-------------	---

Description

Prints information about the object structure

Usage

```
## S3 method for class 'plsda'  
print(x, ...)
```

Arguments

x	a PLS-DA model (object of class plsda)
...	other arguments

print.plsdares	<i>Print method for PLS-DA results object</i>
----------------	---

Description

Prints information about the object structure

Usage

```
## S3 method for class 'plsdares'  
print(x, ...)
```

Arguments

x	PLS-DA results (object of class plsdares)
...	other arguments

print.plsres	<i>print method for PLS results object</i>
--------------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'plsres'  
print(x, ...)
```

Arguments

x	PLS results (object of class plsres)
...	other arguments

print.randtest	<i>Print method for randtest object</i>
----------------	---

Description

Prints information about the object structure

Usage

```
## S3 method for class 'randtest'  
print(x, ...)
```

Arguments

x	a randomization test results (object of class randtest)
...	other arguments

print.regcoeffs	<i>print method for regression coefficients class</i>
-----------------	---

Description

prints regression coefficient values for given response number and amount of components

Usage

```
## S3 method for class 'regcoeffs'  
print(x, ...)
```

Arguments

x	regression coefficients object (class regcoeffs)
...	other arguments

print.regmodel	<i>Print method for PLS model object</i>
----------------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'regmodel'  
print(x, ...)
```

Arguments

x	a regression model (object of class regmodel)
...	other arguments

print.regres	<i>print method for regression results object</i>
--------------	---

Description

Prints information about the object structure

Usage

```
## S3 method for class 'regres'  
print(x, ...)
```

Arguments

x	regression results (object of class regres)
...	other arguments

print.simca	<i>Print method for SIMCA model object</i>
-------------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'simca'  
print(x, ...)
```

Arguments

x	a SIMCA model (object of class simca)
...	other arguments

print.simcam	<i>Print method for SIMCAM model object</i>
--------------	---

Description

Prints information about the object structure

Usage

```
## S3 method for class 'simcam'  
print(x, ...)
```

Arguments

x	a SIMCAM model (object of class simcam)
...	other arguments

print.simcamres	<i>Print method for SIMCAM results object</i>
-----------------	---

Description

Prints information about the object structure

Usage

```
## S3 method for class 'simcamres'  
print(x, ...)
```

Arguments

x	SIMCAM results (object of class simcamres)
...	other arguments

print.simcares	<i>Print method for SIMCA results object</i>
----------------	--

Description

Prints information about the object structure

Usage

```
## S3 method for class 'simcares'  
print(x, ...)
```

Arguments

x	SIMCA results (object of class simcares)
...	other arguments

randtest	<i>Randomization test for PLS regression</i>
----------	--

Description

randtest is used to carry out randomization/permutation test for a PLS regression model

Usage

```
randtest(  
  x,  
  y,  
  ncomp = 15,  
  center = T,  
  scale = F,  
  nperm = 1000,  
  sig.level = 0.05,  
  silent = TRUE,  
  exclcols = NULL,  
  exclrows = NULL  
)
```

Arguments

x	matrix with predictors.
y	vector or one-column matrix with response.
ncomp	maximum number of components to test.
center	logical, center or not predictors and response values.
scale	logical, scale (standardize) or not predictors and response values.
nperm	number of permutations.
sig.level	significance level.
silent	logical, show or not test progress.
exclcols	columns of x to be excluded from calculations (numbers, names or vector with logical values)
exclrows	rows to be excluded from calculations (numbers, names or vector with logical values)

Details

The class implements a method for selection of optimal number of components in PLS1 regression based on the randomization test [1]. The basic idea is that for each component from 1 to ncomp a statistic T, which is a covariance between t-score (X score, derived from a PLS model) and the reference Y values, is calculated. By repeating this for randomly permuted Y-values a distribution of the statistic is obtained. A parameter alpha is computed to show how often the statistic T, calculated for permuted Y-values, is the same or higher than the same statistic, calculated for original data without permutations.

If a component is important, then the covariance for unpermuted data should be larger than the covariance for permuted data and therefore the value for alpha will be quite small (there is still a small chance to get similar covariance). This makes alpha very similar to p-value in a statistical test.

The randtest procedure calculates alpha for each component, the values can be observed using summary or plot functions. There are also several function, allowing e.g. to show distribution of statistics and the critical value for each component.

Value

Returns an object of randtest class with following fields:

nperm	number of permutations used for the test.
stat	statistic values calculated for each component.
alpha	alpha values calculated for each component.
statperm	matrix with statistic values for each permutation.
corrperm	matrix with correlation between predicted and reference y-values for each permutation.
ncomp.selected	suggested number of components.

References

S. Wiklund et al. Journal of Chemometrics 21 (2007) 427-439.

See Also

Methods for randtest objects:

<code>print.randtest</code>	prints information about a randtest object.
<code>summary.randtest</code>	shows summary statistics for the test.
<code>plot.randtest</code>	shows bar plot for alpha values.
<code>plotHist.randtest</code>	shows distribution of statistic plot.
<code>plotCorr.randtest</code>	shows determination coefficient plot.

Examples

```
### Examples of using the test

## Get the spectral data from Simdata set and apply SNV transformation

data(simdata)

y = simdata$conc.c[, 3]
x = simdata$spectra.c
x = prep.snv(x)

## Run the test and show summary
## (normally use higher nperm values > 1000)
r = randtest(x, y, ncomp = 4, nperm = 200, silent = FALSE)
summary(r)

## Show plots

par( mfrow = c(3, 2))
plot(r)
plotHist(r, ncomp = 3)
plotHist(r, ncomp = 4)
plotCorr(r, 3)
plotCorr(r, 4)
par( mfrow = c(1, 1))
```

regcoeffs

Regression coefficients

Description

class for storing and visualisation of regression coefficients for regression models

Usage

```
regcoeffs(coeffs, ci.coeffs = NULL, use.mean = TRUE)
```

Arguments

`coeffs` array (npred x ncomp x nresp) with regression coefficients

`ci.coeffs` array (npred x ncomp x nresp x cv) with regression coefficients for computing confidence intervals (e.g. from cross-validation) using Jack-Knifing method

`use.mean` logical, tells how to compute standard error for regression coefficients. If TRUE mean values for `ci.coeffs` is computed first. If FALSE, values (coefficients computed for global model) are used as mean.

Value

a list (object of `regcoeffs` class) with fields, including:

`values` an array (nvar x ncomp x ny) with regression coefficients

`se` an array (nvar x ncomp x ny) with standard errors for the coefficients

`t.values` an array (nvar x ncomp x ny) with t-values for the coefficients

`p.values` an array (nvar x ncomp x ny) with p-values for coefficients

last three fields are available if parameter `ci.coeffs` was provided.

Check also [confint.regcoeffs](#), [summary.regcoeffs](#) and [plot.regcoeffs](#).

`regcoeffs.getStats` *Distribution statistics for regression coefficients*

Description

calculates standard error, t-values and p-values for regression coefficients based on Jack-Knifing method.

Usage

```
regcoeffs.getStats(coeffs, ci.coeffs = NULL, use.mean = TRUE)
```

Arguments

`coeffs` array (npred x ncomp x nresp) with regression coefficients

`ci.coeffs` array (npred x ncomp x nresp x cv) with regression coefficients for computing confidence intervals (e.g. from cross-validation) using Jack-Knifing method

`use.mean` logical, tells how to compute standard error for regression coefficients. If TRUE mean values for `ci.coeffs` is computed first. If FALSE, values (coefficients computed for global model) are used as mean.

Value

a list with statistics three arrays: sstandard error, t-values and p-values computed for each regression coefficient.

regres	<i>Regression results</i>
--------	---------------------------

Description

Class for storing and visualisation of regression predictions

Usage

```
regres(y.pred, y.ref = NULL, ncomp.selected = 1)
```

Arguments

`y.pred` vector or matrix with y predicted values
`y.ref` vector with reference (measured) y values
`ncomp.selected` if y.pred calculated for different components, which to use as default

Value

a list (object of regres class) with fields, including:

<code>y.pred</code>	a matrix with predicted values
<code>y.ref</code>	a vector with reference (measured) values
<code>ncomp.selected</code>	selected column/number of components for predictions
<code>rmse</code>	root mean squared error for predicted vs measured values
<code>slope</code>	slope for predicted vs measured values
<code>r2</code>	coefficient of determination for predicted vs measured values
<code>bias</code>	bias for predicted vs measured values
<code>rpd</code>	RPD values

regres.bias	<i>Prediction bias</i>
-------------	------------------------

Description

Calculates matrix with bias (average prediction error) for every response and components

Usage

```
regres.bias(err)
```


Arguments

err vector with difference between reference and predicted y-values

regres.err *Error of prediction*

Description

Calculates array of differences between predicted and reference values.

Usage

```
regres.err(y.pred, y.ref)
```

Arguments

y.pred matrix with predicted values
y.ref vector with reference values

regres.r2 *Determination coefficient*

Description

Calculates matrix with coefficient of determination for every response and components

Usage

```
regres.r2(err, ytot)
```

Arguments

err vector with difference between reference and predicted y-values
ytot total variance for y-values

regres.rmse	<i>RMSE</i>
-------------	-------------

Description

Calculates matrix with root mean squared error of prediction for every response and components.

Usage

```
regres.rmse(err)
```

Arguments

err	vector with difference between reference and predicted y-values
-----	---

regres.slope	<i>Slope</i>
--------------	--------------

Description

Calculates matrix with slope of predicted and measured values for every response and components.

Usage

```
regres.slope(y.pred, y.ref)
```

Arguments

y.pred	matrix with predicted values
y.ref	vector with reference values

regress.addattrs	<i>Add names and attributes to matrix with statistics</i>
------------------	---

Description

Add names and attributes to matrix with statistics

Usage

```
regress.addattrs(stat, attrs, name)
```

Arguments

stat	matrix with statistics
attrs	attributes from error matrix
name	name of statistic

repmat	<i>Replicate matrix x</i>
--------	---------------------------

Description

Replicate matrix x

Usage

```
repmat(x, nrows, ncols = nrows)
```

Arguments

x	original matrix
nrows	number of times replicate matrix row wise
ncols	number of times replicate matrix columns wise

selectCompNum	<i>Select optimal number of components for a model</i>
---------------	--

Description

Generic function for selecting number of components for multivariate models (e.g. PCA, PLS, ...)

Usage

```
selectCompNum(obj, ncomp = NULL, ...)
```

Arguments

obj	a model object
ncomp	number of components to select
...	other arguments

selectCompNum.pca *Select optimal number of components for PCA model*

Description

Allows user to select optimal number of components for a PCA model

Usage

```
## S3 method for class 'pca'
selectCompNum(obj, ncomp, ...)
```

Arguments

obj	PCA model (object of class pca)
ncomp	number of components to select
...	other parameters if any

Value

the same model with selected number of components

selectCompNum.pls *Select optimal number of components for PLS model*

Description

Allows user to select optimal number of components for PLS model

Usage

```
## S3 method for class 'pls'
selectCompNum(obj, ncomp = NULL, selcrit = obj$ncomp.selcrit, ...)
```

Arguments

obj	PLS model (object of class pls)
ncomp	number of components to select
selcrit	criterion for selecting optimal number of components ('min' for first local minimum of RMSECV and 'wold' for Wold's rule.)
...	other parameters if any

Details

The method sets `ncomp.selected` parameter for the model and return it back. The parameter points out to the optimal number of components in the model. You can either specify it manually, as argument `ncomp`, or use one of the algorithms for automatic selection.

Automatic selection by default based on cross-validation statistics. If no cross-validation results are found in the model, the method will use test set validation results. If they are not available as well, the model will use calibration results and give a warning as in this case the selected number of components will lead to overfitted model.

There are two algorithms for automatic selection you can chose between: either first local minimum of RMSE ('selcrit="min"') or Wold's rule ('selcrit="wold"').

The first local minimum criterion finds at which component, A , error of prediction starts raising and selects $(A - 1)$ as the optimal number. The Wold's criterion finds which component A does not make error smaller at least by 5 as the optimal number.

If model is PLS2 model (has several response variables) the method computes optimal number of components for each response and returns the smallest value. For example, if for the first response 2 components give the smallest error and for the second response this number is 3, $A = 2$ will be selected as a final result.

It is not recommended to use automatic selection for real applications, always investigate your model (via RMSE, Y-variance plot, regression coefficients) to make correct decision.

See examples in help for `pls` function.

Value

the same model with selected number of components

selratio	<i>Selectivity ratio calculation</i>
----------	--------------------------------------

Description

Calculates selectivity ratio for each component and response variable in the PLS model

Usage

```
selratio(obj, ncomp = obj$ncomp.selected)
```

Arguments

obj	a PLS model (object of class pls)
ncomp	number of components to count

Value

array $nvar \times ncomp \times ny$ with selectivity ratio values

References

[1] Tarja Rajalahti et al. Chemometrics and Laboratory Systems, 95 (2009), pp. 35-48.

setDistanceLimits *Set residual distance limits*

Description

Calculates and set critical limits for residuals of PCA model

Usage

```
setDistanceLimits(obj, ...)
```

Arguments

obj	a model object
...	other parameters

setDistanceLimits.pca *Compute and set statistical limits for Q and T2 residual distances.*

Description

Computes statistical limits for orthogonal and score distances (based on calibration set) and assign the calculated values as model properties.

Usage

```
## S3 method for class 'pca'
setDistanceLimits(
  obj,
  lim.type = obj$lim.type,
  alpha = obj$alpha,
  gamma = obj$gamma,
  ...
)
```

Arguments

obj	object with PCA model
lim.type	type of limits ("jm", "chisq", "ddmoments", "ddrobust")
alpha	significance level for detection of extreme objects
gamma	significance level for detection of outliers (for data driven approach)
...	other arguments

Details

The limits can be accessed as fields of model objects: \$Qlim and \$T2lim. Each is a matrix with four rows and ncomp columns. First row contains critical limits for extremes, second row - for outliers, third row contains mean value for corresponding distance (or its robust estimate in case of `lim.type = "ddrobust"`) and last row contains the degrees of freedom.

Value

Object models with the two fields updated.

setDistanceLimits.pls *Compute and set statistical limits for residual distances.*

Description

Computes statistical limits for orthogonal and score distances (x-decomposition) and orthogonal distance (y-decomposition) based on calibration set and assign the calculated values as model properties.

Usage

```
## S3 method for class 'pls'
setDistanceLimits(
  obj,
  lim.type = obj$lim.type,
  alpha = obj$alpha,
  gamma = obj$gamma,
  ...
)
```

Arguments

<code>obj</code>	object with PLS model
<code>lim.type</code>	type of limits ("jm", "chisq", "ddmoments", "ddrobust")
<code>alpha</code>	significance level for detection of extreme objects
<code>gamma</code>	significance level for detection of outliers (for data driven approach)
<code>...</code>	other arguments

Details

The limits can be accessed as fields of model objects: \$Qlim, \$T2lim, and \$Zlim. Each is a matrix with four rows and ncomp columns. In case of limits for x-decomposition, first row contains critical limits for extremes, second row - for outliers, third row contains mean value for corresponding distances (or its robust estimate in case of `lim.type = "ddrobust"`) and last row contains the degrees of freedom.

Value

Object models with the three fields updated.

showDistanceLimits	<i>Show residual distance limits</i>
--------------------	--------------------------------------

Description

Calculates and set critical limits for residuals of PCA model

Usage

```
showDistanceLimits(obj, ...)
```

Arguments

obj	a model object
...	other parameters

showLabels	<i>Show labels on plot</i>
------------	----------------------------

Description

Show labels on plot

Usage

```
showLabels(  
  ps,  
  show.excluded = FALSE,  
  pos = 3,  
  cex = 0.65,  
  col = "darkgray",  
  force.x.values = NULL,  
  bwd = 0.8  
)
```


Arguments

ps	'plotseries' object
show.excluded	logical, are excluded rows also shown on the plot
pos	position of the labels relative to the data points
cex	size of the labels text
col	color of the labels text
force.x.values	vector with forced x-values (or NULL)
bwd	bar width in case of bar plot

showPredictions	<i>Predictions</i>
-----------------	--------------------

Description

Predictions

Usage

```
showPredictions(obj, ...)
```

Arguments

obj	a model or result object
...	other arguments

Details

Generic function for showing predicted values for classification or regression model or results

showPredictions.classres	<i>Show predicted class values</i>
--------------------------	------------------------------------

Description

Shows a table with predicted class values for classification result.

Usage

```
## S3 method for class 'classres'
showPredictions(obj, ncomp = obj$ncomp.selected, ...)
```

Arguments

obj	object with classification results (e.g. <code>plsdares</code> or <code>simcamres</code>).
ncomp	number of components to show the predictions for (NULL - use selected for a model).
...	other parameters

Details

The function prints a matrix where every column is a class and every row is an data object. The matrix has either -1 (does not belong to the class) or +1 (belongs to the class) values.

simca	<i>SIMCA one-class classification</i>
-------	---------------------------------------

Description

`simca` is used to make SIMCA (Soft Independent Modelling of Class Analogies) model for one-class classification.

Usage

```
simca(
  x,
  classname,
  ncomp = min(nrow(x) - 1, ncol(x) - 1, 20),
  x.test = NULL,
  c.test = NULL,
  cv = NULL,
  ...
)
```

Arguments

x	a numerical matrix with data values.
classname	short text (up to 20 symbols) with class name.
ncomp	maximum number of components to calculate.
x.test	a numerical matrix with test data.
c.test	a vector with classes of test data objects (can be text with names of classes or logical).
cv	cross-validation settings (see details).
...	any other parameters suitable for pca method.

Details

SIMCA is in fact PCA model with additional functionality, so `simca` class inherits most of the functionality of `pca` class. It uses critical limits calculated for Q and T2 residuals calculated for PCA model for making classification decision.

Cross-validation settings, `cv`, can be a number or a list. If `cv` is a number, it will be used as a number of segments for random cross-validation (if `cv = 1`, full cross-validation will be performed). If it is a list, the following syntax can be used: `cv = list('rand', nseg, nrep)` for random repeated cross-validation with `nseg` segments and `nrep` repetitions or `cv = list('ven', nseg)` for systematic splits to `nseg` segments ('venetian blinds').

Value

Returns an object of `simca` class with following fields:

<code>classname</code>	a short text with class name.
<code>modpower</code>	a matrix with modelling power of variables.
<code>calres</code>	an object of class <code>simcares</code> with classification results for a calibration data.
<code>testres</code>	an object of class <code>simcares</code> with classification results for a test data, if it was provided.
<code>cvres</code>	an object of class <code>simcares</code> with classification results for cross-validation, if this option was chosen.

Fields, inherited from `pca` class:

<code>ncomp</code>	number of components included to the model.
<code>ncomp.selected</code>	selected (optimal) number of components.
<code>loadings</code>	matrix with loading values (<code>nvar x ncomp</code>).
<code>eigenvals</code>	vector with eigenvalues for all existent components.
<code>expvar</code>	vector with explained variance for each component (in percent).
<code>cumexpvar</code>	vector with cumulative explained variance for each component (in percent).
<code>T2lim</code>	statistical limit for T2 distance.
<code>Qlim</code>	statistical limit for Q residuals.
<code>info</code>	information about the model, provided by user when build the model.

Author(s)

Sergey Kucheryavskiy (svkucheryavski@gmail.com)

References

S. Wold, M. Sjostrom. "SIMCA: A method for analyzing chemical data in terms of similarity and analogy" in B.R. Kowalski (ed.), *Chemometrics Theory and Application*, American Chemical Society Symposium Series 52, Wash., D.C., American Chemical Society, p. 243-282.

See Also

Methods for *simca* objects:

<code>print.simca</code>	shows information about the object.
<code>summary.simca</code>	shows summary statistics for the model.
<code>plot.simca</code>	makes an overview of SIMCA model with four plots.
<code>predict.simca</code>	applies SIMCA model to a new data.

Methods, inherited from `classmodel` class:

<code>plotPredictions.classmodel</code>	shows plot with predicted values.
<code>plotSensitivity.classmodel</code>	shows sensitivity plot.
<code>plotSpecificity.classmodel</code>	shows specificity plot.
<code>plotMisclassified.classmodel</code>	shows misclassified ratio plot.

Methods, inherited from `pca` class:

<code>selectCompNum.pca</code>	set number of optimal components in the model
<code>plotScores.pca</code>	shows scores plot.
<code>plotLoadings.pca</code>	shows loadings plot.
<code>plotVariance.pca</code>	shows explained variance plot.
<code>plotCumVariance.pca</code>	shows cumulative explained variance plot.
<code>plotResiduals.pca</code>	shows Q vs. T2 residuals plot.

Examples

```
## make a SIMCA model for Iris setosa class with full cross-validation
library(mdatools)

data = iris[, 1:4]
class = iris[, 5]

# take first 20 objects of setosa as calibration set
se = data[1:20, ]

# make SIMCA model and apply to test set
model = simca(se, "setosa", cv = 1)
model = selectCompNum(model, 1)

# show information, summary and plot overview
print(model)
summary(model)
plot(model)

# show predictions
par(mfrow = c(2, 1))
plotPredictions(model, show.labels = TRUE)
plotPredictions(model, res = "cal", ncomp = 2, show.labels = TRUE)
par(mfrow = c(1, 1))
```

```
# show performance, modelling power and residuals for ncomp = 2
par(mfrow = c(2, 2))
plotSensitivity(model)
plotMisclassified(model)
plotLoadings(model, comp = c(1, 2), show.labels = TRUE)
plotResiduals(model, ncomp = 2)
par(mfrow = c(1, 1))
```

simcam

SIMCA multiclass classification

Description

simcam is used to combine several one-class SIMCA models for multiclass classification.

Usage

```
simcam(models, info = "")
```

Arguments

models	list with SIMCA models (simca objects).
info	optional text with information about the the object.

Details

Besides the possibility for multiclass classification, SIMCAM also provides tools for investigation of relationship among individual models (classes), such as discrimination power of variables, Cooman's plot, model distance, etc.

When create simcam object, the calibration data from all individual SIMCA models is extracted and combined for making predictions and calculate performance of the multi-class model. The results are stored in \$calres field of the model object.

Value

Returns an object of simcam class with following fields:

models	a list with provided SIMCA models.
dispower	an array with discrimination power of variables for each pair of individual models.
moddist	a matrix with distance between each each pair of individual models.
classnames	vector with names of individual classes.
nclasses	number of classes in the object.
info	information provided by user when create the object.
calres	an object of class simcamres with classification results for a calibration data.

See Also

Methods for simca objects:

<code>print.simcam</code>	shows information about the object.
<code>summary.simcam</code>	shows summary statistics for the models.
<code>plot.simcam</code>	makes an overview of SIMCAM model with two plots.
<code>predict.simcam</code>	applies SIMCAM model to a new data.
<code>plotModelDistance.simcam</code>	shows plot with distance between individual models.
<code>plotDiscriminationPower.simcam</code>	shows plot with discrimination power.
<code>plotCooman.simcam</code>	shows Cooman's plot for calibration data.

Methods, inherited from classmodel class:

<code>plotPredictions.classmodel</code>	shows plot with predicted values.
<code>plotSensitivity.classmodel</code>	shows sensitivity plot.
<code>plotSpecificity.classmodel</code>	shows specificity plot.
<code>plotMisclassified.classmodel</code>	shows misclassified ratio plot.

Since SIMCAM objects and results are calculated only for optimal number of components, there is no sense to show such plots like sensitivity or specificity vs. number of components. However they are available as for any other classification model.

Examples

```
## make a multiclass SIMCA model for Iris data
library(mdatools)

# split data
caldata = iris[seq(1, nrow(iris), 2), 1:4]
x.se = caldata[1:25, ]
x.ve = caldata[26:50, ]
x.vi = caldata[51:75, ]

x.test = iris[seq(2, nrow(iris), 2), 1:4]
c.test = iris[seq(2, nrow(iris), 2), 5]

# create individual models
m.se = simca(x.se, classname = "setosa")
m.se = selectCompNum(m.se, 1)

m.vi = simca(x.vi, classname = "virginica")
m.vi = selectCompNum(m.vi, 2)

m.ve = simca(x.ve, classname = "versicolor")
m.ve = selectCompNum(m.ve, 1)

# combine models into SIMCAM objects, show statistics and plots
m = simcam(list(m.se, m.vi, m.ve), info = "simcam model for Iris data")
```

```
summary(m)

# show predictions and residuals for calibration data
par(mfrow = c(2, 2))
plotPredictions(m)
plotCooman(m, nc = c(1, 2))
plotModelDistance(m, nc = 1)
plotDiscriminationPower(m, nc = c(1, 2))
par(mfrow = c(1, 1))

# apply the SIMCAM model to test set and show statistics and plots
res = predict(m, x.test, c.test)
summary(res)
plotPredictions(res)
```

```
simcam.getPerformanceStats
```

Performance statistics for SIMCAM model

Description

Calculates discrimination power and distance between individual SIMCA models.

Usage

```
simcam.getPerformanceStats(models, classnames)
```

Arguments

models	list with SIMCA models (as provided to simcam class)
classnames	names of the classes for each model

```
simcamres
```

Results of SIMCA multiclass classification

Description

simcamres is used to store results for SIMCA multiclass classification.

Usage

```
simcamres(cres, pred.res)
```

Arguments

cres	results of classification (class classesres).
pred.res	list with prediction results from each model (pcares objects)

Details

Class `simcamres` inherits all properties and methods of class `classres`, plus store values necessary to visualise prediction decisions (e.g. Cooman's plot or Residuals plot).

In contrast to `simcares` here only values for optimal (selected) number of components in each individual SIMCA models are presented.

There is no need to create a `simcamres` object manually, it is created automatically when make a SIMCAM model (see `simcam`) or apply the model to a new data (see `predict.simcam`). The object can be used to show summary and plots for the results.

Value

Returns an object (list) of class `simcamres` with the same fields as `classres` plus extra fields for Q and T2 values and limits:

<code>c.pred</code>	predicted class values.
<code>c.ref</code>	reference (true) class values if provided.
<code>T2</code>	matrix with T2 values for each object and class.
<code>Q</code>	matrix with Q values for each object and class.
<code>T2lim</code>	vector with T2 statistical limits for each class.
<code>Qlim</code>	vector with Q statistical limits for each class.

The following fields are available only if reference values were provided.

<code>tp</code>	number of true positives.
<code>fp</code>	number of false positives.
<code>fn</code>	number of false negatives.
<code>specificity</code>	specificity of predictions.
<code>sensitivity</code>	sensitivity of predictions.

See Also

Methods for `simcamres` objects:

<code>print.simcamres</code>	shows information about the object.
<code>summary.simcamres</code>	shows statistics for results of classification.
<code>plotCooman.simcamres</code>	makes Cooman's plot.

Methods, inherited from `classres` class:

<code>showPredictions.classres</code>	show table with predicted values.
<code>plotPredictions.classres</code>	makes plot with predicted values.

Check also `simcam`.

Examples

```
## see examples for simcam method.
```

simcares	<i>Results of SIMCA one-class classification</i>
----------	--

Description

@description simcares is used to store results for SIMCA one-class classification.

Usage

```
simcares(class.res, pca.res = NULL)
```

Arguments

class.res	results of classification (class classres).
pca.res	results of PCA decomposition of data (class pcares).

Details

Class [simcares](#) inherits all properties and methods of class [pcares](#), and has additional properties and functions for representing of classification results, inherited from class [classres](#).

There is no need to create a [simcares](#) object manually, it is created automatically when build a SIMCA model (see [simca](#)) or apply the model to a new data (see [predict.simca](#)). The object can be used to show summary and plots for the results.

Value

Returns an object (list) of class [simcares](#) with the same fields as [pcares](#) plus extra fields, inherited from [classres](#):

c.pred	predicted class values (+1 or -1).
c.ref	reference (true) class values if provided.

The following fields are available only if reference values were provided.

tp	number of true positives.
fp	number of false positives.
fn	number of false negatives.
specificity	specificity of predictions.
sensitivity	sensitivity of predictions.

See Also

Methods for [simcares](#) objects:

```
print.simcares    shows information about the object.
summary.simcares shows statistics for results of classification.
```

Methods, inherited from `classes` class:

```
showPredictions.classes show table with predicted values.
plotPredictions.classes predicted classes plot.
plotSensitivity.classes  sensitivity plot.
plotSpecificity.classes  specificity plot.
plotPerformance.classes  performance plot.
```

Methods, inherited from `ldecomp` class:

```
plotResiduals.ldecomp  makes Q2 vs. T2 residuals plot.
plotScores.ldecomp     makes scores plot.
plotVariance.ldecomp   makes explained variance plot.
plotCumVariance.ldecomp makes cumulative explained variance plot.
```

Check also `simca` and `pcares`.

Examples

```
## make a SIMCA model for Iris setosa class and show results for calibration set
library(mdatools)

data = iris[, 1:4]
class = iris[, 5]

# take first 30 objects of setosa as calibration set
se = data[1:30, ]

# make SIMCA model and apply to test set
model = simca(se, 'Se')
model = selectCompNum(model, 1)

# show information and summary
print(model$calres)
summary(model$calres)

# show plots
layout(matrix(c(1,1,2,3), 2, 2, byrow = TRUE))
plotPredictions(model$calres, show.labels = TRUE)
plotResiduals(model$calres, show.labels = TRUE)
plotPerformance(model$calres, show.labels = TRUE, legend.position = 'bottomright')
layout(1, 1, 1)

# show predictions table
```

```
showPredictions(model$calres)
```

simdata	<i>Spectral data of polyaromatic hydrocarbons mixing</i>
---------	--

Description

Simdata contains training and test set with spectra and concentration values of polyaromatic hydrocarbons mixings.

Usage

```
data(simdata)
```

Format

The data is a list with following fields:

\$spectra.c	a matrix (100x150) with spectral values for the training set.
\$spectra.t	a matrix (100x150) with spectral values for the test set.
\$conc.c	a matrix (100x3) with concentration of components for the training set.
\$conc.t	a matrix (100x3) with concentration of components for the test set.
\$wavelength	a vector with spectra wavelength in nm.

Details

This is a simulated data containing UV/Vis spectra of three component (polyaromatic hydrocarbons) mixings - C1, C2 and C3. The spectral range is between 210 and 360 nm. The spectra were simulated as a linear combination of pure component spectra plus 5% of random noise. The concentration range is (in moles): C1 [0, 1], C2 [0, 0.5], C3 [0, 0.1].

There are 100 mixings in a training set and 50 mixings in a test set. The data can be used for multivariate regression examples.

splitExcludedData	<i>Split the excluded part of data</i>
-------------------	--

Description

Split the excluded part of data

Usage

```
splitExcludedData(data, type)
```

Arguments

data	matrix with hidden data values
type	type of plot

splitPlotData	<i>Split dataset to x and y values depending on plot type</i>
---------------	---

Description

Split dataset to x and y values depending on plot type

Usage

```
splitPlotData(data, type)
```

Arguments

data	matrix with data values (visible or hidden)
type	type of plot

summary.classres	<i>Summary statistics about classification result object</i>
------------------	--

Description

Generic summary function for classification results. Prints performance values for the results.

Usage

```
## S3 method for class 'classres'
summary(
  object,
  ncomp = object$ncomp.selected,
  nc = seq_len(object$nclasses),
  ...
)
```

Arguments

object	classification results (object of class plsdares, simcamres, etc.).
ncomp	which number of components to make the plot for (use NULL to show results for all available).
nc	vector with class numbers to show the summary for.
...	other arguments

summary.ipls

Summary for iPLS results

Description

Shows statistics and algorithm parameters for iPLS results.

Usage

```
## S3 method for class 'ipls'
summary(object, glob.ncomp = object$gm$ncomp.selected, ...)
```

Arguments

object	a iPLS (object of class ipls)
glob.ncomp	number of components for global PLS model with all intervals
...	other arguments

Details

The method shows information on the algorithm parameters as well as a table with selected or excluded interval. The table has the following columns: 'step' showing on which iteration an interval was selected or excluded, 'start and 'end' show variable indices for the interval, 'nComp' is a number of components used in a model, 'RMSE' is RMSECV for the model and 'R2' is coefficient of determination for the same model.

summary.ldecomp

Summary statistics for linear decomposition

Description

Generic summary function for linear decomposition. Prints statistic about the decomposition.

Usage

```
## S3 method for class 'ldecomp'
summary(object, str = NULL, ...)
```

Arguments

object	object of class ldecomp
str	user specified text to show as a description of the object
...	other arguments

summary.mcrals	<i>Summary method for mcrals object</i>
----------------	---

Description

Shows some statistics (explained variance, etc) for the case.

Usage

```
## S3 method for class 'mcrals'  
summary(object, ...)
```

Arguments

object	mcrals object
...	other arguments

summary.mcrpure	<i>Summary method for mcrpure object</i>
-----------------	--

Description

Shows some statistics (explained variance, etc) for the case.

Usage

```
## S3 method for class 'mcrpure'  
summary(object, ...)
```

Arguments

object	mcrpure object
...	other arguments

summary.pca	<i>Summary method for PCA model object</i>
-------------	--

Description

Shows some statistics (explained variance, eigenvalues) for the model.

Usage

```
## S3 method for class 'pca'  
summary(object, ...)
```

Arguments

object	a PCA model (object of class pca)
...	other arguments

summary.pcares	<i>Summary method for PCA results object</i>
----------------	--

Description

Shows some statistics (explained variance, eigenvalues) about the results.

Usage

```
## S3 method for class 'pcares'  
summary(object, ...)
```

Arguments

object	PCA results (object of class pcares)
...	other arguments

`summary.pls`*Summary method for PLS model object*

Description

Shows performance statistics for the model.

Usage

```
## S3 method for class 'pls'  
summary(  
  object,  
  ncomp = object$ncomp.selected,  
  ny = seq_len(nrow(object$yloadings)),  
  ...  
)
```

Arguments

<code>object</code>	a PLS model (object of class <code>pls</code>)
<code>ncomp</code>	how many components to count.
<code>ny</code>	which y variables to show the summary for (can be a vector)
<code>...</code>	other arguments

`summary.plsda`*Summary method for PLS-DA model object*

Description

Shows some statistics for the model.

Usage

```
## S3 method for class 'plsda'  
summary(  
  object,  
  ncomp = object$ncomp.selected,  
  nc = seq_len(object$nclasses),  
  ...  
)
```

Arguments

object	a PLS-DA model (object of class plsda)
ncomp	how many components to use (if NULL - user selected optimal value will be used)
nc	which class to show the summary for (if NULL, will be shown for all)
...	other arguments

summary.plsdares	<i>Summary method for PLS-DA results object</i>
------------------	---

Description

Shows performance statistics for the results.

Usage

```
## S3 method for class 'plsdares'
summary(object, nc = seq_len(object$nclasses), ...)
```

Arguments

object	PLS-DA results (object of class plsdares)
nc	which class to show the summary for (if NULL, will be shown for all)
...	other arguments

summary.plsres	<i>summary method for PLS results object</i>
----------------	--

Description

Shows performance statistics for the results.

Usage

```
## S3 method for class 'plsres'
summary(object, ny = seq_len(object$nresp), ncomp = NULL, ...)
```

Arguments

object	PLS results (object of class plsres)
ny	for which response variable show the summary for
ncomp	how many components to use (if NULL - user selected optimal value will be used)
...	other arguments

summary.randtest	<i>Summary method for randtest object</i>
------------------	---

Description

Shows summary for randomization test results.

Usage

```
## S3 method for class 'randtest'
summary(object, ...)
```

Arguments

object	randomization test results (object of class randtest)
...	other arguments

summary.regcoeffs	<i>Summary method for regcoeffs object</i>
-------------------	--

Description

Shows estimated coefficients and statistics (if available).

Usage

```
## S3 method for class 'regcoeffs'
summary(object, ncomp = 1, ny = 1, alpha = 0.05, ...)
```

Arguments

object	object of class regcoeffs
ncomp	how many components to use
ny	which y variable to show the summary for
alpha	significance level for confidence interval (if statistics available)
...	other arguments

Details

Statistics are shown if Jack-Knifing was used when model is calibrated.

summary.regmodel	<i>Summary method for regression model object</i>
------------------	---

Description

Shows performance statistics for the model.

Usage

```
## S3 method for class 'regmodel'
summary(
  object,
  ncomp = object$ncomp.selected,
  ny = seq_len(object$res$cal$nresp),
  res = object$res,
  ...
)
```

Arguments

object	a regression model (object of class regmodel)
ncomp	number of components to show summary for
ny	which y variables to show the summary for (can be a vector)
res	list of results to show summary for
...	other arguments

summary.regres	<i>summary method for regression results object</i>
----------------	---

Description

Shows performance statistics for the regression results.

Usage

```
## S3 method for class 'regres'
summary(object, ncomp = object$ncomp.selected, ny = seq_len(object$nresp), ...)
```

Arguments

object	regression results (object of class regres)
ncomp	model complexity to show the summary for (if NULL - shows for all available values)
ny	for which response variable show the summary for (one value or a vector)
...	other arguments

summary.simca	<i>Summary method for SIMCA model object</i>
---------------	--

Description

Shows performance statistics for the model.

Usage

```
## S3 method for class 'simca'  
summary(object, ncomp = object$ncomp.selected, res = object$res, ...)
```

Arguments

object	a SIMCA model (object of class simca)
ncomp	number of components to show summary for
res	list of result objects to show summary for
...	other arguments

summary.simcam	<i>Summary method for SIMCAM model object</i>
----------------	---

Description

Shows performance statistics for the model.

Usage

```
## S3 method for class 'simcam'  
summary(object, nc = seq_len(object$nclasses), ...)
```

Arguments

object	a SIMCAM model (object of class simcam)
nc	number of class to show summary for (can be vector)
...	other arguments

summary.simcamres *Summary method for SIMCAM results object*

Description

Shows performance statistics for the results.

Usage

```
## S3 method for class 'simcamres'  
summary(object, nc = seq_len(object$nclasses), ...)
```

Arguments

object	SIMCAM results (object of class simcamres)
nc	number of class to show summary for (can be vector)
...	other arguments

summary.simcares *Summary method for SIMCA results object*

Description

Shows performance statistics for the results.

Usage

```
## S3 method for class 'simcares'  
summary(object, ...)
```

Arguments

object	SIMCA results (object of class simcares)
...	other arguments

unmix.mcrpure	<i>Unmix spectral data using pure variables estimated before</i>
---------------	--

Description

Unmix spectral data using pure variables estimated before

Usage

```
unmix.mcrpure(obj, x)
```

Arguments

obj	mcrpure object
x	matrix with spectra

Value

Returns a list with resolved spectra and contributions (matrices).

vipscores	<i>VIP scores for PLS model</i>
-----------	---------------------------------

Description

Calculates VIP (Variable Importance in Projection) scores for predictors for given number of components and response variable.

Usage

```
vipscores(obj, ncomp = obj$ncomp.selected)
```

Arguments

obj	a PLS model (object of class pls)
ncomp	number of components to count

Details

May take some time in case of large number of predictors Returns results as a column-vector, with all necessary attributes inherited (e.g. xaxis.values, excluded variables, etc.). If you want to make a plot use for example: `mdaplot(mda.t(v), type = "1")`, where `v` is a vector with computed VIP scores. Or just try [plotVIPScores.pls](#).

Value

matrix $nvar \times ny$ with VIP score values (columns correspond to responses).

References

[1] Il-Gyo Chong, Chi-Hyuck Jun. *Chemometrics and Laboratory Systems*, 78 (2005), pp. 103-112.

Index

* datasets

- carbs, 14
 - pellets, 104
 - people, 105
 - simdata, 252
- as.matrix.classres, 9
- as.matrix.ldecomp, 10
- as.matrix.plsdares, 10
- as.matrix.plsres, 11
- as.matrix.regcoeffs, 11
- as.matrix.regres, 12
- as.matrix.simcamres, 12
- as.matrix.simcares, 13
- capitalize, 13
- carbs, 14
- categorize, 14
- categorize.pca, 15, 195
- categorize.pls, 16, 195
- chisq.crit, 17
- chisq.prob, 17
- classify.plsda, 18
- classify.simca, 18
- classmodel.processRefValues, 19
- classres, 19, 205, 249–251
- classres.getPerformance, 20
- confint.regcoeffs, 21, 231
- constraint, 22
- constraintAngle, 22
- constraintClosure, 23
- constraintNonNegativity, 23
- constraintNorm, 24
- constraints.list, 24
- constraintUnimod, 24
- crossval, 25
- crossval.getParams, 25
- crossval.regmodel, 26
- crossval.simca, 26
- crossval.str, 27
- dd.crit, 27
- ddmoments.param, 28
- ddrobust.param, 28
- ellipse, 29
- employ, 29
- employ.constraint, 30
- fprintf, 30
- getCalibrationData, 31
- getCalibrationData.pca, 31
- getCalibrationData.simcam, 32
- getConfidenceEllipse, 32
- getConfusionMatrix, 33
- getConfusionMatrix.classres, 33
- getConvexHull, 34
- getDataLabels, 34
- getImplementedConstraints, 34
- getLabelsAsIndices, 35
- getLabelsAsValues, 35
- getMainTitle, 35
- getPlotColors, 36
- getProbabilities, 36
- getProbabilities.pca, 37
- getProbabilities.simca, 37
- getPureVariables, 38
- getRegcoeffs, 38
- getRegcoeffs.regmodel, 39, 196
- getRes, 40
- getSelectedComponents, 40
- getSelectivityRatio, 41
- getSelectivityRatio.pls, 41
- getVariance.mcr, 42
- getVIPScores, 42
- getVIPScores.pls, 43
- hotelling.crit, 43
- hotelling.prob, 44
- imshow, 44

- ipls, [45](#), [93](#), [161](#), [196](#)
- ipls.backward, [47](#)
- ipls.forward, [48](#)
- jm.crit, [48](#)
- jm.prob, [49](#)
- ldecomp, [49](#), [102](#), [103](#), [251](#)
- ldecomp.getDistances, [50](#)
- ldecomp.getLimitsCoordinates, [51](#)
- ldecomp.getLimParams, [51](#)
- ldecomp.getQLimits, [52](#)
- ldecomp.getT2Limits, [52](#)
- ldecomp.getVariances, [53](#)
- ldecomp.plotResiduals, [53](#)
- mcr, [55](#)
- mcrals, [22](#), [55](#)
- mcrals.cal, [59](#)
- mcrals.fcnnls, [60](#)
- mcrals.nnls, [61](#)
- mcrals.ols, [62](#)
- mcrpure, [56](#), [57](#), [62](#), [63](#)
- mda.cbind, [65](#)
- mda.data2im, [66](#)
- mda.df2mat, [66](#), [77](#)
- mda.exclcols, [67](#)
- mda.exclrows, [67](#)
- mda.getattr, [68](#)
- mda.getexclind, [68](#)
- mda.im2data, [69](#)
- mda.inclcols, [69](#)
- mda.inclrows, [70](#)
- mda.purge, [70](#)
- mda.purgeCols, [71](#)
- mda.purgeRows, [71](#)
- mda.rbind, [71](#)
- mda.setattr, [72](#)
- mda.setimbg, [72](#)
- mda.show, [73](#)
- mda.subset, [73](#), [76](#)
- mda.t, [74](#)
- mdaplot, [74](#), [87](#), [94](#), [123](#), [139](#), [142](#), [145](#), [146](#), [152](#), [159](#), [169](#), [186](#), [208](#)
- mdaplot.areColors, [77](#)
- mdaplot.formatValues, [78](#)
- mdaplot.getColors, [78](#)
- mdaplot.getXAxisLim, [79](#)
- mdaplot.getXTickLabels, [80](#)
- mdaplot.getXTicks, [80](#)
- mdaplot.getYAxisLim, [81](#)
- mdaplot.getYTickLabels, [81](#)
- mdaplot.getYTicks, [82](#)
- mdaplot.plotAxes, [82](#)
- mdaplot.prepareColors, [83](#)
- mdaplot.showColorbar, [84](#)
- mdaplot.showLines, [84](#)
- mdaplotg, [77](#), [85](#), [93](#), [94](#), [138](#), [141](#), [142](#), [144](#), [145](#), [160](#)
- mdaplotg.getLegend, [87](#)
- mdaplotg.getXLim, [88](#)
- mdaplotg.getYLim, [88](#)
- mdaplotg.prepareData, [89](#)
- mdaplotg.processParam, [90](#)
- mdaplotg.showLegend, [90](#)
- mdaplotyy, [91](#)
- mdatools, [93](#)
- pca, [49](#), [93](#), [94](#), [102](#), [103](#), [108](#), [124](#), [133](#), [153](#), [160](#), [171](#), [194](#), [242](#), [243](#), [245](#)
- pca.cal, [98](#)
- pca.getB, [99](#)
- pca.mvreplace, [97](#), [99](#)
- pca.nipals, [101](#)
- pca.run, [101](#)
- pca.svd, [102](#)
- pcares, [49](#), [93](#), [96](#), [97](#), [102](#), [250](#), [251](#)
- pellets, [104](#)
- people, [105](#)
- pinv, [105](#)
- plot.classres, [106](#)
- plot.ipls, [106](#)
- plot.mcr, [107](#)
- plot.pca, [107](#)
- plot.pcares, [108](#)
- plot.pls, [108](#), [195](#)
- plot.plsda, [109](#)
- plot.plsdares, [109](#)
- plot.plsres, [110](#), [205](#), [208](#)
- plot.randtest, [111](#), [230](#)
- plot.regcoeffs, [111](#), [231](#)
- plot.regres, [112](#)
- plot.simca, [113](#)
- plot.simcam, [113](#)
- plot.simcamres, [114](#)
- plotBars, [114](#), [164](#)
- plotBiplot, [115](#)
- plotBiplot.pca, [97](#), [115](#)

- plotConfidenceEllipse, 116, 130
- plotContributions, 117
- plotContributions.mcr, 58, 64, 117
- plotConvexHull, 118, 130
- plotCooman, 119
- plotCooman.simcam, 119, 121, 247
- plotCooman.simcamres, 120, 249
- plotCorr, 121
- plotCorr.randtest, 122, 230
- plotCumVariance, 122
- plotCumVariance.ldecomp, 103, 123, 251
- plotCumVariance.mcr, 58, 64, 123
- plotCumVariance.pca, 97, 124, 245
- plotDensity, 124, 164
- plotDiscriminationPower, 125
- plotDiscriminationPower.simcam, 125, 247
- plotDistDoF, 97, 126
- plotErrorbars, 127, 164
- plotExtreme, 127
- plotExtreme.pca, 97, 128
- plotHist, 129
- plotHist.randtest, 129, 230
- plotHotellingEllipse, 130
- plotLines, 131, 164
- plotLoadings, 132
- plotLoadings.pca, 97, 132, 245
- plotMisclassified, 133
- plotMisclassified.classmodel, 134, 203, 245, 247
- plotMisclassified.classres, 20, 134
- plotModelDistance, 135
- plotModelDistance.simcam, 135, 247
- plotModellingPower, 137
- plotPerformance, 137
- plotPerformance.classmodel, 134, 138, 163, 166
- plotPerformance.classres, 20, 134, 139, 164, 166, 205, 251
- plotPointsShape, 140
- plotPredictions, 140
- plotPredictions.classmodel, 141, 203, 245, 247
- plotPredictions.classres, 20, 106, 141, 205, 249, 251
- plotPredictions.regmodel, 142, 196
- plotPredictions.regres, 112, 143, 205, 208
- plotPredictions.simcam, 144
- plotPredictions.simcamres, 145
- plotProbabilities, 145
- plotProbabilities.classres, 146
- plotPurity, 146
- plotPurity.mcrpure, 64, 147
- plotPuritySpectra, 147
- plotPuritySpectra.mcrpure, 64, 148
- plotQDoF, 97, 149
- plotRegcoeffs, 149
- plotRegcoeffs.regmodel, 150
- plotRegressionLine, 150
- plotResiduals, 151
- plotResiduals.ldecomp, 54, 103, 151, 153, 251
- plotResiduals.pca, 97, 152, 179, 245
- plotResiduals.regres, 153, 191
- plotRMSE, 154
- plotRMSE.ipls, 155, 161
- plotRMSE.regmodel, 156, 196
- plotRMSE.regres, 156, 205, 208
- plotScatter, 157, 164
- plotScores, 158
- plotScores.ldecomp, 103, 130, 159, 160, 251
- plotScores.pca, 97, 130, 159, 245
- plotSelection, 160
- plotSelection.ipls, 106, 155, 161
- plotSelectivityRatio, 162
- plotSelectivityRatio.pls, 162, 196
- plotSensitivity, 163
- plotSensitivity.classmodel, 163, 203, 245, 247
- plotSensitivity.classres, 20, 164, 205, 251
- plotseries, 164
- plotSpecificity, 165
- plotSpecificity.classmodel, 166, 203, 245, 247
- plotSpecificity.classres, 20, 166, 205, 251
- plotSpectra, 167
- plotSpectra.mcr, 58, 64, 167
- plotT2DoF, 97, 168
- plotVariance, 168
- plotVariance.ldecomp, 103, 169, 251
- plotVariance.mcr, 58, 64, 169
- plotVariance.pca, 97, 170, 245

- plotVariance.pls, 171
- plotVariance.plsres, 172
- plotVIPScores, 172
- plotVIPScores.pls, 173, 196, 263
- plotWeights, 173
- plotWeights.pls, 174, 196
- plotXCumVariance, 174
- plotXCumVariance.pls, 175, 196
- plotXCumVariance.plsres, 175, 205, 208
- plotXLoadings, 176
- plotXLoadings.pls, 176, 195
- plotXResiduals, 177
- plotXResiduals.pls, 178, 196
- plotXResiduals.plsres, 179, 205, 208
- plotXScores, 180
- plotXScores.pls, 130, 180, 195
- plotXScores.plsres, 130, 181, 205, 208
- plotXVariance, 181
- plotXVariance.pls, 182, 195
- plotXVariance.plsres, 182, 205, 208
- plotXYLoadings, 183
- plotXYLoadings.pls, 183, 195
- plotXYResiduals, 184
- plotXYResiduals.pls, 184, 196
- plotXYResiduals.plsres, 186
- plotXYScores, 186
- plotXYScores.pls, 187, 195
- plotXYScores.plsres, 187, 205, 208
- plotYCumVariance, 188
- plotYCumVariance.pls, 188, 196
- plotYCumVariance.plsres, 189, 205, 208
- plotYResiduals, 190
- plotYResiduals.plsres, 190, 205, 208
- plotYResiduals.regmodel, 191, 196
- plotYVariance, 191
- plotYVariance.pls, 192, 195
- plotYVariance.plsres, 192, 205, 208
- pls, 93, 109, 110, 171, 174, 175, 177, 181–183, 187, 189, 192, 193, 203, 209, 212, 237
- pls.cal, 198
- pls.getLimitsCoordinates, 199
- pls.getZLimits, 199
- pls.run, 200
- pls.simpls, 195, 200
- plsda, 19, 93, 109, 134, 141, 144, 163, 166, 201, 206, 212
- plsdares, 93, 134, 139, 142, 145, 164, 167, 202, 204
- plsres, 93, 110, 172, 176, 179, 181, 182, 188, 189, 193, 196, 205, 207, 212
- predict.mcrals, 57, 210
- predict.mcrpure, 64, 210
- predict.pca, 97, 102, 211
- predict.pls, 195, 207, 211
- predict.plsda, 203, 204, 206, 212
- predict.simca, 213, 245, 250
- predict.simcam, 213, 247, 249
- prep.alsbasecorr, 214
- prep.autoscale, 94, 215
- prep.msc, 94, 215
- prep.norm, 94, 216
- prep.savgol, 94, 217
- prep.snv, 94, 217
- preparePlotData, 218
- prepCalData, 218
- print.classres, 219
- print.ipls, 219
- print.ldecomp, 220
- print.mcrals, 220
- print.mcrpure, 221
- print.pca, 221
- print.pcares, 222
- print.pls, 222
- print.plsda, 223
- print.plsdares, 223
- print.plsres, 224
- print.randtest, 224
- print.regcoeffs, 225
- print.regmodel, 225
- print.regres, 226
- print.simca, 226
- print.simcam, 227
- print.simcamres, 227
- print.simcares, 228
- randtest, 93, 111, 122, 129, 196, 228
- regcoeffs, 194, 195, 202, 230
- regcoeffs.getStats, 231
- regres, 232
- regres.bias, 232
- regres.err, 233
- regres.r2, 233
- regres.rmse, 234
- regres.slope, 234
- regress.addattrs, 234
- repmat, 235

selectCompNum, 235
selectCompNum.pca, 97, 236, 245
selectCompNum.pls, 194, 195, 236
selratio, 41, 195, 237
setDistanceLimits, 238
setDistanceLimits.pca, 97, 238
setDistanceLimits.pls, 195, 239
showDistanceLimits, 240
showLabels, 240
showPredictions, 241
showPredictions.classres, 20, 205, 241,
249, 251
simca, 19, 93, 96, 134, 141, 144, 163, 166,
213, 242, 250, 251
simcam, 32, 93, 113, 134, 141, 144, 163, 166,
214, 246, 249
simcam.getPerformanceStats, 248
simcamres, 93, 114, 134, 139, 142, 145, 164,
167, 246, 248
simcares, 19, 93, 243, 250
simdata, 252
splitExcludedData, 252
splitPlotData, 253
summary.classres, 253
summary.ipls, 155, 161, 254
summary.ldecomp, 254
summary.mcrals, 255
summary.mcrpure, 255
summary.pca, 256
summary.pcares, 256
summary.pls, 195, 257
summary.plsda, 257
summary.plsdares, 258
summary.plsres, 205, 208, 258
summary.randtest, 230, 259
summary.regcoeffs, 231, 259
summary.regmodel, 260
summary.regres, 260
summary.simca, 261
summary.simcam, 261
summary.simcamres, 262
summary.simcares, 262

unmix.mcrpure, 64, 263

vipcores, 43, 162, 173, 195, 263