

Package ‘sicegar’

August 23, 2019

Type Package

Title Analysis of Single-Cell Viral Growth Curves

Version 0.2.3

Description Aims to quantify time intensity data by using sigmoidal and double sigmoidal curves. It fits straight lines, sigmoidal, and double sigmoidal curves on to time vs intensity data. Then all the fits are used to make decision on which model (sigmoidal, double sigmoidal, no signal or ambiguous) best describes the data. No signal means the intensity does not reach a high enough point or does not change at all over time. Sigmoidal means intensity starts from a small number than climbs to a maximum. Double sigmoidal means intensity starts from a small number, climbs to a maximum then starts to decay. After the decision between those four options, the algorithm gives the sigmoidal (or double sigmoidal) associated parameter values that quantifies the time intensity curve. The origin of the package name came from “Single CELL Growth Analysis in R”.

URL <https://github.com/wilkelab/sicegar>

Imports dplyr, minpack.lm, fBasics, ggplot2, stats

License GPL-2 | GPL-3

LazyData true

Suggests covr, cowplot, testthat, vdiff, knitr

VignetteBuilder knitr

BugReports <https://github.com/wilkelab/sicegar/issues>

Collate 'categorize.R' 'mainFunctions.R' 'multipleFitFunction.R'
'sigmoidalFitFunctions.R' 'doublesigmoidalFitFunctions.R'
'normalizationFunction.R' 'sicegar.R' 'dataInputCheck.R'
'parameterCalculation.R' 'figureGeneration.R'

RoxygenNote 6.1.1

NeedsCompilation no

Author M. Umut Caglar [aut],
Claus O. Wilke [aut, cre] (<<https://orcid.org/0000-0002-7470-9261>>)

Maintainer Claus O. Wilke <wilke@austin.utexas.edu>

Repository CRAN

Date/Publication 2019-08-23 15:30:02 UTC

R topics documented:

| | |
|--------------------------------------|-----------|
| categorize | 2 |
| dataCheck | 4 |
| doublesigmoidalFitFormula | 5 |
| doublesigmoidalFitFunction | 7 |
| figureModelCurves | 9 |
| fitAndCategorize | 11 |
| multipleFitFunction | 14 |
| normalizeData | 16 |
| parameterCalculation | 17 |
| preCategorize | 19 |
| sameSourceDataCheck | 20 |
| sigmoidalFitFormula | 21 |
| sigmoidalFitFunction | 22 |
| unnormalizeData | 24 |
| Index | 25 |

| | |
|------------|--|
| categorize | <i>Categorize input data by comparing the AIC values of the three fitted models.</i> |
|------------|--|

Description

Categorizes the input data using the results of two model fits and chosen thresholds.

Usage

```
categorize(parameterVectorSigmoidal, parameterVectorDoubleSigmoidal,
  threshold_intensity_range = 0.1,
  threshold_minimum_for_intensity_maximum = 0.3,
  threshold_bonus_sigmoidal_AIC = 0,
  threshold_sm_tmax_IntensityRatio = 0.85,
  threshold_dsm_tmax_IntensityRatio = 0.75, threshold_AIC = -10,
  threshold_t0_max_int = 0.05, showDetails = FALSE)
```

Arguments

parameterVectorSigmoidal
Output of the sigmoidalFitFunction.

parameterVectorDoubleSigmoidal
Output of the doublesigmoidalFitFunction.

threshold_intensity_range
Minimum for intensity range, i.e. it is the lower limit for the allowed difference between the maximum and minimum of the intensities (Default is 0.1, and the values are based on actual, not the rescaled data.).

| | |
|---|---|
| threshold_minimum_for_intensity_maximum | Minimum allowed value for intensity maximum. (Default is 0.3, and the values are based on actual, not the rescaled data.). |
| threshold_bonus_sigmoidal_AIC | Bonus AIC points for sigmoidal fit. Negative values help the sigmoidal model to win. Only helps in competition between sigmoidal and double sigmoidal fit at decision step "9", i.e. if none of the models fail in any of the tests and stay as a candidate until the last step (Default is 0). |
| threshold_sm_tmax_IntensityRatio | The threshold for the minimum intensity ratio between the last observed time points intensity and theoretical maximum intensity of the sigmoidal curve. If the value is below the threshold, then the data can not be represented with the sigmoidal model. (Default is 0.85) |
| threshold_dsm_tmax_IntensityRatio | The threshold for the minimum intensity ratio between the last observed time points intensity and maximum intensity of the double sigmoidal curve. If the value is above the threshold, then the data can not be represented with the double sigmoidal model. (Default is 0.75) |
| threshold_AIC | Maximum AIC values in order to have a meaningful fit (Default is -10). |
| threshold_t0_max_int | Maximum allowed intensity of the fitted curve at time is equal to zero (t=0). (Default is 0.05, and the values are based on actual, not the rescaled data.). |
| showDetails | Logical to chose if we want to see details or not. Default is "FALSE" |

Value

The returned object contains extensive information about the decision process, but the key component is the decision variable. The decision variable can be one of the following four; "no_signal", "infection", "infection&lysis" or "ambiguous".

Examples

```
# Example 1 with double sigmoidal data
time=seq(3, 24, 0.1)

#simulate intensity data and add noise
noise_parameter <- 0.2
intensity_noise <- runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sicegar::doublesigmoidalFitFormula(time,
                                                finalAsymptoteIntensityRatio = .3,
                                                maximum = 4,
                                                slope1Param = 1,
                                                midPoint1Param = 7,
                                                slope2Param = 1,
                                                midPointDistanceParam = 8)

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- sicegar::normalizeData(dataInput,
```

```

dataInputName = "sample001")

# Fit sigmoidal model
sigmoidalModel <- sicegar::multipleFitFunction(dataInput = normalizedInput,
                                              model = "sigmoidal",
                                              n_runs_min = 20,
                                              n_runs_max = 500,
                                              showDetails = FALSE)

# Fit double sigmoidal model
doubleSigmoidalModel <- sicegar::multipleFitFunction(dataInput = normalizedInput,
                                                    model = "doublesigmoidal",
                                                    n_runs_min = 20,
                                                    n_runs_max = 500,
                                                    showDetails = FALSE)

# Calculate additional parameters
sigmoidalModel <- sicegar::parameterCalculation(sigmoidalModel)
doubleSigmoidalModel <- sicegar::parameterCalculation(doubleSigmoidalModel)

outputCluster <- sicegar::categorize(parameterVectorSigmoidal = sigmoidalModel,
                                     parameterVectorDoubleSigmoidal = doubleSigmoidalModel)

utils::str(outputCluster)

```

dataCheck

Checks if data is in correct format.

Description

Checks if the input data is appropriate and if it is not, the function converts it into a suitable form. The input data frame should contain two columns named time and intensity related to time variable and intensity variable respectively. If the data frame is in a list its name in the list should be \$timeIntensityData.

Usage

```
dataCheck(data, showDetails = TRUE)
```

Arguments

| | |
|-------------|--|
| data | the input data. It can be either a list that contains a data frame in . <code>\$timeIntensityData</code> or can be a data frame by itself. |
| showDetails | logical, if TRUE the function will provide an output "check done" if everything is OK. Default is FALSE |

Examples

```
# Example 1

# generate data frame
time <- seq(3, 48, 0.5)
intensity <- runif(length(time), 3.0, 7.5)
dataInput <- data.frame(time, intensity)

# Apply dataCheck function
dataOutputVariable <- dataCheck(dataInput)

# Example 2

# generate data frame
time <- seq(3, 48, 0.5)
intensity <- runif(length(time), 3.0, 7.5)
dataInput <- data.frame(time, intensity)

# Normalize Data
dataOutput <- normalizeData(dataInput)
dataInput2 <- dataOutput

# Apply dataCheck function
dataOutputVariable2 <- dataCheck(dataInput2)
```

doublesigmoidalFitFormula

Double Sigmoidal Formula

Description

Calculates intensities using the double-sigmoidal model fit and the parameters (maximum, final asymptote intensity, slope1Param, midpoint1Param, slope2Param, and mid point distance).

Usage

```
doublesigmoidalFitFormula(x, finalAsymptoteIntensityRatio, maximum,
  slope1Param, midPoint1Param, slope2Param, midPointDistanceParam)
```

Arguments

| | |
|------------------------------|--|
| x | the "time" (time) column of the dataframe |
| finalAsymptoteIntensityRatio | This is the ratio between asymptote intensity and maximum intensity of the fitted curve. |
| maximum | the maximum intensity that the double sigmoidal function reach. |

`slope1Param` the slope parameter of the sigmoidal function at the steepest point in the exponential phase of the viral production.

`midPoint1Param` the x axis value of the steepest point in the function.

`slope2Param` the slope parameter of the sigmoidal function at the steepest point in the lysis phase. i.e when the intensity is decreasing.

`midPointDistanceParam`
the distance between the time of steepest increase and steepest decrease in the intensity data. In other words the distance between the x axis values of arguments of `slope1Param` and `slope2Param`.

Value

Returns the predicted intensities for the given time points with the double-sigmoidal fitted parameters for the double sigmoidal fit.

Examples

```
time <- seq(3, 24, 0.1)

#simulate intensity data and add noise
noise_parameter <- 0.2
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- doublesigmoidalFitFormula(time,
                                       finalAsymptoteIntensityRatio = .3,
                                       maximum = 4,
                                       slope1Param = 1,
                                       midPoint1Param = 7,
                                       slope2Param = 1,
                                       midPointDistanceParam = 8)

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- normalizeData(dataInput)
parameterVector <- doublesigmoidalFitFunction(normalizedInput, tryCounter = 2)

#Check the results
if(parameterVector$isThisaFit){
  intensityTheoretical <-
    doublesigmoidalFitFormula(
      time,
      finalAsymptoteIntensityRatio = parameterVector$finalAsymptoteIntensityRatio_Estimate,
      maximum = parameterVector$maximum_Estimate,
      slope1Param = parameterVector$slope1Param_Estimate,
      midPoint1Param = parameterVector$midPoint1Param_Estimate,
      slope2Param = parameterVector$slope2Param_Estimate,
      midPointDistanceParam = parameterVector$midPointDistanceParam_Estimate)

  comparisonData <- cbind(dataInput, intensityTheoretical)

  require(ggplot2)
```

```

ggplot(comparisonData) +
  geom_point(aes(x = time, y = intensity)) +
  geom_line(aes(x = time, y = intensityTheoretical)) +
  expand_limits(x = 0, y = 0)
}

if(!parameterVector$isThisaFit){
  print(parameterVector)
}

```

doublesigmoidalFitFunction

Double sigmoidal fit function.

Description

The function fits a double sigmoidal curve to given data by using likelihood maximization (LM) algorithm and provides the parameters (maximum, final asymptote intensity, slope1Param, midPoint1Param, slope2Param, and midpoint distance) describing the double-sigmoidal fit as output. It also contains information about the goodness of fits such as AIC, BIC, residual sum of squares, and log likelihood.

Usage

```

doublesigmoidalFitFunction(dataInput, tryCounter,
  startList = list(finalAsymptoteIntensityRatio = 0, maximum = 1,
    slope1Param = 1, midPoint1Param = 0.33, slope2Param = 1,
    midPointDistanceParam = 0.29),
  lowerBounds = c(finalAsymptoteIntensityRatio = 0, maximum = 0.3,
    slope1Param = 0.01, midPoint1Param = -0.52, slope2Param = 0.01,
    midPointDistanceParam = 0.04),
  upperBounds = c(finalAsymptoteIntensityRatio = 1, maximum = 1.5,
    slope1Param = 180, midPoint1Param = 1.15, slope2Param = 180,
    midPointDistanceParam = 0.63), min_Factor = 1/2^20,
  n_iterations = 1000)

```

Arguments

| | |
|------------|--|
| dataInput | A data frame or a list containing the dataframe. The data frame should be composed of at least two columns. One represents time, and the other represents intensity. The data should be normalized with the normalize data function <code>sicgar::normalizeData()</code> before imported into this function. |
| tryCounter | A counter that shows the number of times the data was fit via maximum likelihood function. |

| | |
|---------------------------|---|
| <code>startList</code> | The initial set of parameters vector that algorithm tries for the first fit attempt for the relevant parameters. The vector composes of six elements; 'finalAsymptoteIntensityRatio', 'maximum', 'slope1Param', 'midPoint1Param', 'slope2Param', and 'midPointDistanceParam'. Detailed explanations of those parameters can be found in vignettes. Defaults are finalAsymptoteIntensityRatio = 0, maximum = 1, slope1Param = 1, midPoint1Param = 0.33, slope2Param = 1, and midPointDistanceParam=0.29. The numbers are in normalized time intensity scale. |
| <code>lowerBounds</code> | The lower bounds for the randomly generated start parameters. The vector composes of six elements; 'finalAsymptoteIntensityRatio', 'maximum', 'slope1Param', 'midPoint1Param', 'slope2Param', and 'midPointDistanceParam'. Detailed explanations of those parameters can be found in vignettes. Defaults are finalAsymptoteIntensityRatio = 0, maximum = 0.3, slope1Param = .01, midPoint1Param = -0.52, slope2Param = .01, and midPointDistanceParam = 0.04. The numbers are in normalized time intensity scale. |
| <code>upperBounds</code> | The upper bounds for the randomly generated start parameters. The vector composes of six elements; 'finalAsymptoteIntensityRatio', 'maximum', 'slope1Param', 'midPoint1Param', 'slope2Param', and 'midPointDistanceParam'. Detailed explanations of those parameters can be found in vignettes. Defaults are finalAsymptoteIntensityRatio = 1, maximum = 1.5, slope1Param = 180, midPoint1Param = 1.15, slope2Param = 180, and midPointDistanceParam = 0.63. The numbers are in normalized time intensity scale. |
| <code>min_Factor</code> | Defines the minimum step size used by the fitting algorithm. Default is $1/2^{20}$. |
| <code>n_iterations</code> | Define maximum number of iterations used by the fitting algorithm. Default is 1000 |

Value

Returns the fitted parameters and goodness of fit metrics.

Examples

```
time=seq(3, 24, 0.1)

#simulate intensity data and add noise
noise_parameter <- 0.2
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- doublesigmoidalFitFormula(time,
                                       finalAsymptoteIntensityRatio = .3,
                                       maximum = 4,
                                       slope1Param = 1,
                                       midPoint1Param = 7,
                                       slope2Param = 1,
                                       midPointDistanceParam = 8)

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- normalizeData(dataInput)
parameterVector <- doublesigmoidalFitFunction(normalizedInput, tryCounter = 2)
```



```

#Check the results
if(parameterVector$isThisaFit){
  intensityTheoretical <-
    doublesigmoidalFitFormula(
      time,
      finalAsymptoteIntensityRatio = parameterVector$finalAsymptoteIntensityRatio_Estimate,
      maximum = parameterVector$maximum_Estimate,
      slope1Param = parameterVector$slope1Param_Estimate,
      midPoint1Param = parameterVector$midPoint1Param_Estimate,
      slope2Param = parameterVector$slope2Param_Estimate,
      midPointDistanceParam = parameterVector$midPointDistanceParam_Estimate)

  comparisonData <- cbind(dataInput, intensityTheoretical)

  require(ggplot2)
  ggplot(comparisonData) +
    geom_point(aes(x = time, y = intensity)) +
    geom_line(aes(x = time, y = intensityTheoretical)) +
    expand_limits(x = 0, y = 0)}

if(!parameterVector$isThisaFit) {print(parameterVector)}

```

figureModelCurves *Generate model associated figures.*

Description

Generates figures using ggplot that shows the input data and the fitted curves.

Usage

```

figureModelCurves(dataInput, sigmoidalFitVector = NULL,
  doubleSigmoidalFitVector = NULL, showParameterRelatedLines = FALSE,
  xlabelText = "time", ylabelText = "intensity", fittedXmin = 0,
  fittedXmax = NA)

```

Arguments

dataInput A data frame or a list containing the dataframe. The data frame should be composed of at least two columns. One represents time, and the other represents intensity. The data should be normalized with the normalize data function `sicegar::normalizeData()` before imported into this function.

sigmoidalFitVector the output of the `sicegar::sigmoidalFitFunction()`, or the augmented version of the output generated by the help of `sicegar::parameterCalculation()`, which contains parameters related with sigmoidal model. Default is NULL.

`doubleSigmoidalFitVector`
 the output of the `sicegar::doubleSigmoidalFitFunction()`, or the augmented version of the output generated by the help of `sicegar::parameterCalculation()`, which contains parameters related with double sigmoidal model. Default is NULL.

`showParameterRelatedLines`
 if equal to TRUE, figure will show parameter related lines on the curves. Default is FALSE.

`xlabelText`
 the x-axis name; with default "time"

`ylabelText`
 the y-axis name; with default "intensity"

`fittedXmin`
 the minimum of the fitted data that will be plotted (Default 0)

`fittedXmax`
 the maximum of the fitted data that will be plotted (Default timeRange)

Value

Returns infection curve figures.

Examples

```
time <- seq(3, 24, 0.1)

#simulate intensity data and add noise
noise_parameter <- 0.2
intensity_noise <- runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sicegar::doublesigmoidalFitFormula(time,
                                                finalAsymptoteIntensityRatio = .3,
                                                maximum = 4,
                                                slope1Param = 1,
                                                midPoint1Param = 7,
                                                slope2Param = 1,
                                                midPointDistanceParam = 8)

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- sicegar::normalizeData(dataInput, dataInputName = "sample001")

# Do the double sigmoidal fit
doubleSigmoidalModel <- sicegar::multipleFitFunction(dataInput = normalizedInput,
                                                    model = "doublesigmoidal",
                                                    n_runs_min = 20,
                                                    n_runs_max = 500,
                                                    showDetails = FALSE)

doubleSigmoidalModel <- sicegar::parameterCalculation(doubleSigmoidalModel)

fig01 <- sicegar::figureModelCurves(dataInput = normalizedInput,
                                    doubleSigmoidalFitVector = doubleSigmoidalModel,
                                    showParameterRelatedLines = TRUE)

print(fig01)
```

fitAndCategorize *Fit and categorize.*

Description

Fits the sigmoidal and double-sigmoidal models to the data and then categorizes the data according to which model fits best.

Usage

```
fitAndCategorize(dataInput, dataInputName = NA, n_runs_min_sm = 20,
  n_runs_max_sm = 500, n_runs_min_dsm = 20, n_runs_max_dsm = 500,
  showDetails = FALSE, startList_sm = list(maximum = 1, slopeParam = 1,
  midPoint = 0.33), lowerBounds_sm = c(maximum = 0.3, slopeParam = 0.01,
  midPoint = -0.52), upperBounds_sm = c(maximum = 1.5, slopeParam = 180,
  midPoint = 1.15), min_Factor_sm = 1/2^20, n_iterations_sm = 1000,
  startList_dsm = list(finalAsymptoteIntensityRatio = 0, maximum = 1,
  slope1Param = 1, midPoint1Param = 0.33, slope2Param = 1,
  midPointDistanceParam = 0.29),
  lowerBounds_dsm = c(finalAsymptoteIntensityRatio = 0, maximum = 0.3,
  slope1Param = 0.01, midPoint1Param = -0.52, slope2Param = 0.01,
  midPointDistanceParam = 0.04),
  upperBounds_dsm = c(finalAsymptoteIntensityRatio = 1, maximum = 1.5,
  slope1Param = 180, midPoint1Param = 1.15, slope2Param = 180,
  midPointDistanceParam = 0.63), min_Factor_dsm = 1/2^20,
  n_iterations_dsm = 1000, threshold_intensity_range = 0.1,
  threshold_minimum_for_intensity_maximum = 0.3,
  threshold_bonus_sigmoidal_AIC = 0,
  threshold_sm_tmax_IntensityRatio = 0.85,
  threshold_dsm_tmax_IntensityRatio = 0.75, threshold_AIC = -10,
  threshold_t0_max_int = 0.05, stepSize = 1e-05, ...)
```

Arguments

| | |
|----------------|--|
| dataInput | Un_normalized input data that will be fitted transferred into related functions |
| dataInputName | Name of data set (Default is 'NA'). |
| n_runs_min_sm | This number indicates the lower limit of the successful fitting attempts for sigmoidal model. It should be smaller than the upper limit of the fitting attempts (n_runs_max_sm). Default is 20 |
| n_runs_max_sm | This number indicates the upper limit of the fitting attempts for sigmoidal model. Default is 500 |
| n_runs_min_dsm | This number indicates the lower limit of the successful fitting attempts for double sigmoidal model. It should be smaller than the upper limit of the fitting attempts (n_runs_max_dsm). Default is 20 |
| n_runs_max_dsm | This number indicates the upper limit of the fitting attempts for sigmoidal model for double sigmoidal model. Default is 500 |

| | |
|-----------------|--|
| showDetails | Logical if TRUE prints details of intermediate steps of individual fits (Default is FALSE). |
| startList_sm | The initial set of parameters vector that sigmoidal fit algorithm tries for the first fit attempt for the relevant parameters. The vector composes of three elements; 'maximum', 'slopeParam' and, 'midPoint'. Detailed explanations of those parameters can be found in vignettes. Defaults are maximum = 1, slopeParam = 1 and, midPoint = 0.33. The numbers are in normalized time intensity scale. |
| lowerBounds_sm | The lower bounds for the randomly generated start parameters for the sigmoidal fit. The vector composes of three elements; 'maximum', 'slopeParam' and, 'midPoint'. Detailed explanations of those parameters can be found in vignettes. Defaults are maximum = 0.3, slopeParam = 0.01, and midPoint = -0.52. The numbers are in normalized time intensity scale. |
| upperBounds_sm | The upper bounds for the randomly generated start parameters for the sigmoidal fit. The vector composes of three elements; 'maximum', 'slopeParam' and, 'midPoint'. Detailed explanations of those parameters can be found in vignettes. Defaults are maximum = 1.5, slopeParam = 180, midPoint = 1.15. The numbers are in normalized time intensity scale. |
| min_Factor_sm | Defines Defines the minimum step size used by the sigmoidal fit algorithm. Default is $1/2^{20}$. |
| n_iterations_sm | Defines maximum number of iterations used by the sigmoidal fit algorithm. Default is 1000 |
| startList_dsm | The initial set of parameters vector that double sigmoidal fit algorithm tries for the first fit attempt for the relevant parameters. The vector composes of six elements; 'finalAsymptoteIntensityRatio', 'maximum', 'slope1Param', 'midPoint1Param', 'slope2Param', and 'midPointDistanceParam'. Detailed explanations of those parameters can be found in vignettes. Defaults are finalAsymptoteIntensityRatio = 0, maximum = 1, slope1Param = 1, midPoint1Param = 0.33, slope2Param = 1, and midPointDistanceParam=0.29. The numbers are in normalized time intensity scale. |
| lowerBounds_dsm | The lower bounds for the randomly generated start parameters for double sigmoidal fit. The vector composes of six elements; 'finalAsymptoteIntensityRatio', 'maximum', 'slope1Param', 'midPoint1Param', 'slope2Param', and 'midPointDistanceParam'. Detailed explanations of those parameters can be found in vignettes. Defaults are finalAsymptoteIntensityRatio = 0, maximum = 0.3, slope1Param = .01, midPoint1Param = -0.52, slope2Param = .01, and midPointDistanceParam = 0.04. The numbers are in normalized time intensity scale. |
| upperBounds_dsm | The upper bounds for the randomly generated start parameters for double sigmoidal fit. The vector composes of six elements; 'finalAsymptoteIntensityRatio', 'maximum', 'slope1Param', 'midPoint1Param', 'slope2Param', and 'midPointDistanceParam'. Detailed explanations of those parameters can be found in vignettes. Defaults are finalAsymptoteIntensityRatio = 1, maximum = 1.5, slope1Param = 180, midPoint1Param = 1.15, slope2Param = 180, and midPointDistanceParam = 0.63. The numbers are in normalized time intensity scale. |

| | |
|--|---|
| <code>min_Factor_dsm</code> | Defines the minimum step size used by the double sigmoidal fit algorithm. Default is $1/2^{20}$. |
| <code>n_iterations_dsm</code> | Define maximum number of iterations used by the double sigmoidal fit algorithm. Default is 1000 |
| <code>threshold_intensity_range</code> | Minimum for intensity range, i.e. it is the lower limit for the allowed difference between the maximum and minimum of the intensities (Default is 0.1, and the values are based on actual, not the rescaled data.). |
| <code>threshold_minimum_for_intensity_maximum</code> | Minimum allowed value for intensity maximum. (Default is 0.3, and the values are based on actual, not the rescaled data.). |
| <code>threshold_bonus_sigmoidal_AIC</code> | Bonus AIC points for sigmoidal fit. Negative values help the sigmoidal model to win. Only helps in competition between sigmoidal and double sigmoidal fit at decision step "9", i.e. if none of the models fail in any of the tests and stay as a candidate until the last step (Default is 0). |
| <code>threshold_sm_tmax_IntensityRatio</code> | The threshold for the minimum intensity ratio between the last observed time points intensity and theoretical maximum intensity of the sigmoidal curve. If the value is below the threshold, then the data can not be represented with the sigmoidal model. (Default is 0.85) |
| <code>threshold_dsm_tmax_IntensityRatio</code> | The threshold for the minimum intensity ratio between the last observed time points intensity and maximum intensity of the double sigmoidal curve. If the value is above the threshold, then the data can not be represented with the double sigmoidal model. (Default is 0.75) |
| <code>threshold_AIC</code> | Maximum AIC values in order to have a meaningful fit (Default is -10). |
| <code>threshold_t0_max_int</code> | Maximum allowed intensity of the fitted curve at time is equal to zero ($t=0$). (Default is 0.05, and the values are based on actual, not the rescaled data.). |
| <code>stepSize</code> | Step size used by the fitting algorithm. Smaller numbers gave more accurate results than larger numbers, and larger numbers gave the results faster than small numbers. The default value is 0.00001. |
| <code>...</code> | All other arguments that model functions ("sigmoidalFitFunction" and, "double-sigmoidalFitFunction") may need. |

Value

Returns the parameters related with the curve fitted to the input data.

Examples

```
# Example 1
time <- seq(3, 24, 0.5)

#simulate intensity data and add noise
```

```

noise_parameter <- 0.2
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sicegar::doublesigmoidalFitFormula(time,
                                                finalAsymptoteIntensityRatio = .3,
                                                maximum = 4,
                                                slope1Param = 1,
                                                midPoint1Param = 7,
                                                slope2Param = 1,
                                                midPointDistanceParam = 8)

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)

fit0bj <- sicegar::fitAndCategorize(dataInput = dataInput)

```

multipleFitFunction *multiple fit function.*

Description

Calls the fitting algorithms to fit the data multiple times with starting from different randomly generated initial parameters in each run. Multiple attempts at fitting the data are necessary to avoid local minima.

Usage

```

multipleFitFunction(dataInput, dataInputName = NA, model,
                    n_runs_min = 20, n_runs_max = 500, showDetails = FALSE, ...)

```

Arguments

| | |
|---------------|--|
| dataInput | A data frame or a list containing the dataframe. The data frame should be composed of at least two columns. One represents time, and the other represents intensity. The data should be normalized with the normalize data function sicegar::normalizeData() before imported into this function. |
| dataInputName | Name of data set (Default is 'NA'). |
| model | Type of fit model that will be used. Can be "sigmoidal", or "double_sigmoidal". |
| n_runs_min | This number indicates the lower limit of the successful fitting attempts. It should be smaller than the upper limit of the fitting attempts (n_runs_max). Default is 20. |
| n_runs_max | This number indicates the upper limit of the fitting attempts. Default is 500. |
| showDetails | Logical if TRUE prints details of intermediate steps of individual fits (Default is FALSE). |
| ... | All other arguments that model functions ("sigmoidalFitFunction" and, "double_sigmoidalFitFunction") may need. |

Value

Returns the parameters related with the model fitted for the input data.

Examples

```
# Example 1 (sigmoidal function with normalization)
time <- seq(3, 24, 0.5)

#simulate intensity data and add noise
noise_parameter <- 2.5
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sigmoidalFitFormula(time, maximum = 4, slopeParam = 1, midPoint = 8)
intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- normalizeData(dataInput, dataInputName = "sample001")
parameterVector <- multipleFitFunction(dataInput = normalizedInput,
                                       model = "sigmoidal",
                                       n_runs_min = 20,
                                       n_runs_max = 500)

#Check the results
if(parameterVector$isThisaFit){
  intensityTheoretical <- sigmoidalFitFormula(time,
                                             maximum = parameterVector$maximum_Estimate,
                                             slopeParam = parameterVector$slopeParam_Estimate,
                                             midPoint = parameterVector$midPoint_Estimate)

  comparisonData <- cbind(dataInput, intensityTheoretical)

  print(parameterVector$residual_Sum_of_Squares)

  require(ggplot2)
  ggplot(comparisonData)+
    geom_point(aes(x = time, y = intensity)) +
    geom_line(aes(x = time, y = intensityTheoretical), color = "orange") +
    expand_limits(x = 0, y = 0)
}

if(!parameterVector$isThisaFit){
  print(parameterVector)
}

# Example 2 (doublesigmoidal function with normalization)
time <- seq(3, 24, 0.1)

#simulate intensity data with noise
noise_parameter <- 0.2
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- doublesigmoidalFitFormula(time,
```

```

                                finalAsymptoteIntensityRatio = .3,
                                maximum = 4,
                                slope1Param = 1,
                                midPoint1Param = 7,
                                slope2Param = 1,
                                midPointDistanceParam = 8)
intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- normalizeData(dataInput)
parameterVector <- multipleFitFunction(dataInput = normalizedInput,
                                       dataInputName="sample001",
                                       model = "doublesigmoidal",
                                       n_runs_min = 20,
                                       n_runs_max = 500,
                                       showDetails = FALSE)

#Check the results
if(parameterVector$isThisaFit){
  intensityTheoretical <-
    doublesigmoidalFitFormula(
      time,
      finalAsymptoteIntensityRatio = parameterVector$finalAsymptoteIntensityRatio_Estimate,
      maximum = parameterVector$maximum_Estimate,
      slope1Param = parameterVector$slope1Param_Estimate,
      midPoint1Param = parameterVector$midPoint1Param_Estimate,
      slope2Param = parameterVector$slope2Param_Estimate,
      midPointDistanceParam = parameterVector$midPointDistanceParam_Estimate)

  comparisonData <- cbind(dataInput, intensityTheoretical)

  require(ggplot2)
  ggplot(comparisonData) +
    geom_point(aes(x = time, y = intensity)) +
    geom_line(aes(x = time, y = intensityTheoretical), color = "orange") +
    expand_limits(x = 0, y = 0)
}

if(!parameterVector$isThisaFit){
  print(parameterVector)
}

```


Description

Maps the given time-intensity data into a rescaled data frame where time is scaled in a way that maximum time point is one and intensity is distributed between [0,1].

Usage

```
normalizeData(dataInput, dataInputName = NA)
```

Arguments

`dataInput` A data frame or a list containing the dataframe. The data frame should be composed of at least two columns. One represents time, and the other represents intensity.

`dataInputName` experiment name (Default is 'NA').

Value

Function returns a new data frame, scaling factors and scaling constants that connects initial data frame to new one. The new data frame includes 2 columns one is for normalized time and the other is for normalized intensity. The whole time is distributed between 0 and 1 and similarly the whole intensity is distributed between 0 and 1. The time and intensity constants and scaling factors are the parameters to transform data from unnormalized data frame to normalized data frame.

Examples

```
# generateRandomData
time <- seq(3, 48, 0.5)
intensity <- runif(length(time), 3.0, 7.5)
dataInput <- data.frame(time, intensity)

# Normalize Data
dataOutput <- normalizeData(dataInput, dataInputName="sample001")
```

parameterCalculation *useful parameter calculation with help of fits*

Description

Generates useful values for external use, with the help of parameterVector's of the fits.

Usage

```
parameterCalculation(parameterVector, stepSize = 1e-05)
```

Arguments

| | |
|-----------------|---|
| parameterVector | Output of multiple fit function <code>sicegar::multipleFitFunction()</code> that gives the variables related with sigmoidal or double sigmoidal fit. |
| stepSize | Step size used by the fitting algorithm. Smaller numbers gave more accurate results than larger numbers, and larger numbers gave the results faster than small numbers. The default value is 0.00001. |

Value

Returns the expanded parameter vector. This vector includes useful derived values such as time and intensity of the start point, in addition to the standard values that the fit algorithms produce that are necessary to define the curves.

Examples

```
time <- seq(3, 24, 0.1)

#simulate intensity data with noise
noise_parameter <- 0.2
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sicegar::doublesigmoidalFitFormula(time,
                                                finalAsymptoteIntensityRatio = .3,
                                                maximum = 4,
                                                slope1Param = 1,
                                                midPoint1Param = 7,
                                                slope2Param = 1,
                                                midPointDistanceParam = 8)

intensity <- intensity+intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- sicegar::normalizeData(dataInput)
parameterVector <- sicegar::multipleFitFunction(dataInput = normalizedInput,
                                                dataInputName = "sample01",
                                                model = "doublesigmoidal",
                                                n_runs_min = 20,
                                                n_runs_max = 500,
                                                showDetails = FALSE)

if(parameterVector$isThisaFit){
  parameterVector <- sicegar::parameterCalculation(parameterVector)
}

print(t(parameterVector))
```



```

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- sicegar::normalizeData(dataInput, dataInputName = "sample001")
isThis_nosignal <- sicegar::preCategorize(normalizedInput = normalizedInput)

# Example 2 with no_signal data

time <- seq(3, 24, 0.1)

#simulate intensity data and add noise
noise_parameter <- 0.05
intensity_noise <- runif(n = length(time), min = 0, max = 1) * noise_parameter * 2e-04
intensity <- sicegar::doublesigmoidalFitFormula(time,
                                                finalAsymptoteIntensityRatio = .3,
                                                maximum = 2e-04,
                                                slope1Param = 1,
                                                midPoint1Param = 7,
                                                slope2Param = 1,
                                                midPointDistanceParam = 8)

intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity=intensity, time=time)
normalizedInput <- sicegar::normalizeData(dataInput,dataInputName = "sample001")
isThis_nosignal <- sicegar::preCategorize(normalizedInput = normalizedInput)

```

sameSourceDataCheck *Check is data came from the same source.*

Description

Checks if the provided data and models came from same source by looking to ".dataInputName" columns of the inputs.

Usage

```
sameSourceDataCheck(dataInput, sigmoidalFitVector,
                    doubleSigmoidalFitVector)
```

Arguments

dataInput a data frame composed of two columns. One is for time and the other is for intensity. Should be normalized data generated by normalizeData.

sigmoidalFitVector is the output of sigmoidalFitFunction. Default is NULL.

doubleSigmoidalFitVector is the output of double sigmoidal fit function. Default is NULL.

Value

Returns TRUE if models can from same source, FALSE otherwise.

```
sigmoidalFitFormula  sigmoidalFitFormula
```

Description

Calculates intensities for given time points (x) by using sigmoidal fit model and parameters (maximum, slopeParam, and midpoint).

Usage

```
sigmoidalFitFormula(x, maximum, slopeParam, midPoint)
```

Arguments

| | |
|------------|---|
| x | the "time" (time) column of the dataframe. |
| maximum | the maximum intensity that the sigmoidal function can reach while time approaches infinity. |
| slopeParam | the slope parameter of the sigmoidal function at the steepest point. |
| midPoint | the x axis value of the steepest point in the function. |

Value

Returns the predicted intensities for given time points with the given sigmoidal fit parameters.

Examples

```
time <- seq(3, 24, 0.5)

#simulate intensity data and add noise
noise_parameter <- 0.1
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sigmoidalFitFormula(time, maximum = 4, slopeParam = 1, midPoint = 8)
intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- normalizeData(dataInput)
parameterVector <- sigmoidalFitFunction(normalizedInput, tryCounter = 2)

#Check the results
if(parameterVector$isThisaFit){
  intensityTheoretical <- sigmoidalFitFormula(time,
                                             maximum = parameterVector$maximum_Estimate,
                                             slopeParam = parameterVector$slopeParam_Estimate,
                                             midPoint = parameterVector$midPoint_Estimate)
```

```

comparisonData <- cbind(dataInput, intensityTheoretical)

require(ggplot2)
ggplot(comparisonData) +
  geom_point(aes(x = time, y = intensity)) +
  geom_line(aes(x = time, y = intensityTheoretical)) +
  expand_limits(x = 0, y = 0)
}

if(!parameterVector$isThisaFit){
  print(parameterVector)
}

```

sigmoidalFitFunction *Sigmoidal fit function*

Description

The function fits a sigmoidal curve to given data by using likelihood maximization (LM) algorithm and provides the parameters (maximum, slopeParam and, midPoint) describing the double-sigmoidal fit as output. It also contains information about the goodness of fits such as AIC, BIC, residual sum of squares, and log likelihood.

Usage

```

sigmoidalFitFunction(dataInput, tryCounter, startList = list(maximum = 1,
  slopeParam = 1, midPoint = 0.33), lowerBounds = c(maximum = 0.3,
  slopeParam = 0.01, midPoint = -0.52), upperBounds = c(maximum = 1.5,
  slopeParam = 180, midPoint = 1.15), min_Factor = 1/2^20,
  n_iterations = 1000)

```

Arguments

| | |
|------------|--|
| dataInput | A data frame or a list containing the dataframe. The data frame should be composed of at least two columns. One represents time, and the other represents intensity. The data should be normalized with the normalize data function <code>sicegar::normalizeData()</code> before imported into this function. |
| tryCounter | A counter that shows the number of times the data was fit via maximum likelihood function. |
| startList | The initial set of parameters vector that algorithm tries for the first fit attempt for the relevant parameters. The vector composes of three elements; 'maximum', 'slopeParam' and, 'midPoint'. Detailed explanations of those parameters can be found in vignettes. Defaults are maximum = 1, slopeParam = 1 and, midPoint = 0.33. The numbers are in normalized time intensity scale. |

| | |
|--------------|---|
| lowerBounds | The lower bounds for the randomly generated start parameters. The vector composes of three elements; 'maximum', 'slopeParam' and, 'midPoint'. Detailed explanations of those parameters can be found in vignettes. Defaults are maximum = 0.3, slopeParam = 0.01, and midPoint = -0.52. The numbers are in normalized time intensity scale. |
| upperBounds | The upper bounds for the randomly generated start parameters. The vector composes of three elements; 'maximum', 'slopeParam' and, 'midPoint'. Detailed explanations of those parameters can be found in vignettes. Defaults are maximum = 1.5, slopeParam = 180, midPoint = 1.15. The numbers are in normalized time intensity scale. |
| min_Factor | Defines the minimum step size used by the fitting algorithm. Default is $1/2^{20}$. |
| n_iterations | Defines maximum number of iterations used by the fitting algorithm. Default is 1000 |

Value

Returns fitted parameters for the sigmoidal model.

Examples

```
time <- seq(3, 24, 0.5)

#simulate intensity data and add noise
noise_parameter <- 0.1
intensity_noise <- stats::runif(n = length(time), min = 0, max = 1) * noise_parameter
intensity <- sigmoidalFitFormula(time, maximum = 4, slopeParam = 1, midPoint = 8)
intensity <- intensity + intensity_noise

dataInput <- data.frame(intensity = intensity, time = time)
normalizedInput <- normalizeData(dataInput)
parameterVector <- sigmoidalFitFunction(normalizedInput, tryCounter = 2)

#Check the results
if(parameterVector$isThisaFit){
  intensityTheoretical <- sigmoidalFitFormula(time,
                                             maximum = parameterVector$maximum_Estimate,
                                             slopeParam = parameterVector$slopeParam_Estimate,
                                             midPoint = parameterVector$midPoint_Estimate)

  comparisonData <- cbind(dataInput, intensityTheoretical)

  require(ggplot2)
  ggplot(comparisonData) +
    geom_point(aes(x = time, y = intensity)) +
    geom_line(aes(x = time, y = intensityTheoretical)) +
    expand_limits(x = 0, y = 0)
}

if(!parameterVector$isThisaFit){
  print(parameterVector)
}
```

| | |
|-----------------|--------------------------------------|
| unnormalizeData | <i>Unnormalization of given data</i> |
|-----------------|--------------------------------------|

Description

Maps the given time-intensity data into a rescaled frame where time is between [0,1] and similarly intensity is between [0,1].

Usage

```
unnormalizeData(dataInput)
```

Arguments

| | |
|-----------|---|
| dataInput | a list file composes of two parts First part is the data that will be unnormlized, which is a data frame composed of two columns. One is for time and the other is for intensity Second part is the scaling parameters of the data which is a vector that has three components. The first one of them is related with time and last two of them are related with intensity. The second value represents the min value of the intensity set. First and third values represent the difference between max and min value in the relevant column. |
|-----------|---|

Value

Returns a data frame, scaling factors and scaling constants for time and intensity. The other data frame includes 2 columns one is for normalized time and the other is for noralized intensity. The whole time is distributed between 0 and 1 and similarly the whole intensity is distributed between 0 and 1. The time and intensity constants and scaling factors are the parameters to transform data from given set to scaled set.

Examples

```
# generateRandomData
time <- seq(3, 48, 0.5)
intensity <- runif(length(time), 3.0, 7.5)
dataInput <- data.frame(time, intensity)
# Normalize Data
dataOutput <- normalizeData(dataInput)
dataInput2 <- dataOutput
# Un Normalize it
dataOutput2 <- unnormalizeData(dataInput2)
```


Index

[categorize](#), [2](#)

[dataCheck](#), [4](#)

[doublesigmoidalFitFormula](#), [5](#)

[doublesigmoidalFitFunction](#), [7](#)

[figureModelCurves](#), [9](#)

[fitAndCategorize](#), [11](#)

[multipleFitFunction](#), [14](#)

[normalizeData](#), [16](#)

[parameterCalculation](#), [17](#)

[preCategorize](#), [19](#)

[sameSourceDataCheck](#), [20](#)

[sigmoidalFitFormula](#), [21](#)

[sigmoidalFitFunction](#), [22](#)

[unnormalizeData](#), [24](#)