

# Package ‘tidymodels’

November 22, 2020

**Title** Easily Install and Load the 'Tidymodels' Packages

**Version** 0.1.2

**Description** The tidy modeling ``verse" is a collection of packages for modeling and statistical analysis that share the underlying design philosophy, grammar, and data structures of the tidyverse.

**License** GPL-3 | file LICENSE

**URL** <https://tidymodels.tidymodels.org>,  
<https://github.com/tidymodels/tidymodels>

**BugReports** <https://github.com/tidymodels/tidymodels/issues>

**Depends** R (>= 3.1)

**Imports** broom (>= 0.7.2), cli (>= 2.2.0), dials (>= 0.0.9), dplyr (>= 1.0.2), ggplot2 (>= 3.3.2), infer (>= 0.5.3), magrittr (>= 2.0.0), modeldata (>= 0.1.0), parsnip (>= 0.1.4), purrr (>= 0.3.4), recipes (>= 0.1.15), rlang (>= 0.4.8), rsample (>= 0.0.8), rstudioapi (>= 0.13), tibble (>= 3.0.4), tidyr (>= 1.1.2), tune (>= 0.1.2), workflows (>= 0.2.1), yardstick (>= 0.0.7)

**Suggests** covr, glue, knitr, rmarkdown, testthat, xml2

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1.9000

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Max Kuhn [aut, cre],  
Hadley Wickham [aut],  
RStudio [cph, fnd]

**Maintainer** Max Kuhn <max@rstudio.com>

**Repository** CRAN

**Date/Publication** 2020-11-22 21:50:02 UTC

## R topics documented:

pkg_deps	2
tag_show	2
tidymodels_conflicts	3
tidymodels_packages	3
tidymodels_update	4

<b>Index</b>	<b>5</b>
--------------	----------

---

pkg_deps	<i>List all dependencies</i>
----------	------------------------------

---

### Description

List all dependencies

### Usage

```
pkg_deps(x = "tidymodels", recursive = FALSE)
```

### Arguments

x	A character string for the packages being evaluated.
recursive	If TRUE, will also list all dependencies of tidymodels packages.

---

tag_show	<i>Facilities for loading and updating other packages</i>
----------	---

---

### Description

'tidymodels' contains a set of tags for specific topics in modeling and analysis. These can be used to load packages in groups.

### Usage

```
tag_show()
tag_attach(tag)
tag_update(tag)
```

### Arguments

tag	A character strong for the tag. Current options are: 'Bayesian analysis', 'deep learning', 'ensembles', 'extra models', 'extra recipes', 'feature engineering', 'interpretation', 'parallel processing', 'parameter tuning', 'resampling', 'text analysis', 'time series', and 'visualization'.
-----	---

**Examples**

```
tag_show()
```

---

tidymodels\_conflicts *Conflicts between the tidymodels and other packages*

---

**Description**

This function lists all the conflicts between packages in the tidymodels and other packages that you have loaded.

**Usage**

```
tidymodels_conflicts()
```

**Details**

There are four conflicts that are deliberately ignored: `intersect`, `union`, `setequal`, and `setdiff` from `dplyr`. These functions make the base equivalents generic, so shouldn't negatively affect any existing code.

**Examples**

```
tidymodels_conflicts()
```

---

tidymodels\_packages *List all packages in the tidymodels*

---

**Description**

List all packages in the tidymodels

**Usage**

```
tidymodels_packages(include_self = TRUE)
```

**Arguments**

`include_self` Include tidymodels in the list?

**Examples**

```
tidymodels_packages()
```

---

tidymodels_update	<i>Update tidymodels packages</i>
-------------------	-----------------------------------

---

**Description**

This will check to see if all tidymodels packages (and optionally, their dependencies) are up-to-date, and will install after an interactive confirmation.

**Usage**

```
tidymodels_update(pkg = "tidymodels", recursive = FALSE, ...)
```

**Arguments**

pkg	A character string for the model being updated.
recursive	If TRUE, will also check all dependencies of tidymodels packages.
...	Extra arguments to pass to [utils::install.packages()]

**Value**

Nothing is returned but a message is printed to the console about which packages (if any) should be installed along with code to do so.

**Examples**

```
## Not run:  
tidymodels_update()  
  
## End(Not run)
```

# Index

`pkg_deps`, [2](#)

`tag_attach (tag_show)`, [2](#)

`tag_show`, [2](#)

`tag_update (tag_show)`, [2](#)

`tags (tag_show)`, [2](#)

`tidymodels_conflicts`, [3](#)

`tidymodels_packages`, [3](#)

`tidymodels_update`, [4](#)